Athens. Observatoire national..

NATIONAL OBSERVATORY OF ATHENS
METEOROLOGICAL INSTITUTE

CLIMATOLOGICAL BULLETIN

1931 - 1935

Compiled under the direction of
Prof. ELIAS G. MARIOLOPOULOS
Director
of the Meteorological Institute

QC
989
G8
C6
1931-50

ATHENS, GREECE
1961

116 185

Digitized by the Internet Archive
in 2026

https://archive.org/details/climatological-bulletin_1931-1935

YEAR 1931

Year: 1931 Month: January

Date	Air Temperature (°C)					Precipit. of		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg.speed (met.p.s.)	(4)(7)	
1	11.9	14.6	6.5	10.8	6	0.0	0.50	79	8.4	753.7	S	2.8	1.5	1
2	14.7	15.6	8.0	13.3	3	2.2	2.50	81	10.6	49.5	S	4.2	2.3	2
3	14.5	19.8	11.1	12.4	3	0.2	0.25	74	9.2	50.7	S	0.7	1.7	3
4	14.0	18.0	10.1	11.7	4			78	9.0	54.3	SSW	0.8	1.6	4
5	13.7	16.3	10.7	12.2	4			82	9.5	53.4	S	1.2	1.5	5
6	14.3	17.4	12.3	12.6	4			78	9.4	52.5	S	1.9	1.7	6
7	13.7	16.3	11.4	12.4	4	0.0	0.42	82	9.8	50.7	NNE	0,6	0.9	7
8	12.4	13.6	10.7	11.0	6	4.2	3.75	84	9.0	47.6	NNE	4.1	1.0	8
9	11.5	12.7	10.4	10.4	6	26.1	21.50	86	8.8	46.2	NNE	4.9	0.9	9
10	11.5	12.9	9.7	9.5	6	9.5	11.67	80	7.8	47.2	NNW	5.1	1.2	10
11	10.9	12.7	9.9	9.6	7	27.6	10.75	86	8.4	48.8	NNE	1,8	0.8	11
12	10.3	14.2	6.4	9.3	8	0.0	0.33	82	8.0	52.6	NE	2.3	0.9	12
13	12.7	16.5	7.1	11.0	5	11.6	16.42	83	9.0	44.5	ESE	5.5	2.5	13
14	12.6	17.1	9.1	10.8	5	13.9	9.97	77	8.4	45.2	NNW	2.3	1.1	14
15	13.0	16.7	10.2	10.7	5			75	8.1	51.7	SSW	1.2	2.0	15
16	13.0	17.1	9.5	10.7	5			71	8.1	51.7	ENE	1,7	2.2	16
17	12.3	16.3	9.2	9.3	6			67	6.9	44.1	W	3.7	2.2	17
18	12.6	16.8	9.6	9.3	5	0.0	1.00	58	6.5	38.3	W	8.0	4.9	18
19	7.2	11.5	4.9	2.4	11			35	2.0	45.6	NW	6.7	6.5	19
20	8.1	12.7	2.8	3.6	10			35	2.7	54.2	NNW	3.0	3.2	20
21	10.0	15.5	4.6	6.5	8			52	5.4	58.0	SW	0.8	2.3	21
22	10.7	16.1	6.3	8.2	7			62	6.3	60.0	NE	1.3	1.7	22
23	9.4	12.5	7.1	6.7	9			62	5.6	61.5	NNE	6.5	2.3	23
24	8.1	12.9	3.7	5.9	10			69	5.5	59.5	N	1.7	1.9	24
25	11.5	15.2	5.1	9.6	6			76	7.5	52.5	S	0.8	1.5	25
26	13.6	17.7	8.1	11.7	4	2.6	1.08	77	8.9	44.9	W	2.0	1.7	26
27	9.2	13.4	9.0	6.5	9	16.3	5.08	68	5.4	41.7	NNW	2.7	1.7	27
28	5.6	9.1	3.6	2.9	12	1.1	3.50	58	3.7	46.6	NW	6.4	2.1	28
29	6.2	10.9	1.7	2.8	12			47	3.5	53.7	N	1.7	2.4	29
30	9.7	14.0	2.1	7.6	8	0.0	0.45	71	6.3	52.5	NE	0.8	1.6	30
31	11.6	15.0	6.1	9.6	6	0.0	5.55	77	7.7	51.2	NNE	0.6	1.2	31
Sum					204	115.3	99.72				NNE		61.0	Sum
Avg	11.3	14.9	7.7	9.1				71	7.3	750.5	(6)	2.6	2.0	Avg.

Year : 1931 Month: January

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	0.0	10.0	9	9	11.7	11.1	11.7	12.3	13.5	14.5	●° Ω°	1
2	0.0	10.0	7	7	13.4	13.2	12.6	12.8	13.6	14.5	●°⁻¹	2
3	3.2	3.0	7	7	13.1	15.6	13.0	13.1	13.7	14.5	●°⁻¹ ∈° Ω²	3
4	2.8	4.3	5	5	12.6	13.8	13.1	13.3	13.8	14.5	Ω¹	4
5	0.0	8.7	8	8	13.3	13.5	13.5	13.5	13.9	14.5	Ω²	5
6	3.0	9.0	6	6	14.5	15.3	13.2	13.6	13.9	14.6	Ω¹⁻²	6
7	0.0	8.3	7	7	13.3	12.3	13.7	13.8	14.0	14.5	●° Ω°⁻¹	7
8	0.0	10.0	7	7	11.9	12.0	13.6	13.7	14.0	14.6	●°⁻¹	8
9	0.0	10.0	6	5	10.8	11.0	13.1	13.4	14.0	14.5	●°⁻¹	9
10	0.0	9.3	9	9	10.8	11.0	13.1	13.5	14.0	14.5	●°⁻¹	10
11	0.0	7.7	9	9	10.8	11.3	12.7	13.2	13.8	14.5	●°⁻¹ Ω¹⁻²	11
12	0.2	9.3	6	8	10.0	9.8	12.4	12.6	13.6	14.3	●° Ω²	12
13	0.0	10.0	7	7	11.8	11.7	12.4	12.7	13.5	14.1	●°⁻¹ ≷ ≺	13
14	1.1	7.0	9	9	12.4	13.7	12.4	13.0	13.5	14.3	●°⁻¹ Ω°	14
15	5.0	1.3	8	9	11.9	12.3	12.7	13.0	13.5	14.2	Ω¹⁻²	15
16	0.4	4.3	7	8	12.0	13.2	12.5	13.0	13.6	14.2	Ω²	16
17	4.8	4.0	7	8	11.0	12.8	12.6	12.6	13.5	14.2	Ω°	17
18	5.4	5.7	9	8	12.2	11.8	12.4	12.8	13.5	14.3	●°⁻¹ ≺°	18
19	7.5	2.3	9	9	7.9	10.1	11.5	12.2	13.2	14.1		19
20	9.1	0.3	9	9	7.1	10.2	10.3	11.4	12.7	13.8		20
21	8.2	0.7	7	8	8.2	10.2	10.3	11.2	12.4	13.6	Ω° ⌴°	21
22	4.5	7.0	7	7	9.7	12.4	10.7	11.3	12.4	13.5	Ω°	22
23	1.6	9.0	7	7	8.7	9.8	11.0	11.3	12.3	12.3		23
24	6.1	1.3	8	8	7.7	9.5	10.5	11.1	12.1	13.2	Ω°	24
25	3.5	8.3	7	7	10.4	10.6	10.7	11.2	12.1	13.2	Φ° Ω°⁻¹	25
26	0.7	9.0	6	5	12.8	12.2	11.5	11.6	12.2	13.2	●°⁻¹ ≺¹ Φ°	26
27	1.3	7.7	7	5	8.2	8.6	11.6	11.7	12.3	13.2	●¹ ≺¹ T°	27
28	6.3	7.7	7	8	6.6	8.7	10.6	11.1	12.1	13.1	●° ∈°	28
29	6.3	5.7	7	8	5.3	7.8	9.5	10.4	11.9	12.9	∈° ⌴°	29
30	5.2	7.0	8	8	8.5	9.7	9.7	10.4	11.7	12.8	●° ϑ° Ω°⁻¹	30
31	0.6	8.7	9	8	10.5	11.2	10.5	10.8	11.7	12.8	●°	31
Sum	86.8										●17, ϑ1, ≷2, ≺2	
Avg.		6.7	7.5	7.5	10.6	11.5	11.9	12.3	13.1	13.9	Ψ3, Φ2, Ω17, ⌴2	

Year: 1931 Month: Februar

Date	Air tempereture (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)	(5)	Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	12.6	15.5	9.3	10.1	5	2.5	1.58	69	7.5	746.3	S	5.2	3.1
2	10.2	14.1	7.6	8.4	8	3.1	5.00	80	7.0	43.0	N	1.0	1.1
3	8.5	12.2	6.4	6.3	9	2.9	0.49	78	5.8	45.2	NW	4.3	1.1
4	8.5	11.8	6.0	6.6	9			75	6.2	48.9	NW	1.9	1.3
5	8.5	12.8	6.2	6.3	9			73	6.5	51.3	NNE	3.1	1.2
6	8.9	12.2	5.6	7.3	9	2.4	3.08	76	6.7	49.7	NNE	4.7	1.5
7	9.7	11.8	8.1	8.6	8	15.1	10.50	84	7.7	42.4	NNE	4.2	0.6
8	9.2	13.2	7.1	7.5	9	0.8	1.47	76	6.4	47.7	NNE	4.2	1.2
9	7.5	9.2	7.2	5.3	10	0.0	0.17	71	5.4	51.4	NNE	10.2	1.8
10	5.1	6.1	4.0	3.1	13	0.0	1.33	68	4.5	55.1	NNE	11.9	2.2
11	5.2	6.9	3.5	2.9	13	0.0	6.33	65	4.3	53.7	NNE	4.1	1,7
12	6.3	10.7	2.4	3.8	12			58	4.2	49.7	NW	1.3	1.7
13	8.1	12.3	2.3	6.2	10	0.5	0.50	66	5.6	46.7	SSE	1.6	2.0
14	12.9	15.1	4.9	10.9	5	2.7	3.00	75	8.3	43.7	S	8.0	2.4
15	13.7	16.9	10.4	10.7	4	2.5	3.95	68	7.7	42.3	SSE	11.9	6.8
16	11.0	13.9	7.4	8.2	7	11.2	2.39	62	6.3	45.8	SSW	4.7	2.8
17	11.1	15.3	6.6	8.1	7			62	6.0	51.0	SSW	1.6	2.4
18	11.8	15.5	7.8	8.8	6			63	6.3	55.4	SSW	1.9	2.2
19	11.8	15.7	7.6	9.2	6			68	6.7	57.3	S	1.6	2.1
20	12.6	18.5	7.4	9.5	5			63	6.6	57.9	NE	2.9	2.2
21	12.0	13.8	8.5	10.3	6	1.8	5.67	74	7.9	51.2	SE	6.4	1.8
22	12.7	14.4	9.5	9.5	5	2.8	4.00	67	7.0	44.1	S	10.8	4.3
23	11.7	12.8	9.8	8.2	6	0.6	0.92	63	6.1	41.9	SW	4.7	3.7
24	10.3	15.3	5.9	8.0	8	0.4	2.00	70	6.4	44.2	NNW	1.0	1.7
25	8.9	12.0	7.3	7.4	9	2.6	3.50	75	6.6	50.6	NNE	4.1	1.4
26	8.2	11.7	6.0	6.0	10			68	5.4	55.9	NNE	4.0	1.8
27	9.7	13.8	4.9	7.8	8			69	6.4	53.5	SSE	1.3	1.5
28	11.8	16.1	7.0	8.7	6			66	6.2	53.0	SSW	1.5	2.4
Sum					222	51.9	55.88				NNE		600
Avg.	9.9	13.2	6.7	7.7				70	6.4	749.3	(6)	4.4	2.1

Year: 1931 Month: February

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	0.4	9.7	8	8	12.3	12.2	11.2	11.2	11.8	12.8	●0-1 ≺°	1
2	1.3	7.3	9	9	10.9	12.2	11.4	11.5	11.8	12.8	●0-1 Ω0-1	2
3	3.5	7.3	9	9	9.0	9.2	11.3	11.5	12.0	12.8	●0-1	3
4	0.3	6.0	9	9	7.7	7.9	10.6	11.1	11.9	12.8	Ω0-1	4
5	0.2	5.7	8	9	8.0	8.1	10.5	10.9	11.8	12.7	Ω1-2 Ψ0-1	5
6	0.4	7.7	7	8	8.2	8.7	10.3	10.8	11.7	12.3	●° ≺° Φ°	6
7	0.0	10.0	7	8	9.4	9.6	10.5	10.8	11.6	12.5	●0-1 ≺°	7
8	0.9	7.0	7	7	9.1	9.3	10.6	10.9	11.6	12.6	●° ⚹°	8
9	0.3	8.7	8	8	7.1	7.1	10.3	10.7	11.5	12.3	⚹° ⊕°	9
10	0.2	9.3	7	7	4.5	4.9	9.5	10.1	11.3	12.2	⚹° ∩°	10
11	0.2	7.7	8	8	4.9	4.7	8.8	10.0	11.0	12.3	●° ⚹° ≺°	11
12	5.6	4.3	7	8	6.1	6.3	8.5	9.1	10.8	12.1	≺° Ω0-1 ⊕°	12
13	4.4	7.3	6	6	7.4	7.6	8.6	9.1	10.6	12.0	●0-1 Ω1-2	13
14	0.0	7.7	8	8	12.3	10.9	9.7	9.9	10.8	12.0	●0-1	14
15	0.0	10.0	6	6	13.0	13.7	10.8	10.5	11.0	11.9	●0-1	15
16	4.5	5.7	7	7	10.3	9.5	10.9	10.9	11.1	12.1	●0-1	16
17	9.4	1.3	9	9	10.3	9.2	10.6	10.8	11.2	12.0		17
18	9.2	4.0	9	9	11.6	10.0	10.7	10.9	11.2	12.0	Ω0-1	18
19	9.2	1.7	8	8	10.9	11.5	11.0	11.3	11.8	12.0	Ω°	19
20	8.8	1.3	7	8	12.2	15.0	11.3	11.2	11.4	12.0	Ω1-2	20
21	0.0	10.0	8	8	11.6	11.1	11.5	11.4	11.5	12.1	●0-1 Ω°	21
22	7.0	8.0	8	8	11.5	12.6	11.6	11.5	12.9	12.3	●0-1	22
23	4.1	8.3	8	5	10.3	10.1	11.6	11.5	11.7	12.3	●°	23
24	6.6	6.0	8	9	11.2	14.0	11.2	11.3	11.6	12.2	●0-1 ∩1-2 Ω°	24
25	3.1	7.7	7	7	9.2	9.8	11.2	11.3	11.6	12.2	●0-1	25
26	5.0	6.0	9	8	8.2	9.0	10.7	10.9	11.5	12.1		26
27	8.3	7.0	8	9	9.9	12.6	10.5	10.7	11.4	12.2	Ω°	27
28	10.2	2.3	9	9	11.0	12.8	11.0	11.0	11.5	12.2	Ω²	28
Sum	103.1										●16 ⚹4, ≺5, Ω12	
Avg.		6.6	7.8	7.9	9.5	10.0	10.6	10.8	11.4	12.3	∩2, Ψ1, Φ1, ⊕2.	

Year: 1931 Month: March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	12.2	15.1	7.9	9.1	6			66	6.5	749.8	S	3.5	2.0
2	10.9	13.8	11.9	7.1	7	4.3	2.75	57	5.5	38.9	W	9.6	6.3
3	6.3	9.4	5.1	1.7	12			38	2.3	48.0	NW	7.2	4.4
4	6.3	9.8	0.9	2.1	12			32	2.5	56.2	NW	3.8	4.0
5	12.1	17.0	3.0	10.6	6	0.2	1.08	68	7.9	50.1	SSW	2.3	1.9
6	12.2	14.7	8.8	9.5	6			68	7.1	53.1	NNE	3.5	2.0
7	15.3	17.5	8.8	12.7	3			66	9.1	50.9	SSE	6.6	3.1
8	17.9	20.3	13.6	12.8	0			51	7.7	46.0	SSE	9.4	7.0
9	15.5	19.7	11.7	12.0	2			66	8.0	45.6	SSW	2.3	3.7
10	15.9	21.1	12.2	12.5	2	0.2	0.75	64	8.4	45.9	SW	1.7	2.9
11	15.8	19.5	12.5	12.3	2			65	8.5	48.2	SW	1.4	3.0
12	18.0	25.0	12.5	14.8	0			66	10.1	47.8	SSW	0.7	2.6
13	18.3	23.8	12.9	14.0	0			63	9.2	47.3	SSE	3.4	3.8
14	19.6	24.1	15.3	14.7	0			55	9.5	48.8	S	1.4	3.7
15	18.1	22.3	13.8	14.0	0			61	9.4	48.7	SE	1.2	2.9
16	18.5	22.6	14.3	14.4	0			62	9.7	43.4	S	2.5	3.1
17	16.4	20.8	12.4	11.2	2	0.0	0.25	54	6.5	48.1	W	2.6	4.4
18	10.0	11.2	9.1	6.7	8	0.2	5.20	67	5.7	54.7	NNE	10.8	2.4
19	6.2	8.7	4.2	2.6	12	0.0	1.00	53	3.5	62.5	NNE	8.0	2.9
20	8.1	16.3	0.8	5.1	10			53	4.1	63.1	N	1.9	2.3
21	10.0	15.1	2.9	7.0	8			56	5.2	63.0	NNE	1.4	2.4
22	11.4	14.5	7.4	8.1	7	0.0	0.58	61	6.0	60.2	NE	1.1	1.7
23	14.3	19.3	10.6	11.4	4	1.2	2.08	66	7.9	57.1	NNE	2.6	2.1
24	14.5	19.4	11.1	11.3	3	0.2	1.08	68	8.2	54.2	NNE	2.0	1.8
25	14.2	20.4	10.4	11.1	4	0.6	1.75	65	7.9	51.4	NNE	1.5	2.1
26	14.7	17.5	9.2	9.1	3	7.3	4.08	67	6.8	49.0	NNE	3.1	1.9
27	4.0	8.1	2.9	1.3	14	1.6	8.17	71	4.0	47.4	WNW	5.8	2.1
28	2.5	6.5	-0.7	1.0	15	11.9	9.42	74	4.0	47.4	WNW	5.6	1.2
29	10.0	15.2	3.1	6.8	8			50	4.8	49.3	W	3.4	3.8
30	10.9	15.8	6.5	7.7	7			58	5.7	52.5	N	2.1	2.4
31	11.2	16.0	5.6	9.1	7	1.6	0.30	70	7.0	53.2	N	1.4	2.3
Sum					170	29.3	38.49				NNE		922
Avg.	12.5	16.8	8.4	9.1				61	6.7	751.0	(6)	3.7	3.0

Year: 1931 Month: March

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	6.7	6.7	8	8	11.9	14.2	11.3	11.2	11.5	12.2	Ω0-1	1
2	0.6	7.7	9	9	11.2	11.4	11.7	11.6	11.7	12.3	●1 ∈°	2
3	3.5	3.0	9	9	6.8	8.5	10.9	11.0	11.5	12.3	∈°	3
4	9.0	3.7	9	9	6.8	9.8	10.0	10.3	11.6	12.1		4
5	0.4	8.7	7	8	-	-	10.3	10.5	11.2	12.1	●° ∈°	5
6	0.0	9.7	8	8	11.8	14.0	11.1	10.9	12.3	12.1		6
7	0.0	9.7	7	7	14.5	14.7	12.0	11.6	11.5	12.1	Ω°	7
8	1.3	7.7	7	7	17.8	20.1	13.0	12.2	11.8	12.3		8
9	8.4	3.7	8	9	15.2	19.4	13.6	12.7	12.0	12.3	Ω0-1	9
10	5.6	6.7	8	8	15.6	19.3	13.9	13.1	12.3	12.5	●° ⊕° ∩2	10
11	1.4	7.3	8	8	15.1	17.8	13.6	13.4	12.6	12.7		11
12	4.8	6.0	3	3	16.8	20.0	14.0	13.8	12.8	12.8	⊕°	12
13	6.8	5.7	7	7	18.2	20.2	18.5	14.1	13.0	13.0	Ω0-1	13
14	6.8	8.7	5	5	18.5	21.4	15.8	14.6	13.4	13.3	⊕°	14
15	6.4	7.7	3	4	16.9	18.5	16.1	15.0	15.0	14.1		15
16	9.3	0.3	7	7	17.9	21.4	16.1	15.1	13.9	13.6	Ω°	16
17	7.6	7.0	8	9	18.2	21.3	16.0	15.2	14.1	13.8	●° ≺° ⊕°	17
18	0.0	9.7	7	8	9.9	12.6	15.2	14.7	14.2	14.0	●0-1 ≺°	18
19	5.6	7.3	7	9	9.2	12.5	13.4	13.6	13.8	13.9	●°	19
20	10.6	1.7	7	8	13.1	16.2	12.5	12.9	18.5	13.9	Ω° ⌊0-1	20
21	9.6	4.7	7	8	10.6	14.0	12.5	12.7	13.7	13.9	Ω° ⌊0-1	21
22	0.3	10.0	9	9	11.0	12.2	12.8	12.9	13.3	13.9	●°	22
23	1.5	9.3	9	9	13.4	14.6	13.2	13.1	13.4	13.9	●1	23
24	1.6	9.3	8	7	13.4	14.8	13.5	13.4	13.8	13.8	●°	24
25	2.5	7.0	8	8	13.6	15.9	14.0	13.7	13.7	13.9	●0-1 ≺ Ω1	25
26	0.1	9.7	7	8	11.8	12.8	13.8	13.6	13.8	13.9	● Ω°	26
27	2.1	9.7	7	8	4.8	5.8	12.3	12.6	13.4	13.8	⚹° ⚹°	27
28	1,1	9.7	7	8	2.5	1.6	10.1	11.2	13.0	13.6	⚹1 ⊠1	28
29	10.7	1.7	9	9	10.4	13.8	10.0	11.0	12.5	13.4	⊠°	29
30	7.9	3.7	7	9	11.4	14.2	10.9	11.3	12.5	13.9	Ψ° Ω°	30
31	5.0	4.3	8	8	12.1	15.9	11.6	-	12.5	13.2	●° Ψ° Ω1	31
um	137.2										● 12, ⚹ 2, ⚹ 1, ≺ 2, ≺ 1, ⊠ 2,	
vg		6.7	7.4	7.8	12.7	15.0	12.9	12.8	12.9	13.2	Ω 11, ⌊ 2, ⊕ 4, Ψ 5, ∩ 1	

Year: 1931 Month: April

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm) (1)	Wind (1) (5)		Total evaporation (mm) (4)(7)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	
1	11.2	16.3	9.0	9.7	7	1.5	4.75	73	7.4	74°.7	NNE	3.2	1.7
2	7.9	11.7	4.9	5.3	10	7.0	8.50	70	5.2	51.4	NNE	5.7	2.7
3	9.8	14.6	3.9	7.1	8	0.0	0.17	60	5.3	54.5	NE	2.1	2.4
4	11.8	13.8	8.4	10.4	6	0.9	1.75	76	8.0	50.0	NE	1.9	1.7
5	12.2	16.1	10.1	10.3	6	0.3	1.00	77	8.0	49.8	NNE	4.6	1.7
6	11.4	16.6	6.5	9.7	7			69	7.3	52.2	S	1.5	2.1
7	13.7	17.5	9.2	12.1	4			73	9.0	51.3	S	2.3	1.9
8	15.0	17.9	11.9	12.9	3	6.3	4.67	76	9.7	44.4	SSE	3.4	1.3
9	14.4	17.9	13.9	12.7	4	19.0	4.13	78	10.0	42.8	NNE	5.8	2.6
10	9.4	12.5	8.5	6.8	9	0.2	0.42	67	5.7	50.8	NNE	9.6	2.2
11	10.0	14.8	6.5	7.2	8			62	6.1	52.1	NE	4.3	2.1
12	11.7	15.2	6.4	10.0	6			66	6.8	53.1	SSE	2.5	2.4
13	13.2	18.1	8.4	10.1	5	2.9	1.00	66	7.0	54.2	SSW	2.4	2.2
14	12.4	15.3	9.3	10.2	6	1.2	2.17	72	7.8	51.8	S	2.6	2.4
15	14.9	19.4	11.4	10.7	3	0.0	0.25	59	7.0	45.1	W	5.9	4.0
16	13.2	17.5	8.1	8.1	5			42	4.6	52.5	S	3.6	5.6
17	14.4	18.9	9.4	10.2	4	0.0	0.17	53	6.9	49.7	SSW	1.4	3.6
18	14.4	18.6	12.5	11.5	4	13.0	2.33	66	8.0	44.8	SSE	3.3	3.2
19	14.7	19.0	9.9	11.2	3			58	7.2	49.7	SSW	1.5	3.2
20	14.8	18.5	9.9	13.2	3	0.3	2.00	76	9.7	51.3	SW	1.3	1.7
21	17.1	22.1	12.4	14.4	1	0.2	0.20	70	10.0	49.0	SSW	1.6	2.5
22	18.3	22.8	12.4	12.7	0			52	7.1	50.4	SSW	2.2	4.5
23	17.4	22.0	12.7	10.9	1			36	5.2	52.9	W	4.0	8.6
24	16.1	21.3	10.9	10.1	2			42	5.2	55.4	S	2.0	5.7
25	14.6	17.6	12.4	10.6	3	1.7	3.58	58	6.9	52.3	NNE	1.5	3.4
26	15.4	19.3	12.2	12.8	3			68	9.1	50.4	S	1.7	2.9
27	16.3	21.5	11.3	13.8	2			71	9.5	51.4	SSW	2.1	2.2
28	17.7	21.4	12.7	14.1	0			62	9.4	50.3	S	3.2	3.8
29	17.3	22.5	13.1	11.1	1			45	5.9	51.1	W	4.4	6.7
30	17.0	22.4	12.3	12.8	1			54	8.0	52.4	SSW	1.7	4.8
Sum					125	54.5	37.09				NNE		95.8
Avg.	13.9	18.1	10.0	10.7				63	7.4	750.6	(6)	3.1	3.2

Year: 1931 Month: April

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	0.7	9.3	7	8	14.1	15.4	12.2	-	13.2	13.4	◍¹ ∪°	1
2	8.6	7.0	7	9	7.3	8.0	11.7	12.3	12.6	13.0	◍¹	2
3	4.1	9.0	8	8	11.6	12.8	11.1	11.7	12.5	13.1	◍° ⊕	3
4	0.0	9.7	6	6	11.0	11.3	11.6	11.9	12.5	13.0	◍°	4
5	1.3	7.0	7	7	13.2	15.3	12.1	12.1	12.5	13.0	◍° Ω⁰⁻¹	5
6	6.8	4.7	7	6	14.4	16.7	12.2	12.2	12.6	13.1		6
7	7.3	6.9	8	8	14.6	17.1	12.7	12.5	12.7	13.1	Ω¹⁻² ⊕	7
8	0.0	10.0	6	6	16.8	13.9	13.3	13.0	12.9	13.2	◍¹ ≺°	8
9	0.0	10.0	6	5	14.0	14.3	13.7	13.3	13.1	13.2	◍¹ ≺° ≺°	9
10	0.8	7.3	6	6	8.5	9.4	12.8	12.9	13.1	13.2	◍°	10
11	4.0	5.7	7	8	13.3	13.3	11.8	12.3	12.9	13.2		11
12	8.5	6.7	8	8	14.1	14.3	11.9	12.2	12.7	13.4		12
13	11.3	2.7	6	6	14.2	15.4	12.7	12.6	12.9	13.2	◍°	13
14	0.3	7.0	6	6	12.0	12.3	12.7	12.6	12.9	13.2	◍⁰⁻¹ Ω° ∩°	14
15	8.0	6.0	7	9	15.1	17.6	13.4	12.9	13.0	13.4	◍°	15
16	10.5	1.3	9	9	14.2	17.0	13.3	13.1	13.1	13.4		16
17	10.2	6.3	8	9	15.7	19.8	13.7	13.3	13.2	13.5	◍° ⊕°	17
18	6.6	4.7	8	9	16.4	17.0	14.3	13.7	13.4	13.5	◍¹⁻² ≺° ∩°	18
19	11.7	1.3	9	9	12.9	17.1	14.0	13.8	13.6	13.7	Ω°	19
20	1.1	9.7	6	7	15.7	17.7	14.4	14.0	13.7	13.7	◍° Ω² ⊕°	20
21	10.0	4.0	8	8	18.1	20.6	14.9	14.3	13.8	13.9	◍° Ω⁰⁻¹ ⊕°	21
22	11.6	0.7	8	8	19.6	22.1	15.6	14.8	14.0	14.0	Ω⁰⁻¹	22
23	11.4	3.3	8	9	20.1	23.5	16.0	15.3	14.3	14.2		23
24	9.5	8.7	8	9	16.6	20.6	16.0	15.5	14.5	14.3	⊕°	24
25	0.0	9.0	8	8	13.5	15.0	15.9	15.5	14.7	14.5	◍⁴	25
26	3.2	5.7	9	9	15.5	16.8	15.5	15.2	14.7	14.5		26
27	12.7	3.3	9	9	18.2	21.2	15.7	15.2	14.8	14.7	Ω⁰⁻¹	27
28	11.5	2.7	7	6	19.0	22.3	16.2	15.7	15.0	14.8	Ω°	28
29	11.9	1.0	9	9	17.9	21.9	16.7	15.9	15.4	14.9		29
30	12.0	1.0	9	9	18.2	22.3	16.9	16.3	15.4	15.1		30
Sum	195.6										◍ 16, ≺ 1, ≺ 2, ⊕ 3, ⊕ 3, ∪ 1, ∩ 2, Ω 9	
Avg.		5.7	7.5		14.8	16.7	13.8	13.7	13.5	13.7		

Year: 1931 Month: May

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	17.2	21.2	12.3	13.7	1			58	9.1	752.7	SSW	2.1	3.1	
2	18.5	24.2	13.3	13.8	0			54	8.3	52.5	S	1.5	5.0	
3	18.0	22.9	13.2	13.6	0			55	8.5	52.3	SSW	1.4	3.4	
4	17.9	22.5	12.1	13.7	0	0.0	0.07	51	8.4	51.7	SSW	1.8	4.2	
5	19.4	25.3	14.1	13.6	0			47	7.1	51.9	SSW	1.2	4.7	
6	20.9	26.8	15.4	13.7	0			37	6.9	52.0	NE	4.6	5.9	
7	18.0	24.5	13.0	14.6	0	7.2	1.50	60	8.9	52.6	NNE	1.6	4.1	
8	17.8	22.5	12.9	14.5	0			68	9.6	51.4	SSW	1.8	3.1	
9	18.2	23.2	13.8	13.6	0			58	7.9	49.4	WSW	2.6	4.2	
10	17.5	21.1	13.1	13.1	0			56	8.1	50.3	SSW	2.9	4.8	1
11	16.4	19.2	14.1	14.1	2	5.4	7.50	74	10.6	50.4	SSW	1.8	2.1	1
12	16.8	21.0	14.0	13.6	1	0.3	1.33	67	9.4	49.6	N	3.8	2.7	1
13	15.8	20.1	12.7	11.4	2	0.7	1.83	55	6.8	55.8	NNE	6.3	3.7	1
14	17.4	25.0	9.5	12.2	1			48	6.7	56.2	N	2.5	4.1	1
15	18.9	24.7	12.1	12.9	0			48	6.8	54.9	SSW	2.1	6.6	1
16	20.9	25.9	15.7	15.6	0			50	9.4	54.2	SSW	2.0	5.5	1
17	21.3	25.5	17.0	16.4	0			55	9.6	54.3	SSW	1.9	5.1	1
18	21.1	25.6	16.3	15.1	0			48	8.6	52.2	SSW	2.1	5.3	1
19	21.9	26.7	16.3	16.8	0			51	10.6	49.7	S	2.4	4.8	1
20	22.4	26.7	17.4	17.1	0	0.0	0.20	52	11.0	49.4	SSW	1.5	5.4	2
21	21.9	25.0	17.5	18.1	0	0.0	0.67	65	12.7	50.4	SSW	1.5	2.9	2
22	22.7	28.4	18.4	17.6	0	0.0	0.17	57	11.2	52.3	S	1.7	4.4	2
23	23.4	29.0	17.4	17.7	0			48	11.1	53.0	N	1.8	5.5	2
24	23.9	29.2	17.6	16.7	0			40	9.2	51.0	NNE	4.5	6.9	2
25	21.3	25.2	18.4	16.1	0			55	10.3	49.1	NW	5.8	4.8	2
26	21.0	24.5	17.9	16.6	0	0.0	0.92	60	11.1	49.1	NNE	5.0	3.7	2
27	21.3	28.9	16.9	17.4	0	16.9	0.67	67	12.0	48.9	S	1.6	3.6	2
28	21.3	26.2	16.6	18.2	0	0.0	0.33	70	12.9	48.3	SSW	1.3	2.8	2
29	20.0	24.3	16.9	18.1	0	6.3	1.33	78	13.9	48.1	SW	0.8	1.9	2
30	21.1	26.5	16.4	18.5	0			70	13.3	49.2	S	1.5	2.9	3
31	21.4	25.5	16.4	18.6	0			71	12.3	51.8	S	2.1	2.7	3
Sum					7	36.8	16.52				SSW		132.2	Su
Avg.	19.9	24.8	15.1	15.3				57	98	751.4	(6)	2.4	4.2	A

Year: 1931 Month : May

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.5	3.3	8	8	22.3	29.6	17.2	16.6	15.6	15.3	Ω° ∈°	1
2	9.5	4.3	8	8	19.9	23.3	17.5	16.8	15.7	15.4	∈°	2
3	10.2	8.7	7	7	19.0	23.2	17.9	17.2	16.0	15.5	Ω°	3
4	7.4	5.3	8	8	18.3	22.3	17.8	17.3	16.1	15.7	◍°	4
5	5.9	7.3	7	7	21.2	24.3	18.1	17.5	16.3	15.6		5
6	9.7	4.3	8	8	24.0	27.5	18.7	17.9	16.5	16.1		6
7	8.2	3.7	7	7	18.9	24.0	18.8	18.1	16.7	16.2	◍ ₹² T°	7
8	11.4	2.7	7	7	18.8	21.3	18.3	17.9	16.9	16.3	Ω¹⁻²	8
9	10.4	4.0	9	9	20.9	22.4	18.4	17.9	17.0	16.5	Ω⁰⁻¹	9
0	10.1	3.3	9	9	18.3	25.3	18.4	17.9	17.0	16.5		10
1	0.0	10.0	7	7	15.9	16.7	18.1	17.8	17.1	16.6	◍⁰⁻¹	11
2	0.9	9.3	8	9	16.3	17.2	17.4	17.3	17.0	16.7	◍°	12
3	5.2	5.3	7	8	17.4	20.9	17.2	17.1	17.0	16.7	◍°	13
4	11.1	5.0	8	8	18.0	22.5	17.5	17.2	16.8	16.7		14
5	11.9	0.7	8	8	20.4	24.6	18.1	17.6	17.0	16.8		15
6	11.7	2.7	8	8	20.8	25.5	19.0	18.2	17.2	16.9		16
7	12.0	0.7	9	9	22.2	26.8	19.6	18.8	17.4	17.0		17
8	11.4	2.0	8	8	22.3	27.4	20.2	19.3	17.7	17.1		18
9	2.1	9.0	6	4	24.9	19.1	20.4	19.6	17.9	17.3		19
0	7.0	9.0	7	8	23.0	26.7	20.5	20.0	18.2	17.4	◍° ⊕°	20
1	0.2	9.0	4	5	22.7	26.7	21.1	20.0	18.4	17.6	◍°	21
2	6.0	4.7	7	8	26.5	30.5	21.1	20.1	18.6	17.7	◍°	22
3	9.4	4.0	7.	6	22.6	27.2	21.5	20.4	18.8	17.6		23
4	12.5	2.7	7	8	23.9	33.5	21.8	20.7	19.0	18.2		24
5	6.2	8.7	8	8	21.0	25.8	22.0	21.0	19.2	18.3		25
6	0.2	9.3	9	8	21.1	25.2	21.8	21.0	19.4	18.5	◍°	26
7	7.6	5.0	9	8	21.0	24.2	21.4	20.8	18.9	18.7	◍² ₹¹	27
8	4.4	6.7	8	8	21.5	26.0	20.8	20.4	19.5	18.7	◍° ₹° Ω¹⁻²	28
9	1.8	6.0	8	8	19.3	21.2	20.5	20.2	19.5	18.8	◍¹⁻² ₹° Ω°	29
0	6.7	6.3	6	8	21.7	24.9	20.2	19.9	19.4	18.8	₹° Ω¹⁻²	30
1	9.3	4.7	8	8	23.0	27.6	20.8	20.1	19.4	18.8	Ω°	31
m	231.9										◍ 12, ₹ 5, Ω 8,	
g.		5.4	7.6	7.7	20.9	25.0	19.4	18.8	17.7	17.1	⊕ 1; Ψ 2	

Year: 1931 Month: June

Date	Air temperature (°C)					Precipit.		Average of		Avg. Presure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	24.1	29.6	18.1	18.7	0			57	12.4	753.0	S	3.3	6.5
2	24.3	28.9	19.4	17.3	0			49	9.8	52.8	WSW	1.8	7.0
3	24.2	28.5	18.6	17.5	0	0.0	0.08	48	10.3	49.5	S	2.0	6.4
4	21.3	27.9	18.8	17.2	0	2.7	1.83	63	11.7	45.8	NNW	2.0	4.1
5	18.6	22.4	14.6	16.5	0	5.0	4.83	75	12.2	49.4	N	1.2	1.6
6	22.5	28.3	16.4	18.3	0			59	12.4	51.5	SSW	1.3	4.2
7	23.6	29.1	18.5	17.6	0			57	10.6	50.6	SSW	1.5	4.3
8	24.5	29.7	19.6	18.5	0			53	11.1	47.8	SSW	2.0	5.2
9	25.0	29.9	20.8	18.8	0			52	12.1	49.1	N	3.0	5.5
10	23.1	28.9	19.1	17.2	0	16.5	2.10	54	10.6	52.5	NNE	1.8	4.2
11	23.7	28.9	17.1	16.9	0			46	9.7	54.6	NNE	3.2	5.8
12	25.2	31.7	18.7	18.1	0			45	9.8	53.2	N	4.0	6.5
13	26.7	34.8	20.4	19.7	0	0.1	0.25	48	12.0	51.3	N	2.1	6.9
14	27.7	33.8	22.1	19.2	0			41	11.3	51.3	NNE	3.5	6.9
15	25.5	34.8	21.5	18.3	0			46	10.8	53.0	SSW	1,7	6.6
16	25.5	29.5	21.4	18.7	0			48	11.0	55.6	SSW	1.5	6.2
17	26.0	29.9	22.0	19.4	0			48	12.1	53.8	SW	1.5	7.0
18	27.8	33.8	21.5	19.7	0			45	11.6	52.1	NE	2.6	6.2
19	27.0	33.5	21.4	19.6	0			46	11.9	51.6	SW	1.7	5.6
20	26.8	32.4	21.8	19.8	0			50	12.7	52.5	SSW	1.5	5.7
21	27.6	34.2	21.9	18.7	0			35	9.8	52.3	NNW	3.4	6.7
22	28.3	34.2	22.4	18.7	0			32	9.3	51.2	NNE	4.5	8.8
23	29.0	35.4	23.3	19.2	0			33	9.7	51.1	NE	2.4	8.1
24	28.0	33.4	22.5	19.2	0			37	10.4	52.6	N	3.2	7.4
25	27.8	33.6	21.8	19.5	0			39	11.0	53.6	SSW	1.8	8.0
26	31.2	41.0	24.3	22.0	0			41	13.3	53.4	N	2.0	8.4
27	30.1	33.9	26.3	20.3	0			39	11.3	52.4	SSW	2.2	8.2
28	24.9	29.9	22.0	15.9	0			40	7.6	53.1	NNE	8.3	8.3
29	24.6	31.0	19.5	16.9	0			42	9.0	52.7	N	3.4	6.7
30	26.0	31.0	19.6	18.3	0			51	10.4	50.9	SSW	2.0	7.0
Sum					0	24.3	9.09				N		190.0
Avg.	25.7	31.5	20.5	18.5				47	10.9	751.8	(6)	2.5	6.3

Year: 1931 Month: June

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.0	5.0	7	7	24.4	29.0	21.6	20.6	19.4	18.9	⊕°	1
2	0.9	8.3	7	8	23.1	26.2	22.4	21.3	19.6	18.9	⊕°	2
3	8.2	4.7	8	8	24.0	29.2	22.1	21.2	19.8	19.0	◍°	3
4	4.0	5.7	8	8	20.9	28.4	22.2	21.3	19.8	19.2	◍° R°⁻¹ ∩°	4
5	2.0	7.3	6	6	19.5	21.4	21.0	20.7	20.0	19.6	◍¹	5
6	11.2	3.3	9	9	21.2	26.3	20.6	21.0	20.0	19.5	Ω¹⁻²	6
7	11.5	1.0	8	8	24.3	30.1	21.5	20.7	19.9	19.3	Ω°⁻¹	7
8	9.1	4.0	8	8	24.6	32.0	22.4	21.4	20.1	19.4	∠°	8
9	6.0	4.7	8	8	23.3	26.9	23.0	21.9	20.3	19.6	∠°	9
0	3.0	7.3	8	7	21.5	23.7	22.7	21.9	20.6	19.7	◍² ▲¹ R¹⁻²	10
1	3.7	4.7	8	8	21.1	22.7	21.7	21.4	20.6	19.9		11
2	6.8	3.0	8	8	24.1	28.8	22.0	21.4	20.8	19.9		12
3	5.9	5.0	8	8	27.4	32.6	23.2	22.1	20.7	20.0	◍°	13
4	11.3	5.0	8	8	29.0	32.2	24.3	22.9	21.3	20.6		14
5	11.7	1.7	7	7	25.8	32.3	24.7	23.5	21.3	20.3		15
6	9.9	3.3	7	7	26.5	33.0	24.6	23.6	21.6	20.5		16
7	7.8	3.3	7	7	26.9	33.6	24.7	23.8	21.8	20.7	T°	17
8	8.3	3.3	8	8	29.0	35.7	25.1	24.0	22.0	21.0		18
9	10.8	2.3	8	8	29.1	33.3	25.5	24.6	22.2	21.0	∠°	19
	11.8	1.7	8	8	26.0	32.6	25.6	24.5	22.2	21.4		20
	11.1	2.7	9	9	28.9	37.1	25.8	24.8	23.4	21.5		21
2	1.6	2.7	8	8	27.7	36.6	26.1	25.1	22.9	21.7		22
3	11.8	1.3	8	9	30.1	38.5	26.6	25.5	23.2	21.9		23
4	6.4	4.0	7	8	28.4	34.8	26.8	25.7	23.5	22.1		24
	9.4	0.3	8	8	27.5	35.3	26.6	25.8	23.7	22.2		25
6	11.0	0.7	7	7	32.0	39.7	27.1	26.0	24.5	22.3		26
	9.4	0.7	6	7	29.5	35.9	27.8	26.6	24.1	22.5		27
	11.1	2.7	8	9	27.5	36.0	27.4	26.5	24.3	22.7		28
	7.1	3.7	9	9	28.7	35.4	26.7	26.3	24.7	22.9		29
	9.1	4.3	8	8	25.6	30.5	26.4	26.0	24.4	22.9		30
												31
um	243.4										◍5, ▲1, R2, T1, ∠3,	
s		3.6	7.7	7.9	25.9	31.5	24.3	23.4	21.8	20.7	Ω2, ⊕2, ∩1	

Year: 1931 Month: July

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	25.4	29.2	20.4	18.5	0			45	11.2	751.3	SW	1.6	5.5	
2	27.6	32.6	22.4	18.5	0			37	9.9	51.4	NNE	5.4	8.1	
3	28.5	34.5	22.0	19.5	0			37	10.8	49.5	NNE	4.1	7.4	
4	28.3	34.0	22.6	20.0	0			41	12.2	49.5	NNE	4.2	7.5	
5	27.4	32.4	22.3	20.3	0			45	12.6	48.9	SSW	2.0	7.2	
6	28.5	35.4	22.3	21.8	0			52	15.2	46.9	SSW	1.7	7.9	
7	28.8	33.3	24.8	21.9	0			50	14.9	49.6	SW	1.4	6.3	
8	29.2	35.5	23.3	22.4	0			50	15.6	51.0	NE	1.5	6.5	
9	29.3	34.2	24.6	22.4	0			52	15.5	49.5	SSW	1.0	5.7	
10	33.0	39.8	26.9	20.8	0			32	10.2	47.0	NNE	3.7	10.1	10
11	29.0	32.6	26.1	19.5	0			38	11.2	49.5	NNE	8.2	9.9	11
12	28.7	33.5	24.1	17.7	0			29	7.9	51.0	NNE	6.2	9.8	12
13	28.6	33.0	23.2	18.2	0			30	8.8	51.1	NNE	5.4	9.4	13
14	28.6	35.4	22.5	20.1	0			38	12.0	51.0	NNE	1.6	8.1	14
15	28.2	32.9	23.4	19.2	0			40	10.7	51.3	SW	1.3	7.9	15
16	29.8	36.0	24.6	20.7	0			42	12.2	51.2	SW	1.1	7.4	16
17	30.5	36.2	25.5	21.7	0			42	13.9	49.3	SW	0.8	8.5	17
18	30.0	35.2	25.2	19.2	0			35	9.4	47.1	NNE	4.2	9.0	18
19	28.9	34.9	23.2	19.7	0			37	10.9	48.7	N	3.6	7.8	19
20	29.6	36.6	23.3	20.8	0			40	12.0	47.9	NNE	1.7	8.1	20
21	28.1	32.3	23.1	20.7	0			50	13.2	46.6	SSW	1.5	7.0	21
22	29.0	33.2	23.9	21.0	0			48	13.0	46.8	SW	1.1	6.8	22
23	28.7	36.0	22.7	20.8	0			44	13.2	48.0	NNE	1.8	6.7	23
24	27.2	32.6	22.4	17.9	0	0.0	0.50	37	9.3	49.5	N	2.7	7.0	24
25	27.5	35.9	21.3	20.1	0			45	13.0	48.9	NNW	1.8	7.1	25
26	28.2	33.1	21.6	20.3	0			48	12.3	48.3	SSW	1.7	6.3	26
27	30.3	36.0	23.4	20.7	0			38	11.7	48.1	SW	2.1	8.4	27
28	31.7	37.6	25.9	20.5	0			31	10.5	47.4	NNE	3.8	10.2	28
29	29.9	34.6	25.4	21.1	0			41	12.9	45.3	SSW	1.7	8.3	29
30	28.7	35.2	24.2	20.1	0			41	11.6	45.5	NW	2.7	7.8	30
31	26.5	32.4	22.1	18.1	0			38	9.8	47.6	N	1.9	7.6	31
Sum					0	0.0	0.50				NNE		241.3	Su
Avg.	28.8	34.4	23.5	20.1				41	11.9	748.9	(6)	2.7	7.8	Av

Total sunshine (hrs) (3)	Avg. Cloudiness (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
				Surface		In cm. depth as indicated below (in cups)					
		Toward sea	Toward land	Green	Bare	30	60	90	120		
10.4	4.7	8	8	25.7	32.2	26.1	25.8	24.4	23.0		1
10.6	4.0	5	6	28.9	33.3	26.3	25.8	24.4	23.2		2
7.5	2.3	8	8	29.2	35.2	26.7	26.0	24.4	23.3		3
11.0	1.3	6	7	30.8	37.7	27.7	26.4	24.6	23.3		4
8.1	2.3	4	4	29.9	34.8	27.2	26.4	24.7	23.4		5
11.0	0.7	7	6	31.7	35.7	27.1	26.4	24.7	23.4		6
10.2	1.3	7	8	32.5	34.7	27.7	26.6	24.9	23.5		7
6.4	0	8	8	34.1	35.6	27.7	26.5	25.0	23.6		8
9.4	0	6	7	34.0	36.1	27.9	27.1	25.1	23.7		9
11.9	0.3	7	7	37.9	43.4	28.5	27.3	25.3	23.9		10
11.4	2.3	6	8	29.6	37.4	28.8	27.7	25.6	24.2		11
9.9	0.7	8	9	32.3	37.2	28.3	27.6	25.7	24.3		12
12.0	0.3	7	7	32.7	34.9	28.0	27.6	25.9	24.5		13
11.1	0.0	8	8	28.7	36.3	28.0	27.5	25.9	24.5		14
12.1	0.0	8	8	30.1	35.7	28.0	27.5	26.0	24.5		15
10.8	0.0	7	7	33.6	37.0	28.1	27.5	25.9	24.5		16
10.4	0.0	7	7	34.0	37.4	28.4	27.7	26.0	24.7		17
10.8	2.3	6	7	35.8	40.4	28.7	27.8	26.1	24.7		18
11.8	0.7	7	7	31.0	32.7	28.7	28.0	26.3	25.2		19
12.1	1.0	8	8	35.1	38.9	28.7	28.0	26.4	25.0		20
12.2	0.0	7	7	31.3	35.0	28.5	28.1	26.5	25.0		21
12.4	0.7	7	7	29.9	35.5	28.4	28.0	26.5	25.1		22
9.4	3.3	7	7	29.8	36.4	28.4	28.0	26.5	25.2		23
12.2	1.7	8	8	29.6	38.6	28.6	28.1	26.6	25.2	◍°	24
12.1	0.0	9	9	33.5	40.4	28.5	28.1	26.6	25.2		25
12.1	0.0	7	7	29.4	35.1	28.5	28.1	26.7	25.4		26
12.0	0.3	7	7	31.5	36.1	28.7	28.0	26.8	25.4		27
11.8	0.3	7	7	29.1	39.3	29.2	28.2	26.8	25.6		28
12.0	0.0	7	7	31.1	37.7	29.4	28.7	27.8	25.5		29
10.8	1.0	7	7	33.2	40.4	29.1	28.2	27.0	25.9		30
11.6	0.3	7	7	33.6	37.4	28.7	28.3	27.0	25.7		31
337.5										◍1	
	1.0	7.0	7.3	31.6	36.7	28.1	27.5	25.8	24.5		

Year: 1931 Month: Augus

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humind. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4) (7)
1	26.4	33.0	20.9	18.6	0			43	10.2	747.8	SSW	1.9	6.5
2	26.7	31.9	21.3	19.0	0			46	11.2	49.9	SSW	1.9	6.8
3	28.2	34.6	22.7	20.3	0			49	12.8	52.3	SSW	1.1	6.6
4	30.7	38.5	24.3	21.1	0			38	12.2	51.7	N	1.8	8.1
5	29.2	35.6	25.6	20.1	0			38	11.3	52.2	NNE	5.2	8.4
6	28.7	34.1	23.0	19.2	0	1.5	0.50	36	9.4	51.2	NNE	3.9	7.8
7	29.3	37.6	23.4	21.3	0			40	13.6	48.9	NE	2.0	8.6
8	29.8	34.1	23.7	21.5	0			43	14.7	48.0	SSW	1.9	7.0
9	30.0	34.3	25.7	20.9	0	0.0	0.25	40	12.5	48.2	SW	0.8	8.2
10	32.4	40.1	25.4	21.4	0			32	11.2	50.7	NNE	2.1	9.2
11	31.7	37.3	26.6	21.4	0			37	12.8	50.2	SSW	1.9	9.9
12	31.9	38.8	26.9	20.4	0			32	10.2	47.5	N	2.8	10.3
13	20.1	33.2	24.0	19.5	0			42	11.4	49.2	NNE	4.8	7.8
14	26.6	31.2	21.9	19.2	0			46	11.7	49.2	SSW	1.8	6.9
15	27.0	31.8	22.2	20.7	0			50	14.0	50.8	SW	1.0	6.3
16	28.6	34.9	22.7	21.0	0			47	13.4	51.0	SW	1.0	7.2
17	29.5	35.3	23.8	21.1	0			43	12.9	48.4	SW	1.0	7.1
18	31.3	38.7	25.1	20.1	0			30	10.1	46.0	NNE	4.3	9.4
19	29.4	34.4	25.4	19.3	0			34	10.4	46.7	NE	5.9	10.7
20	29.0	36.4	22.3	18.7	0			31	8.9	51.0	NNE	2.3	8.7
21	29.0	34.2	23.3	19.7	0			35	10.8	48.2	S	1.6	8.8
22	29.3	35.2	24.4	20.1	0			40	11.8	45.9	WSW	2.0	9.6
23	28.2	34.9	22.7	19.8	0			42	12.0	47.0	N	1.8	7.2
24	26.9	31.5	22.2	21.4	0			59	15.4	48.0	SSE	1.0	5.3
25	27.5	32.2	22.9	21.4	0			54	15.2	49.7	SSE	1.2	5.5
26	28.5	33.9	23.0	20.7	0			44	13.7	46.9	SSE	2.1	7.7
27	28.6	32.9	25.0	19.5	0			40	11.3	47.1	N	5.0	8.9
28	26.5	33.5	22.1	19.3	0	0.0	0.08	49	12.0	48.4	NE	2.0	6.3
29	23.3	27.6	20.4	17.7	0	0.6	1.05	56	11.4	48.7	NE	2.3	4.3
30	24.3	31.5	17.8	17.4	0			42	9.7	49.8	NNE	1.5	5.8
31	25.2	32.5	19.1	18.1	0			44	10.7	51.8	NE	2.1	5.7
Sum					0	2.1	1.88				NNE		236.6
Avg.	28.4	34.4	23.2	20.3				42	11.9	749.2	(6)	2.3	7.6

Year: 1931 Month: August

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Toward land	Avg. Soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.3	0.0	7	7	27.1	36.0	28.3	27.9	27.0	25.7		1
2	11.7	0.0	7	7	27.3	33.4	27.9	27.7	26.9	25.6		2
3	11.7	0.0	6	6	28.7	33.6	28.0	27.5	26.8	25.6		3
4	11.6	0.0	6	7	32.7	40.3	28.5	27.7	26.8	25.6		4
5	9.9	2.0	8	8	25.0	39.0	28.8	28.1	26.9	25.7		5
6	11.8	1.3	7	7	27.5	36.0	28.4	27.8	26.9	25.7	●°⁻¹ R° ≤°	6
7	11.5	0.3	7	8	30.8	39.6	28.6	28.0	27.0	25.8		7
8	8.8	3.3	6	7	30.8	36.1	28.6	28.1	26.0	25.7	≤	8
9	10.8	0.0	8	8	30.3	36.1	28.9	28.3	27.0	25.8	●° R ≤°	9
10	11.1	0.0	7	8	34.1	41.9	29.3	28.3	27.2	25.8		10
11	10.8	0.0	7	6	30.9	37.9	29.8	29.1	27.2	25.9		11
12	11.5	0.0	7	7	34.1	42.7	30.0	29.1	26.7	25.9		12
13	11.3	1.7	7	7	31.7	36.6	29.7	28.8	27.5	25.9		13
14	11.6	0.0	7	8	27.7	33.8	29.0	28.8	27.5	26.1		14
15	11.7	0.0	6	6	29.6	33.7	28.6	28.5	27.5	26.1		15
16	11.9	0.0	8	8	33.0	36.2	28.3	28.1	27.2	26.1		16
17	11.4	0.0	8	7	31.1	35.6	28.7	28.2	27.2	26.1		17
18	11.7	0.0	6	8	34.0	39.4	28.7	28.1	27.2	25.9		18
19	11.7	0.3	7	7	35.9	38.2	28.8	28.3	27.2	25.9		19
20	11.5	0.0	7	8	34.2	38.1	28.5	28.4	27.3	26.0		20
21	11.6	0.3	7	7	29.3	37.7	28.5	28.2	27.3	26.1		21
22	11.6	0.3	7	7	29.5	40.3	28.7	28.4	27.3	26.1		22
23	11.1	0.7	7	7	30.2	35.6	28.5	28.3	27.3	26.1		23
24	11.2	1.0	7	6	27.5	33.9	28.4	28.0	27.2	26.1		24
25	11.4	0.7	7	6	29.1	33.7	28.0	27.8	27.1	26.1		25
26	11.6	0.3	6	6	31.7	34.8	28.0	27.8	27.0	26.0		26
27	11.3	2.0	5	7	31.2	36.1	28.0	27.6	27.0	25.8		27
28	8.3	3.0	6	6	25.3	33.3	27.7	27.6	26.9	25.9	●°	28
29	5.7	5.7	7	7	22.7	26.2	27.0	27.1	26.8	25.8	●°	29
30	11.4	1.0	8	8	28.0	35.7	26.2	26.6	26.5	25.8		30
31	9.3	2.3	7	8	25.3	32.3	26.5	26.6	26.4	25.7		31
Sum	339.8										● 4, R 2, ≤ 1	
Avg		0.8	6.9	7.1	30.2	36.3	28.4	28.0	27.1	25.9		

Year: 1931 Month: Septembe

Date	Air temperature (°C)					Precipit.		Avarage of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	25.6	29.8	21.2	19.2	0			51	12.4	750.9	SSW	1.8	6.1	
2	26.0	30.5	21.0	19.6	0			53	12.4	49.9	SSW	1.4	5.1	
3	25.8	32.1	20.7	18.7	0			48	11.5	51.0	NW	1.3	5.9	
4	25.6	32.3	20.1	18.7	0			49	11.7	52.4	SSW	1.1	5.8	
5	26.2	31.5	20.4	20.8	0			57	14.6	50.4	SW	0.7	5.0	
6	29.9	38.4	22.3	20.4	0			38	11.5	48.2	SW	1.6	8.6	
7	27.0	33.2	22.4	15.8	0			29	6.3	49.9	NW	3.7	10.0	
8	25.5	31.8	19.8	17.6	0			41	10.1	50.4	NNE	1.4	6.9	
9	25.2	29.7	20.2	18.7	0			48	11.5	49.6	SSW	1.0	5.9	
10	26.0	31.9	20.8	20.0	0			55	13.4	49.6	N	1.4	4.6	1
11	25.7	31.6	20.8	19.1	0			50	12.7	54.1	NNE	2.1	5.4	1
12	25.9	30.6	21.0	20.4	0			57	14.3	54.4	SSW	0.9	5.2	1
13	28.1	33.6	22.7	21.5	0			52	15.4	51.2	SW	0.6	5.2	1
14	29.4	35.2	24.8	21.1	0			45	13.0	49.3	S	1.3	7.3	1
15	27.0	32.6	20.6	22.4	0			60	17.0	51.6	NE	1.3	5.2	1
16	25.8	32.6	21.8	20.9	0			60	14.4	54.8	NE	5.5	5.2	1
17	27.8	30.8	20.3	19.8	0			61	13.7	53.7	NE	1.7	4.9	1
18	24.8	30.1	20.3	19.4	0			58	12.8	52.3	SSW	1.6	5.5	1
19	23.9	30.1	18.3	17.4	0			50	11.0	52.4	W	1.0	6.6	1
20	23.2	30.4	18.4	17.4	0			54	10.6	52.7	SSW	0.7	5.6	2
21	21.0	24.2	19.0	19.0	0	4.6	3.00	75	14.7	46.8	SSW	1.7	3.3	2
22	21.7	25.9	16.5	17.6	0			64	11.7	47.4	S	2.2	4.4	2
23	21.6	24.2	19.9	18.8	0	5.2	4.50	74	14.2	45.5	S	5.6	4.2	2
24	20.5	25.6	16.9	15.4	0			57	10.0	48.8	W	1.5	4.3	2
25	19.0	22.3	16.9	13.3	0			49	7.4	51.8	W	5.2	8.9	2
26	17.9	22.9	12.0	12.1	0			45	7.0	53.8	WSW	1.5	5.5	2
27	18.2	24.8	13.0	13.2	0			54	8.0	52.9	NE	2.5	4.6	2
28	17.3	21.4	13.7	12.1	1	0.0	0.17	57	7.7	56.8	NNE	3.3	4.9	2
29	19.5	24.3	13.8	15.9	0			65	10.8	54.3	SSE	1.8	4.0	2
30	20.7	26.5	17.6	15.8	0			61	10.1	51.9	NNE	2.4	4.4	3
Sum					1	9.8	7.67				SSW		168.5	Su
Avg.	24.0	29.4	19.2	18.1				54	11.7	751.3	(6)	2.0	5.6	Av

Year: 1931 Month: September

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	10.9	1.0	7	7	29.2	32.6	26.4	26.5	26.3	25.6		1
2	9.1	3.0	7	7	28.2	33.0	26.5	26.6	26.2	25.6		2
3	8.6	3.0	9	9	28.3	33.6	26.4	26.5	26.2	25.5		3
4	11.2	1.3	7	7	28.0	32.5	26.3	26.4	26.1	25.5		4
5	9.9	0.0	6	6	28.7	31.0	26.3	26.3	26.0	25.4		5
6	8.6	0.0	5	5	28.7	35.7	26.6	26.6	26.0	25.4		6
7	10.2	0.0	6	6	25.9	37.1	26.9	26.6	26.0	25.4		7
8	10.2	0.0	7	7	25.6	32.6	26.6	26.7	26.0	25.3		8
9	9.0	0.0	6	6	26.3	31.0	26.3	26.4	25.9	25.3		9
10	9.4	3.3	7	8	27.9	31.6	26.2	26.2	25.8	25.2		10
11	10.4	0.7	7	7	28.7	31.8	26.2	26.0	25.7	25.2		11
12	9.5	0.0	7	7	29.9	31.9	26.2	26.0	25.9	25.1		12
13	9.1	0.3	7	6	31.7	33.7	26.2	26.4	25.7	25.1		13
14	9.9	0.7	6	6	32.6	35.6	26.8	26.3	25.7	25.0		14
15	9.3	2.0	6	6	26.7	32.3	26.9	26.5	25.8	25.1		15
16	9.7	0.7	7	7	28.7	34.7	26.7	26.4	25.7	25.0		16
17	9.4	1.7	7	8	27.5	30.5	25.1	26.3	25.7	25.1		17
18	10.2	1.0	7	8	26.9	30.7	26.1	26.2	25.7	25.0		18
19	10.1	1.3	8	8	27.3	26.1	25.7	25.7	25.5	24.9		19
20	9.4	3.7	7	8	23.3	28.3	25.3	25.4	25.4	24.8		20
21	3.6	9.0	7	7	21.1	20.5	24.8	24.9	25.0	24.6	◍¹ R⁰⁻¹	21
22	9.8	4.0	7	8	22.9	26.1	23.9	24.2	24.7	24.6		22
23	0.0	10.0	6	6	20.7	21.2	23.8	23.9	24.5	24.4	◍⁰⁻¹	23
24	8.0	6.7	9	9	18.4	18.7	22.9	23.2	24.1	24.2		24
25	9.3	2.3	9	9	20.8	23.2	22.5	23.0	23.8	24.1		25
26	10.5	2.0	9	9	17.6	22.2	22.0	22.5	23.3	23.7		26
27	6.6	8.0	8	8	18.1	21.8	21.8	22.2	22.8	23.3		27
28	7.3	7.7	7	8	17.5	20.5	21.4	21.8	22.4	23.1	◍°	28
29	9.6	3.0	7	8	21.6	26.3	21.5	21.8	22.3	22.9		29
30	8.3	6.0	7	8	22.2	25.1	22.1	22.1	22.3	22.8		30
um	267.1										◍3, R1	
vg.		2.7	7.1	7.3	25.4	29.1	25.1	25.2	25.1	24.7		

Year: 1931 Month: Octobe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	18.3	23.3	14.9	13.7	0			56	8.6	753.9	NNE	4.0	4.1	1
2	17.6	23.7	13.8	13.0	0			54	7.8	56.1	NNE	3.2	4.1	2
3	16.9	20.4	13.0	12.2	1			53	7.4	56.2	NNE	5.4	4.4	3
4	17.0	21.6	13.2	13.8	1	0.0	2.50	63	9.3	55.2	N	1.9	3.6	4
5	18.0	22.1	15.2	13.9	0	0.4	2.00	59	9.2	57.1	NNE	6.0	4.0	5
6	17.4	21.6	13.9	12.5	1			54	7.8	59.1	NNE	4.7	4.4	6
7	18.1	25.2	12.6	13.3	0			51	8.0	57.5	NNE	1.5	4.3	7
8	19.6	24.9	14.4	15.1	0			54	9.3	56.5	SW	0.5	4.7	8
9	21.4	28.3	15.3	15.8	0			50	9.3	58.1	NNE	2.5	6.4	9
10	21.3	26.4	17.6	15.4	0			49	9.2	58.8	NNE	4.8	5.3	10
11	20.6	27.8	17.0	14.9	0			49	8.7	56.7	NNE	2.5	5.1	11
12	19.1	25.6	13.9	14.7	0			53	9.7	57.5	NNE	2.1	4.5	12
13	18.7	24.9	13.6	14.5	0			61	9.6	57.7	NNW	1.0	4.0	13
14	18.6	25.9	13.3	14.5	0			60	9.3	55.4	NW	0.8	4.0	14
15	17.7	21.4	15.2	15.4	0	1.3	2.00	78	12.0	49.2	SW	0.8	2.4	15
16	19.1	23.4	15.9	16.3	0	0.0	0.58	72	11.8	50.0	S	3.2	3.6	16
17	15.9	19.8	11.9	14.6	2	3.0	5.75	80	11.6	55.1	NW	0.6	1.6	17
18	18.1	22.5	12.9	15.2	0	1.0	2.67	74	10.8	51.9	WSW	0.4	2.4	18
19	15.3	19.3	13.6	12.8	3	4.2	8.17	75	9.4	49.2	WNW	1.9	2.6	19
20	14.0	18.7	11.0	11.6	4	0.0	0.08	74	8.5	54.3	NNE	1.4	2.2	20
21	15.7	20.5	10.6	12.8	2	0.9	2.25	69	8.8	53.2	WSW	2.0	3.8	21
22	18.7	22.7	14.0	15.1	0			65	10.2	55.7	SSW	0.9	4.0	22
23	19.5	23.7	15.0	16.4	0			74	12.0	57.4	SSW	1.1	3.5	23
24	20.2	23.1	17.1	18.7	0			83	14.8	55.2	S	3.6	3.0	24
25	21.1	24.5	18.0	18.5	0			79	14.3	53.2	SSE	3.2	2.8	25
26	22.8	26.0	20.2	18.8	0			66	13.4	52.8	SSE	4.6	5.7	26
27	21.5	26.2	19.2	18.7	0			75	14.1	53.6	WSW	0.1	3.7	27
28	21.1	25.8	17.7	15.0	0			73	13.8	53.5	SW	0.3	2.1	28
29	21.3	25.7	17.9	17.8	0			66	13.1	51.6	SSE	3.2	4.7	29
30	21.1	25.7	18.2	16.1	0			60	10.5	51.4	W	2.7	5.1	30
31	18.3	23.0	14.5	13.1	0			52	7.9	53.1	W	2.4	6.4	31
Sum					14	10.8	26.00				NNE		122.5	Sum
Avg	18.8	23.7	15.0	15.1				64	10.3	754.7	(6)	2.4	4.0	Avg

Year: 1931 Month: October

Date	Total sunshine (hrs) (3)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. Temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	6.3	4.0	7	8	19.1	21.8	21.8	21.9	22.1	22.5		1
2	9.2	2.7	7	8	21.3	24.7	21.4	21.6	21.8	22.4		2
3	4.5	8.7	7	8	19.9	20.4	21.1	21.0	21.6	22.2		3
4	2.2	8.0	7	7	17.7	18.7	21.0	21.0	21.5	22.1	◍°	4
5	7.8	3.3	7	7	20.2	22.3	20.5	20.9	21.3	21.9	◍°⁻¹	5
6	9.9	2.7	7	8	21.1	22.7	20.5	20.8	21.1	21.8		6
7	10.2	0.0	7	8	22.7	23.6	20.5	20.5	21.0	21.7		7
8	10.3	0.0	6	6	22.5	22.7	20.6	20.7	21.1	21.7		8
9	10.3	0.0	6	6	25.2	26.2	21.0	21.1	21.1	21.5		9
10	10.0	0.7	5	8	25.8	25.2	21.5	21.3	21.3	21.6		10
11	10.1	0.3	7	8	25.3	25.3	21.6	21.6	21.4	21.6		11
12	9.9	0.7	7	8	19.9	23.4	21.4	21.4	21.3	21.6		12
13	9.8	1.3	6	7	20.8	22.0	21.2	21.3	21.3	21.5		13
14	9.7	0.7	6	7	20.6	21.1	21.0	21.2	21.2	21.5		14
15	2.3	5.0	6	5	16.2	16.0	20.6	20.8	21.1	21.4	◍¹	15
16	5.7	7.0	6	8	19.9	19.7	20.3	20.6	21.0	21.4	◍°	16
17	0.7	9.7	9	9	15.7	15.5	19.7	20.0	20.6	21.2	◍°⁻¹ ≋°⁻¹	17
18	5.7	6.7	8	9	19.2	17.6	19.7	20.0	20.5	21.2	◍¹ ≋⁻¹	18
19	5.1	6.3	8	8	18.4	14.7	19.2	19.5	20.3	21.0	◍¹ ∩°	19
20	6.1	7.0	8	8	14.6	13.9	18.2	18.6	19.7	20.6	◍°	20
21	10.1	2.3	8	9	16.0	14.7	17.8	18.3	19.5	20.6	◍° ≋°	21
22	8.3	6.7	6	7	19.0	17.2	18.3	18.6	19.5	20.5		22
23	9.0	5.7	6	8	19.6	21.9	19.2	19.2	19.6	20.4		23
24	4.6	8.3	6	7	21.2	20.1	19.8	19.7	19.8	20.4		24
25	1.6	8.0	6	7	20.3	20.8	20.2	20.0	20.0	20.4		25
26	5.8	7.7	6	6	21.1	22.4	20.8	20.4	20.2	20.4		26
27	1.2	8.3	6	6	20.3	21.8	21.0	20.7	20.4	20.4	∩°	27
28	6.2	8.3	5	6	20.6	21.0	20.9	20.7	20.4	20.4	∩¹ ⊕° ◐°	28
29	9.1	4.7	6	6	20.6	20.6	20.9	20.7	20.4	20.5	∩°	29
30	9.4	1.3	7	7	20.1	20.0	20.9	20.8	20.5	20.5	∩¹	30
31	8.8	2.3	7	8	19.8	20.1	20.5	20.5	20.4	20.5	∪°	31
Sum	219.9										◍ 9, ≋ 3, ∩ 4, ∩ 1, ∪ 1, ⊕ 1, ◐ 1	
Avg.		4.4	6.6	7.4	20.1	20.6	20.4	20.5	20.7	21.2		

Year: 1931 Month: November

Date	Air temperature (°C)					Precipit.		Average on		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	13.2	17.8	11.3	8.3	5			49	5.2	758.4	N	4.9	4.6	1
2	9.9	13.8	7.1	5.4	8			45	3.8	64.3	N	5.2	4.5	2
3	9.6	13.4	6.1	6.0	8			54	4.7	66.5	NE	4.5	3.3	3
4	10.9	16.5	6.0	7.6	7			56	5.8	64.5	NNE	3.5	3.3	4
5	12.9	17.9	9.0	9.4	5			57	6.4	60.4	N	2.5	4.2	5
6	14.4	20.2	10.1	10.9	4			60	7.6	57.6	NNE	2.0	3.5	6
7	13.9	20.2	10.4	10.8	4			66	7.7	55.8	E	0.6	2.4	7
8	13.7	17.2	10.4	11.9	4	2.8	2.03	74	8.8	54.6	NE	0.4	1.9	8
9	16.5	20.4	9.4	14.3	1	0.8	1.00	77	10.6	53.8	S	0.9	1.8	9
10	18.4	20.8	16.2	16.3	0	2.2	1.58	81	12.3	52.7	S	2.3	2.6	10
11	18.2	20.8	16.3	15.9	0	1.0	1.00	79	11.9	52.0	SSW	3.5	2.6	11
12	19.3	23.4	16.4	16.2	0			69	11.5	54.0	SW	1.1	3.5	12
13	18.2	23.4	14.4	16.5	0			79	12.6	56.3	SSW	0.4	2.1	13
14	17.5	21.5	14.3	16.5	0			86	13.2	54.6	S	1.3	1.6	14
15	18.3	20.0	16.9	15.6	0	2.2	1.92	76	11.6	49.9	SW	4.0	3.3	15
16	17.4	21.4	13.9	14.0	1			68	9.7	52.9	W	0.7	3.9	16
17	16.2	21.6	11.9	13.0	2			69	9.5	57.8	NE	2.4	2.6	17
18	15.1	19.8	11.6	12.3	3			71	8.6	57.6	NE	1.9	2.2	18
19	15.5	21.4	13.2	12.8	2			71	9.2	51.5	ENE	2.0	2.6	19
20	10.9	15.3	9.8	7.6	7	0.0	0.05	60	5.9	55.7	ENE	6.0	3.1	20
21	9.7	12.7	8.0	7.5	8			68	6.2	57.8	NE	7.9	2.9	21
22	9.8	12.6	8.0	7.6	8			69	6.2	58.9	NE	8.5	2.6	22
23	9.9	13.4	9.5	7.3	8			68	6.0	58.5	NE	6.2	2.7	23
24	9.4	15.0	4.7	7.0	9	0.0	0.33	69	6.0	56.5	ENE	1.2	1.8	24
25	8.5	10.3	8.2	7.0	9	2.5	10.25	78	6.6	56.9	NNE	2.3	1.2	25
26	8.8	13.0	7.6	6.8	9	0.0	0.08	71	5.8	59.0	ENE	2.5	1.7	26
27	8.4	12.9	4.7	6.6	10			74	5.9	59.1	ENE	2.1	1.5	27
28	10.2	12.1	7.1	7.8	8			70	6.3	57.6	NNE	0.6	1.4	28
29	13.3	16.0	10.8	11.5	5	6.1	5.33	84	9.7	51.8	S	1.9	1.8	29
30	15.9	17.6	13.5	13.9	2	2.7	11.00	80	11.1	47.3	S	4.3	2.5	30
Sum					137	20.3	34.57				NE		79.7	Sum
Avg.	13.5	17.4	10.6	10.8				69	8.2	756.5	(6)	2.9	2.7	Avg.

Year: 1931 Month: November

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibitily at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	9.2	3.0	7	8	16.4	16.2	19.7	19.8	20.0	20.3		1
2	9.4	2.0	7	8	13.0	12.3	18.1	18.6	19.3	20.0		2
3	9.2	3.3	6	8	12.3	11.7	17.0	17.3	18.4	19.7		3
4	9.0	1.0	7	8	13.3	12.9	16.3	17.1	18.4	19.3		4
5	7.4	3.3	6	6	13.6	13.9	16.3	16.9	17.9	19.4		5
6	8.4	4.7	7	8	15.8	19.8	16.5	17.0	17.8	19.2		6
7	7.1	5.3	7	7	16.1	17.2	16.7	17.0	19.4	19.0		7
8	0.6	9.7	8	7	13.3	14.0	16.7	17.1	17.8	18.9	●0-1	8
9	5.3	8.0	7	7	15.0	15.0	16.9	17.2	17.8	18.8	●1 ⊕°	9
0	0.0	7.7	6	6	16.4	17.0	17.3	17.5	17.9	18.8	●0-1 ☇° T°	10
1	0.6	6.7	7	8	16.8	16.7	17.8	17.7	18.0	18.9	●0-1	11
2	9.5	4.7	7	8	18.5	18.4	17.8	17.8	18.0	18.8		12
3	6.7	4.7	5	5	17.0	17.9	18.0	18.0	18.2	18.8	Ω1	13
4	3.3	8.3	7	7	17.4	18.2	18.1	18.2	18.2	18.8	Ω0-1	14
5	2.4	9.0	8	8	16.3	16.9	18.3	18.3	18.2	18.9	●0-1	15
6	9.1	2.0	6	8	16.0	18.1	18.0	18.1	18.2	18.8		16
7	0.2	8.3	8	8	14.7	15.8	17.7	17.9	18.1	18.5		17
8	4.1	3.0	6	8	14.3	15.6	17.4	17.6	17.9	18.5		18
9	3.3	6.3	4	4	15.2	15.1	17.4	17.6	17.9	18.5	Ω°	19
0	5.6	8.3	5	6	10.3	13.3	16.6	17.0	17.2	18.1	●° ♆°	20
1	4.2	6.3	5	8	10.7	11.3	15.6	16.2	17.0	17.9		21
2	1.3	6.7	4	7	9.1	11.6	14.9	15.7	16.7	17.8		22
3	0.6	8.7	7	7	9.4	11.7	14.9	15.3	16.4	17.6		23
4	3.9	6.3	6	6	8.9	9.5	14.2	14.9	16.0	17.5	⚹	24
5	0.0	10.0	4	4	7.4	7.6	13.9	14.5	15.6	17.2	●°	25
6	0.2	8.3	6	6	8.3	9.2	13.4	14.0	15.5	17.0	●°	26
7	0.4	6.0	7	7	7.8	8.4	12.9	13.6	15.2	16.8		27
8	0.0	9.7	6	6	9.5	10.2	13.2	13.8	15.2	16.7		28
9	0.3	10.0	7	8	11.5	11.9	13.6	14.1	15.1	16.5	●0-1	29
0	0.2	9.0	8	5	13.7	13.7	14.6	14.8	15.4	16.7	●0-1	30
m	121.5										●10, ⚹1, ☇1, ⊕1, ♆1, Ω3	
g.		6.3	6.7	6.9	13.3	14.0	16.3	16.7	17.3	18.4		

Year: 1931 Month: Decembe

Date	Air temperature (°C)					Precipit.		Average of		Avg Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	8.9	12.0	10.2	7.1	9	4.7	9.67	83	6.7	752.5	NE	11.7	1.7	
2	6.0	7.6	5.5	3.8	12	0.3	3.00	72	4.8	57.8	NE	12.4	2.5	
3	5.8	8.8	4.5	3.1	12			63	4.2	58.7	NE	9.6	2.7	
4	4.8	7.7	3.1	2.7	13	0.5	1.67	72	4.5	56.9	NNE	3.2	1.7	
5	9.6	14.3	2.9	7.3	8			66	6.3	52.3	W	1.4	2.1	
6	12.8	17.6	10.4	8.1	5			52	5.5	60.3	WNW	1.5	3.6	
7	13.1	17.4	9.4	10.9	5			74	8.2	60.2	SSW	0.8	2.4	
8	14.4	19.9	10.7	12.7	4	0.0	2.83	78	9.5	57.9	NE	0.4	1.6	
9	12.1	13.6	12.0	12.2	6	2.5	5.75	84	8.9	57.1	NE	3.7	1.3	
10	14.1	17.4	9.8	13.2	4	0.5	2.67	84	10.4	52.0	SSE	3.1	1.3	10
11	16.0	17.9	15.4	13.4	2	0.2	0.45	78	10.2	43.2	SSW	9.0	4.5	11
12	11.0	15.6	13.4	9.7	7	34.6	12.33	83	8.6	49.7	NE	6.0	1.7	12
13	7.5	8.6	7.0	6.0	10	0.6	4.67	80	6.1	55.1	ENE	10.8	1.7	13
14	4.8	7.4	3.9	3.6	13	23.4	18.50	91	5.6	50.7	NW	4.9	1.1	14
15	6.4	9.4	3.7	4.4	12			70	5.0	54.4	NNE	2.1	1.6	15
16	10.1	15.0	4.2	9.1	8			75	7.6	52.6	SSW	0.7	2.0	16
17	10.6	16.0	8.4	9.3	7	8.2	0.83	83	7.9	50.6	ENE	1.5	1.3	17
18	6.0	8.8	4.6	5.0	12	7.6	12.00	84	5.9	52.8	ENE	3.6	1.0	18
19	5.9	7.6	4.3	4.6	12	4.7	7.42	83	6.7	56.9	NE	4.2	1.3	19
20	8.5	10.7	5.3	7.8	9	1.1	5.17	88	7.3	55.4	NE	3.7	1.1	20
21	8.5	11.4	6.3	6.5	9	6.0	4.00	85	6.4	56.8	NW	1.9	1.2	21
22	6.9	11.7	4.2	5.1	11			78	5.6	60.8	NE	1.7	1.2	22
23	4.9	8.1	2.9	2.8	13			74	4.6	66.1	NE	1.9	1.5	23
24	4.8	11.8	-0.1	1.8	13			71	4.4	67.1	NE	0.4	1.5	24
25	6.8	13.4	-0.1	4.0	11			57	4.1	64.8	C	0.0	2.4	25
26	8.7	13.2	5.0	6.2	9			68	5.6	62.0	SSW	0.1	2.4	26
27	10.6	16.0	7.1	10.3	7			78	8.0	59.7	SSW	0.1	1.8	27
28	12.6	14.3	9.5	11.2	5	2.1	1.05	86	9.4	57.3	SSW	3.4	1.3	28
29	12.6	14.6	13.2	11.5	5	26.0	16.75	85	9.4	51.1	SSW	8.4	3.1	29
30	12.2	14.8	9.6	11.1	6	41.8	13.50	88	9.1	48.4	S	3.4	1.4	30
31	14.1	16.2	10.9	13.0	4	1.1	2.33	85	10.2	48.6	S	4.3	2.2	31
Sum					263	169	121.59				NE		58.2	Sum
Avg.	9.4	12.8	7.0	7.6				77	7.0	755.8	(6)	3.9	1.9	Avg.

Year: 1931 Month: December

Date	Total sunshine (hrs) (3)	Avg. Cloudiness (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	0.0	10.0	7	7	7.7	7.6	13.8	14.0	14.9	16.0	●0-1	1
2	0.6	9.0	7	7	5.1	4.6	12.0	12.8	14.1	15.7	●0 ⁂0	2
3	1.5	5.7	7	7	4.9	5.8	11.2	11.9	13.7	15.5		3
4	1.0	6.3	7	9	4.3	4.3	10.7	11.4	13.3	15.5	⁂0	4
5	8.5	1.7	5	6	7.5	9.1	10.6	11.4	13.2	15.5		5
6	7.3	2.7	7	7	9.4	12.7	11.8	12.2	13.4	15.4	Ω0	6
7	7.9	1.0	6	7	10.1	12.0	12.3	12.7	13.5	15.2	Ω1	7
8	1.6	8.0	4	4	13.6	15.1	13.0	13.3	13.9	15.2	●0 Ω1	8
9	0.0	10.0	7	7	11.1	11.0	13.6	13.7	14.1	15.2	●0-1	9
10	0.2	9.0	7	7	12.9	13.3	13.3	13.7	14.1	15.1	●0-1	10
11	0.7	5.0	6	6	13.1	13.2	14.2	14.1	14.4	15.4	●0	11
12	0.0	9.3	8	8	9.5	9.4	13.9	13.9	13.4	15.1	●1 ℝ1 ≺0	12
13	0.4	9.7	7	8	6.1	5.9	12.2	12.5	13.5	14.4	●0	13
14	0.0	10.0	6	6	5.0	4.3	10.9	11.7	13.2	14.8	●0-1	14
15	5.8	3.0	6	7	6.9	6.8	10.3	11.2	12.8	14.6		15
16	8.1	1.3	6	6	7.9	8.4	10.2	11.1	12.5	14.3	Ω0 ⌊0	16
17	0.6	5.7	6	6	9.4	10.1	11.1	11.5	12.6	14.2	●1	17
18	0.0	10.0	7	6	6.4	5.8	10.8	11.2	12.3	14.0	●1	18
19	0.0	10.0	5	5	4.7	4.5	10.0	10.6	12.7	13.7	●1	19
20	0.0	10.0	8	8	7.7	8.0	9.8	10.5	12.4	13.6	●0	20
21	8.0	2.3	9	9	8.4	9.4	10.4	10.8	12.4	13.5	●1 ≡2	21
22	2.7	3.7	7	8	6.0	5.6	10.0	10.5	12.2	13.4	Ω1	22
23	3.7	3,0	6	7	4.4	3.6	9.3	9.8	12.0	13.2	Ω0	23
24	4.6	0.3	6	6	4,8	5.8	8.5	9.0	11.7	13.0	Ω0-1 ⌊0	24
25	8,0	0.3	6	7	5,5	6.8	8.3	8.7	11.4	12.7	⌊0	25
26	9.0	0.3	6	6	6.0	7.3	8.5	8.9	11.2	12.6	⌊0-1	26
27	5.9	7.7	5	8	8.4	9.4	9.2	9.6	11.2	12.5	Ω1-2 ⌊1	27
28	0,1	9,3	3	3	10.6	10.7	10.2	10.3	11.4	12,5	●0-1	28
29	0,0	10.0	5	4	11.0	10.8	11.2	11.1	11.6	12.8	●0-1 ≡1	29
30	0.3	4.7	9	9	10.9	11.2	11.5	11.5	11.8	12,8	●1 ≡1	30
31	0.0	10.0	6	6	11,5	11.7	11.6	11.7	12.0	12.8	●	31
Tot.	86.5										● 18, ⁂ 2, ℝ 1, Ω 8, ⌊ 5, ≡ 3	
Avg.		6.1	6.4	6.7	8.1	8.5	11.1	11.5	12.8	14.2		

Y E A R : 1931

Month	Air temperature (°C)							Degree days (base 18 °C)	Average of			Sunshine (8)	
	Average			Absolute									
	24 hours	Maximum (4)	Minimum (4)	Maximum (4)	Date	Minimum (4)	Date	(1)	Wet bulb tempr. (3)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Total	Pos- (9
JAN.	11.3	14.9	7.7	19.8	3	1.7	29	204	9.1	71	7.3	86.8	30
FEB.	9.9	13.2	6.7	18.5	20	2.3	13	222	7.7	70	6.4	103.1	300
MAR.	12.5	16.8	8.4	25.0	12	-0.7	28	170	9.1	61	6.7	137.2	368
APR.	13.9	18.1	10.0	22.8	22	3.9	3	125	10.7	63	7.4	195.6	392
MAY	19.9	24.8	15.1	29.2	24	9.5	14	7	15.3	57	9.8	231.9	438
JUNE	25.7	31.5	20.5	41.0	26	14.6	5	0	18.5	47	10.9	243.4	439
JULY	28.8	34.4	23.5	39.8	10	20.4	1	0	20.1	41	11.9	337.5	446
AUG.	28.4	34.4	23.2	40.1	10	17.8	30	0	20.3	42	11.9	339.8	418
SEPT.	24.0	29.4	19.2	38.4	6	12.0	26	1	18.1	54	11.7	267.1	370
OCT.	18.8	23.7	15.0	28.3	9	10.6	21	14	15.1	64	10.3	219.9	344
NOV.	13.5	17.4	10.6	23.4	12,13	4.7	24	137	10.8	69	8.2	121.5	301
DEC.	9.4	12.8	7.0	19.9	8	-0.1	24,25	263	7.6	77	7.0	86.5	294
YEAR	18.0	22.6	13.9	41.0	June 26	-0.7	March 28	1.143	13.5	60	9.1	2.370.3	4.42

Month	Avg.cloudiness (tenths) (3)	Avg.Visibility (11)		Average soil temperature (°C)(3)						Number of days (4)				
		Toward sea	Toward land	Surface Green	Surface Bare	In cm depth as indicated below (in cups) 30	60	90	120	Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25,0°C (Summer days)	Maximum ≥ 30.0°C (Tropical days	Minimum ≥ 20.0°C
JAN.	6.7	7.5	7.5	10.6	11.5	11.9	12.3	13.1	13.9	0	0	0	0	0
FEB.	6.6	7.8	7.9	9.5	10.0	10.6	10.8	11.4	12.3	0	0	0	0	0
MAR.	6.7	7.4	7.8	12.7	15.0	12.9	12.8	12.9	13.2	1	0	1	0	0
APR.	5.7	7.5	7.8	14.8	16.7	13.8	13.7	13.5	13.7	0	0	0	0	0
MAY	5.4	7.6	7.5	20.9	25.0	19.4	18.8	17.7	17.1	0	0	17	0	0
JUNE	3.6	7.7	7.9	25.9	31.5	24.3	23.4	21.8	20.7	0	0	29	16	17
JULY	1.0	7.0	7.3	31.6	36.7	28.1	27.5	25.8	24.5	0	0	31	30	31
AUG.	0.8	6.9	7.1	30.2	36.3	28.4	28.0	27.1	25.9	0	0	31	30	29
SEPT.	2.7	7.1	7.3	25.4	29.1	25.1	25.2	25.1	24.7	0	0	23	18	17
OCT.	4.4	6.6	7.4	20.1	20.6	20.4	20.5	20.7	21.2	0	0	11	0	1
NOV.	6.3	6.7	6.9	13.3	14.0	16.3	16.7	17.3	18.4	0	0	0	0	0
DEC.	6.1	6.4	6.7	8.1	8.5	11.1	11.5	12.8	14.2	2	0	0	0	0
YEAR	4.7	7.2	7.4	18.6	21.2	18.5	18.4	18.3	18.3	3	10.3	143	94	95

YEAR : 1931

Month	Average Pressure at 0°C (mm) (1)	Wind (1) (5)		Precipitation			Total evaporation (mm) (4)(7)	Number of days							
		Avg. Speed (m.p.s.)	Prevailing direction	Total (mm) (4)	Maximun in 24 hrs	Date		Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)
JAN.	750.5	2.6	NNE	115.3	27.6	11	61.0	17	1	0	0	0	17	17	2
FEB.	49.3	4.4	NNE	51.9	15.1	7	60.0	16	0	0	4	0	18	12	0
MAR.	51.0	3.7	NNE	29.3	11.9	28	92.2	12	0	2	1	0	14	11	2
APR.	50.6	3.1	NNE	54.5	19.0	9	95.8	16	0	0	0	0	16	9	0
MAY	51.4	2.4	SSW	36.8	16.9	27	129.9	12	0	0	0	0	12	8	0
JUNE	51.8	2.5	N	24.3	16.5	10	190.0	5	0	0	0	1	5	2	0
JULY	48.9	2.7	NNE	0.0	0.0	24	241.3	1	0	0	0	0	1	0	0
AUG.	49.2	2.3	NNE	2.1	1.5	6	236.6	4	0	0	0	0	4	0	0
SEP.	51.3	2.0	SSW	9.8	5.2	23	168.5	3	0	0	0	0	3	0	0
OCT.	54.7	2.4	NNE	10.8	4.2	19	122.5	9	0	0	0	0	9	4	0
NOV.	56.5	2.9	NE	20.3	6.1	29	79.7	10	0	0	1	0	11	3	0
DEC.	55.8	3.9	NE	165.9	41.8	30	58.2	18	0	0	2	0	19	8	5
YEAR	751.8	2.9	NNE	521.0	41.8	Dec.30	1.535.7	123	1	2	8	1	129	74	9

Month	Number of days														
	Snow cover (3)	Clear (0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0 tenths) (3)	Cloudy (8.1-10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)	
JAN.	0	4	13	14	2	9	2	2	0	0	3	2	0	0	
FEB.	0	3	18	7	3	3	0	5	0	2	1	1	2	0	
MAR.	2	3	17	11	3	3	1	2	4	0	5	0	1	0	
APR.	0	5	17	8	4	3	1	2	3	3	1	0	2	0	
MAY	0	2	21	8	4	1	5	0	0	1	2	0	0	0	
JUNE	0	7	22	1	3	0	3	3	0	2	0	0	1	0	
JULY	0	24	7	0	9	0	0	0	0	0	0	0	0	0	
AUG.	0	25	6	0	24	0	2	1	0	0	0	0	0	0	
SEPT.	0	15	13	2	8	1	1	0	0	0	0	0	0	0	
OCT.	0	9	17	5	10	0	3	0	1	1	1	0	1	0	
NOV.	0	1	18	11	3	3	1	0	0	1	1	0	0	0	
DEC.	0	6	12	13	2	9	1	0	0	0	0	0	0	3	
YEAR	2	104	181	80	75	32	20	15	8	10	14	3	7	3	

Y E A R : 1931

Month	Frequency (%) of the wind direction (24 hourly observations)																
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	
JAN.	6.0	12.3	7.0	3.2	2.0	1.4	2.2	5.4	7.9	5.5	4.8	2.7	3.9	2.6	7.3	6.7	1
FEB.	9.0	22.3	7.6	2.1	2.5	0.7	4.8	7.1	9.2	6.5	3.1	0.7	1.0	4.1	6.0	5.7	
MAR.	7.3	14.0	6.4	1.4	2.7	1.2	1.8	7.7	9.0	9.0	6.7	4.2	6.4	6.7	5.5	4.2	
APR.	4.6	13.6	6.3	2.5	2.6	1.1	3.3	8.6	11.4	10.8	5.5	4.0	6.4	1.5	4.5	2.2	1
MAY	8.2	10.5	5.2	1.7	1.3	0.9	2.5	4.0	10.5	14.9	7.5	2.8	2.0	1.9	3.5	2.7	1
JUNE	12.5	11.4	8.4	2.5	2.6	0.3	1.5	2.8	4.4	11.0	6.0	3.1	1.9	1.2	2.5	6.4	2
JULY	7.5	20.1	7.0	1.3	0.8	0.3	1.1	0.9	3.1	10.7	8.4	2.3	1.4	1.9	3.6	4.0	2
AUG.	8.2	15.1	10.5	3.4	1.2	0.4	1.1	4.0	3.4	9.5	6.0	2.6	1.2	1.6	2.1	2.6	2
SEP.	3.3	6.5	7.7	2.8	2.2	1.0	0.8	1.9	6.5	9.4	8.1	4.5	6.4	3.9	3.3	1.7	3
OCT.	6.4	18.3	6.0	1.1	1.3	0.0	1.3	6.0	5.8	3.1	3.2	4.0	2.8	2.5	2.8	3.5	3
NOV.	6.8	13.8	17.4	9.8	2.4	0.6	1.2	2.4	6.6	5.0	3.2	3.3	2.4	0.4	1.0	2.2	2
DEC.	3.5	6.4	20.8	9.2	0.3	0.5	0.1	1.9	6.6	8.8	1.7	1.6	1.7	1.1	3.9	2.0	2
YEAR	6.9	13.7	9.2	3.4	1.8	0.7	1.8	4.4	7.0	8.7	5.4	3.0	3.2	2.4	3.8	3.6	2

REFERENCE NOTES

1) Average of 24 hourly values,
2) Day ending at 24 h.
3) Average of 8,14 and 21 h. observations.
4) Day ending at 21 h.
5) From Steffens - Hedde anemograph (mean instantaneous readings)
6) Monthly prevailing direction.
7) From Piche evaporimeter.
8) From Campbell - Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography.
10) At 14 h observation.

YEAR 1932

Year: 1932 Month: Januar

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	13.8	17.6	12.8	11.4	4	6.2	7.17	79	9.2	745.2	WSW	4.6	4.5	
2	9.3	13.6	6.9	7.3	9	0.5	0.22	75	6.3	50.0	WSW	1.1	2.1	
3	8.9	13.3	5.4	6.7	9			69	5.8	54.2	WSW	0.3	1.8	
4	9.9	14.2	5.5	7.2	8			64	5.9	54.4	W	0.5	2.5	
5	10.7	15.2	9.0	8.1	7			67	6.5	61.0	NE	1.7	2.5	
6	8.1	10.8	5.3	6.5	10			78	6.3	60.9	NE	0.5	1.1	
7	9.9	12.0	7.0	8.6	8	0.0	0.08	82	7.6	53.7	ENE	1.5	1.0	
8	12.0	16.4	7.0	9.8	6	10.9	6.00	79	7.6	47.6	NW	1.1	1.5	
9	13.7	17.2	10.8	11.4	4			77	8.6	50.8	SW	0.5	2.0	
10	13.5	16.9	12.5	11.0	4	0.0	0.25	71	8.8	52.3	WSW	2.0	2.9	
11	8.1	12.2	6.3	5.3	10			69	5.4	59.8	ENE	2.0	2.2	
12	6.6	8.9	5.8	4.8	11			68	4.8	60.5	NNE	5.3	2.0	
13	6.8	8.6	5.6	4.7	11	0.1	1.50	70	5.2	60.8	NNE	7.0	2.5	
14	6.3	7.6	4.9	4.6	12	1.8	10.33	75	5.3	60.6	NE	6.7	1.7	
15	5.9	7.4	4.9	4.0	12	0.0	0.58	69	5.2	61.7	NNE	4.0	1.8	
16	6.7	10.8	4.4	4.8	11			67	5.0	64.2	N	2.3	1.9	
17	6.5	9.9	4.5	4.4	11			68	4.8	64.5	N	1.9	1.8	
18	6.8	9.7	5.1	4.5	11			68	4.9	63.5	N	1.8	1.8	
19	6.9	9.5	5.2	5.0	11	0.1	1.50	70	5.3	63.2	NE	6.5	2.1	
20	7.2	9.6	6.2	4.6	11	0.0	0.50	63	4.9	65.0	NE	6.8	3.0	
21	6.1	7.5	4.6	3.9	12	0.1	0.67	68	5.0	64.2	NE	5.1	1.8	
22	6.3	8.7	5.4	4.0	12	0.0	2.50	66	4.7	61.6	NE	6.7	1.4	
23	6.2	9.2	4.6	4.1	12	0.0	0.75	68	4.8	61.2	NNE	2.2	2.1	
24	4.4	5.6	3.7	2.6	14	0.2	6.42	74	4.0	64.4	NE	6.0	1.5	
25	2.9	4.6	2.4	1.2	15	0.7	5.28	76	4.4	64.2	NNE	7.1	1.6	
26	3.5	5.3	1.0	2.1	14	8.9	9.33	79	4.3	61.0	NE	9.8	1.4	
27	5.8	8.1	3.6	3.2	12	0.0	0.58	60	4.4	62.8	NE	9.5	3.5	
28	6.2	9.4	4.6	3.7	12			58	4.1	63.5	NE	7.6	2.9	
29	7.4	11.5	4.8	5.0	11			62	4.8	62.5	NNW	1.1	2.1	
30	10.1	16.4	5.4	6.8	8			57	5.1	61.6	S	0.8	3.1	
31	10.6	16.3	6.0	7.3	7			62	5.6	58.5	NE	2.4	2.5	
Sum					309	29.5	53.66				NE		66.6	
Avg.	80	11.1	5.9	5.8				70	5.6	759.3	(6)	3.8	2.1	

Year: 1932 Month: January

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1.0	7.3	6	5	11.8	11.2	12.3	12.1	12.1	12.9	◍1-2	1
4.6	5.0	7	7	8.9	7.7	11.4	11.9	12.1	15.5	◍° Ω°	2
4.0	7.0	9	9	7.7	7.7	10.5	11.1	12.0	12.8	Ω¹	3
7.9	1.7	5	8	7.9	8.6	10.2	10.8	11.8	12.7	Ω°	4
3.9	4.0	6	6	8.2	8.7	10.4	10.8	11.7	12.6		5
0.0	10.0	6	6	7.4	7.5	10.1	10.6	11.6	12.6	Ω° ⊕°	6
0.0	9.7	6	7	8.5	8.6	10.1	10.6	11.5	12.5	◍° Ω°	7
7.8	2.0	7	9	10.4	10.9	10.8	10.9	11.6	12.6	◍1-2	8
6.3	1.0	6	7	10.9	11.8	11.3	11.4	11.7	12.6	Ω¹	9
4.8	3.3	7	7	9.7	10.5	11.8	11.7	11.9	12.8	◍°-¹ Ω¹	10
3.4	4.0	7	7	6.5	6.3	11.1	11.3	11.9	12.6		11
2.1	9.0	4	6	5.6	6.3	10.2	10.6	11.7	12.4		12
0.0	9.7	6	7	5.3	5.6	9.6	10.2	11.4	12.2	◍°	13
0.0	10.0	8	8	4.9	4.7	9.1	9.7	11.1	12.0	⚹°	14
0.3	9.0	7	7	4.6	4.7	8.9	9.4	11.0	12.0	◍° ⚹° ♆°	15
6.3	3.3	6	7	4.9	7.3	8.6	9.2	10.8	12.0		16
3.0	6.0	7	7	5.1	5.6	8.6	9.1	10.7	11.8		17
2.6	8.0	7	7	5.7	6.0	8.6	9.0	10.6	11.8		18
3.2	7.7	7	7	5.6	5.8	8.7	9.0	10.5	11.5	⚹° ☾°	19
4.8	6.3	5	6	5.3	5.7	8.7	9.0	10.4	11.4	⚹°	20
0.4	7.3	7	7	4.4	4.7	8.6	8.8	10.3	11.3	⚹°	21
3.4	8.7	6	6	5.1	5.8	8.5	8.8	10.2	11.3	⚹° ☾°	22
2.7	8.3	8	9	5.0	5.9	8.5	8.8	10.2	11.3	⚹°	23
0.6	9.3	7	7	3.8	4.1	8.2	8.4	10.0	11.0	◍° ⚹¹	24
0.0	8.3	5	6	1.3	1.7	7.6	7.8	9.8	11.0	⚹¹ ⚹°	25
0.2	9.0	7	6	2.2	2.2	7.0	7.5	9.5	10.7	◍° ⚹° ⚹¹	26
7.6	4.3	6	5	4.2	4.2	7.0	7.5	9.4	10.5	⚹°	27
4.1	7.0	5	6	5.1	5.4	7.1	7.6	9.3	10.5		28
6.9	2.7	5	7	6.5	7.9	7.5	7.9	9.2	10.6		29
8.7	1.0	5	6	7.5	8.9	8.0	8.2	9.3	10.5		30
8.2	1.0	3	3	7.8	8.9	8.7	8.7	9.5	10.6	Ω°	31
108.8										◍9, ⚹2, ⚹11, Ω8, ⊕1, ♆1, ☾2	
	6.2	6.2	6.7	6.4	6.8	9.3	9.6	10.8	11.9		

Year: 1932 Month: Februa

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	6.3	9.6	4.7	3.1	12			57	4.2	761.7	ENE	8.7	3.7
2	6.2	11.6	0.4	3.8	12			67	4.5	56.4	SSW	1.6	2.0
3	8.1	12.6	3.9	4.8	10	0.0	0.08	58	4.4	53.3	ENE	2.1	2.3
4	5.7	8.6	4.3	1.2	12	0.0	0.17	44	2.7	54.2	NNE	5.7	3.3
5	10.0	14.9	3.6	6.5	8			50	4.6	50.9	WSW	3.8	4.8
6	3.4	8.7	-1.0	0.5	15	0.1	5.00	66	3.6	53.4	NE	10.0	3.4
7	0.2	5.1	-1.8	1.3	18	0.0	4.50	75	3.7	62.6	ENE	5.1	1.0
8	4.4	10.2	-2.2	3.3	14			70	4.2	56.6	SSW	2.2	1.6
9	10.0	14.3	6.0	7.2	8			64	5.8	51.1	W	1.8	2.3
10	10.6	15.5	6.7	8.7	7	0.1	2.00	72	7.0	51.2	SW	3.1	2.4
11	12.1	16.1	8.4	9.3	6	0.6	2.33	64	6.7	50.1	WSW	3.4	3.3
12	13.6	17.6	7.9	12.1	4	0.0	0.05	73	8.8	49.4	S	4.8	3.5
13	13.8	19.4	10.6	11.8	4			77	9.0	48.4	SSW	3.0	2.2
14	7.1	7.8	6.0	5.4	11	0.0	0.67	79	6.0	55.3	NE	4.9	1.2
15	7.2	9.1	5.8	5.3	11			75	5.6	57.2	NNE	7.4	1.5
16	8.7	11.5	5.7	7.2	9			75	6.5	52.0	N	1.5	1.4
17	9.0	14.9	5.9	7.3	9	2.4	4.00	80	6.6	49.5	NNE	5.3	1.4
18	6.2	8.4	4.6	5.1	12	1.9	6.58	80	5.6	54.3	NE	8.9	1.3
19	5.0	7.1	4.0	3.3	13	0.0	0.25	73	4.6	58.4	NNE	9.6	1.7
20	6.0	8.5	3.8	4.6	12	0.2	7.00	77	5.5	56.3	NNE	2.9	1.2
21	5.4	6.7	4.5	3.2	13	2.8	19.00	80	5.4	52.9	NE	4.7	0.9
22	1.5	5.2	-0.9	0.0	16	0.4	17.00	73	3.7	55.8	NNW	4.1	1.7
23	4.2	10.4	-2.2	3.0	14			62	4.1	54.8	NE	1.2	1.7
24	5.2	8.3	3.2	4.1	13	3.1	5.17	77	5.1	49.8	NNE	4.0	1.2
25	5.8	8.6	3.3	4.7	12	8.5	12.50	79	5.5	41.8	NNE	7.4	1.3
26	6.2	9.6	4.0	4.9	12	1.3	5.17	79	5.5	45.5	NNE	1.9	1.0
27	8.5	13.6	4.8	5.8	9	0.9	4.67	70	4.9	46.9	WNW	2.5	2.4
28	6.8	11.1	4.4	4.8	11	0.0	0.33	73	5.2	52.5	NE	6.1	1.5
29	6.5	11.4	2.6	4.7	11			71	5.2	55.7	NE	2.7	1.6
Sum					318	22.3	96.47				NE		58.8
Avg.	7.0	10.9	3.9	5.0				70	5.3	753.1	(6)	4.5	2.0

Year: 1932 Month: February

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
3.6	6.0	5	6	5.1	6.0	9.1	9.0	9.6	10.5		1
8.9	0.0	5	5	5.3	6.5	8.2	8.5	9.5	10.4	⌴0-1	2
8.1	4.7	5	7	7.5	8.5	8.5	8.5	9.5	10.5	●° ⌴0	3
8.5	1.7	5	7	4.2	5.6	8.6	8.7	9.5	10.5	●°	4
9.1	1.0	6	6	9.8	10.5	8.5	8.6	9.5	10.7		5
0.0	8.7	7	5	1.9	2.6	8.6	8.5	9.4	10.2	✳° ⁂	6
5.3	4.7	6	7	0.6	1.3	7.0	7.6	6.8	10.2	✳° ⊠	7
9.0	0.7	5	6	4.4	4.7	6.6	7.2	8.9	10.2	⌴2	8
9.3	1.0	6	6	8.5	4.1	7.5	7.7	9.0	10.2	Ω1 ⌴0-1	9
5.8	5.7	8	8	9.5	11.2	8.7	8.5	9.2	10.3	●° Ω°	10
5.8	7.3	7	8	11.0	11.5	7.6	9.3	9.5	10.5	●°	11
7.0	5.7	5	6	12.2	12.8	10.6	10.0	9.8	10.5	●° Ω°	12
8.0	1.0	4	6	12.8	13.4	11.1	10.5	10.2	10.7	Ω1	13
0.0	10.0	6	6	6.7	7.4	10.8	10.5	10.3	10.8	●°	14
0.0	10.0	5	6	6.6	7.7	10.1	10.2	10.4	10.8	∈° ⊕°	15
0.0	10.0	5	5	8.3	9.3	9.9	10.0	10.4	10.9		16
3.5	8.0	9	7	8.3	9.1	10.1	10.1	10.4	10.9	●1 Ω1	17
0.0	10.0	7	6	5.4	5.5	9.5	9.6	10.3	10.8	●° ⁂°	18
0.4	9.3	6	6	4.5	4.9	8.6	9.0	10.0	10.7	●° ∈°	19
0.0	10.0	6	6	5.4	6.0	8.4	8.7	9.9	10.8	●°	20
0.0	10.3	6	7	4.5	4.6	8.4	8.5	9.7	10.6	●° ⁂°	21
0.4	6.3	6	6	2.0	1.0	7.5	8.1	9.5	10.7	✳°	22
9.4	0.3	3	5	4.7	3.8	6.7	7.6	9.2	10.4	⌴1-2	23
0.0	10.0	6	8	4.4	4.6	7.2	7.7	9.1	10.3	●1	24
0.0	10.3	8	9	4.9	5.4	7.3	7.8	9.0	10.1	●0-1	25
0.0	9.7	6	6	6.5	6.4	7.7	8.1	9.1	10.2	●°	26
7.4	6.3	8	8	9.6	10.1	8.1	8.4	9.2	10.4	● <1	27
4.4	3.3	8	8	7.0	7.2	8.4	8.6	9.3	10.2	●°	28
3.6	4.3	6	6	5.4	5.5	8.0	8.5	9.2	10.2		29
117.5										●16, ✳3, ⁂3, <1,	
	6.1	6.0	6.5	6.5	6.8	8.6	8.8	9.5	10.5	Ω5, ⌴5, ⊕1, ⊍1, ⊠1,	

Year: 1932

Month: March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	4.6	6.7	3.0	2.2	13	0.0	3.50	70	4.2	759.7	NE	8.3	1.8	1
2	3.2	4.6	2.1	1.0	15	0.0	0.58	62	3.5	61.2	NE	7.4	2.2	2
3	3.4	5.0	2.0	2.5	15	2.9	12.00	83	5.0	56.1	NNE	6.7	1.1	3
4	6.5	9.4	2.9	6.2	11	13.1	15.33	88	6.5	50.6	NNE	3.2	0.7	4
5	9.0	12.3	6.4	7.6	9			82	7.0	53.2	NNE	1.2	0.8	5
6	11.6	15.2	8.2	11.1	6	4.7	7.58	85	9.1	51.6	NE	1.7	1.1	6
7	15.6	20.0	10.8	13.5	2			73	9.9	45.3	SSE	3.8	2.8	7
8	12.6	15.5	7.5	9.7	5	1.7	1.92	75	7.4	42.8	WSW	5.6	3.4	8
9	10.5	15.3	5.8	6.8	7	0.3	0.42	54	4.7	48.1	W	4.5	4.2	9
10	12.0	15.7	8.3	9.7	6			69	7.3	50.3	SSW	3.5	3.2	10
11	13.7	18.2	10.4	11.0	4			68	7.9	53.2	SSW	3.1	3.0	11
12	13.7	19.0	10.6	11.3	4			69	8.3	54.6	SSW	1.6	2.3	12
13	14.3	20.0	10.0	11.3	4			62	7.8	52.7	SSW	1.8	2.9	13
14	15.2	21.9	12.3	11.8	3			63	8.2	53.8	NNE	3.0	3.0	14
15	11.2	14.9	7.8	9.9	7			79	8.0	56.4	SSE	2.1	1.9	15
16	12.6	19.8	7.4	9.0	5			61	5.8	59.0	NNE	3.5	3.2	16
17	11.3	15.1	7.1	9.2	7			68	7.1	56.8	SSW	1.7	2.0	17
18	13.1	17.5	9.7	10.0	5			64	6.9	52.9	SSW	2.5	3.0	18
19	15.0	21.0	11.1	12.7	3			68	9.3	52.2	SW	1.8	2.8	19
20	14.9	18.3	11.8	12.8	3			73	9.1	50.2	NE	2.7	1.9	20
21	13.2	15.5	11.2	10.4	5	0.0	0.83	69	7.7	45.0	NE	6.6	3.1	21
22	9.9	11.5	8.6	9.1	8	20.0	14.50	90	8.5	42.8	NE	6.0	0.8	22
23	8.6	13.3	6.4	6.7	9	3.0	5.75	76	5.9	43.3	NE	4.8	1.8	23
24	5.9	9.6	4.0	4.7	12	11.4	5.33	81	5.8	45.8	ENE	2.5	1.2	24
25	5.6	10.8	2.3	4.7	12	9.4	9.50	85	5.4	51.0	N	2.5	0.9	25
26	7.6	12.5	3.0	6.3	10	0.4	1.25	74	5.8	55.8	NNE	2.0	1.6	26
27	9.0	12.5	5.1	7.4	9			73	6.3	55.2	NE	2.9	2.0	27
28	7.4	10.2	5.5	5.8	11	22.0	4.00	78	6.1	50.6	NE	7.8	1.9	28
29	7.4	11.6	4.3	5.3	11	0.1	1.00	67	5.1	59.0	NE	4.5	2.3	29
30	8.6	14.2	4.9	7.6	9	2.2	1.92	81	7.4	54.5	NE	2.4	1.1	30
31	10.7	17.2	7.0	3.0	7			73	7.0	57.0	N	2.9	2.1	31
Sum					237	91.2	85.41				NE		66.1	Sum
Avg.	10.3	14.3	7.1	8.3				73	6.9	752.2	(6)	3.7	2.1	Avg.

Year: 1932 Month: March

Date	Total sunshine (hrs) (2)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	0.0	10.0	6	5	3.4	3.8	7.8	8.3	9.2	10.0	●°	1
2	0.0	8.3	6	6	2.3	3.2	7.1	7.8	9.0	9.9	●° ✳°	2
3	0.0	10.0	4	5	2.6	3.2	6.9	7.5	8.8	9.3	●¹ ✳°	3
4	0.0	10.0	8	8	5.8	7,3	7.1	7.6	8.7	9.8	●°	4
5	0.0	10.0	6	5	8.0	8.9	8.0	8.2	8.9	9.9		5
6	0.0	7.3	6	6	8.1	9.2	8.9	8.8	9.2	10,0	●¹ Ω°	6
7	0.0	7.7	4	4	11.1	12.3	10.0	9.4	9.5	10.1	Ω°	7
8	0.0	7.3	7	8	10.7	11.4	11.0	10.2	9.8	10.4	●¹	8
9	7.6	0.3	7	9	10.8	11.6	10.4	10.1	10.2	10.6	●°	9
10	3.3	4.7	7	6	10.9	11.7	10.4	10.2	10.3	10.6	Ω°	10
11	3.1	6.0	7	8	11.7	13.6	10.9	10.6	10.5	10.8		11
12	2.6	5.3	7	6	11.8	13.8	11.4	11.0	10.6	10.9	Ω°	12
13	3.1	6.7	7	7	13.4	16.7	11.7	11.2	10.9	11.0	Ω°	13
14	9.8	2.3	6	7	14.7	18.9	12.4	11.6	11.1	11.2		14
15	3.0	4.7	6	6	10.9	11.9	12.5	11.9	11.7	11.3	Ω°	15
16	9.6	1.3	6	8	14.0	16.6	12.2	11.8	11.5	11.5		16
17	1.2	8.0	6	6	10.5	12.6	12.0	11.8	11.5	11.7	Ω°	17
18	0.3	10.0	6	6	11.2	13.1	12.0	11.8	11.7	11.8	Ω°	18
19	1.2	10.0	6	6	14.8	17.0	12.5	12.1	11.8	11.9		19
20	0.0	10.0	6	6	13.8	15.6	13.1	12.5	12.0	12.0	Ω°	20
21	0.0	10.0	5	5	11.2	13.0	13.1	12.7	12.2	12.1	●°	21
22	0.0	10.0	4	4	10.4	10.0	12.5	12.3	12.2	12.2	●¹⁻²	22
23	1.4	9.3	6	7	9.1	9.3	11.6	11.6	12.0	11.9	●¹ ↖°	23
24	0.0	9.3	4	4	6.9	7.2	10.6	11.0	11.5	12.2	●¹⁻² Ω°	24
25	1.8	8.0	7	7	7.2	7.8	9.8	11.4	11.2	12.1	●¹⁻² ↙°	25
26	6.1	4.7	8	8	8.0	9.9	9.8	10.3	11.0	12.0	●°	26
27	0.0	10.0	8	8	8.4	8.8	10.0	10.2	11.0	11.9		27
28	0.8	8.0	9	9	7.7	8.3	10.2	10.4	10.9	11.8	●² ↖°⁻¹	28
29	6.8	3.0	6	6	8.5	9.8	9.7	10.1	10.8	11.7	●°	29
30	1.5	8.0	6	7	7.5	9.1	9.9	10.2	10.8	11.7	●¹	30
31	7.8	3.7	7	8	13.2	14.7	10.4	10.5	10.9	11.8		31
um	71.0										●16, ✳2, ↖2, ↙1, Ω 10	
vg.		7.2	6.3	6.5	9.6	11.0	10.5	10.5	10.7	11.2		

Years: 1932

Month: April

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	12.1	16.1	7.9	11.4	6			82	9.1	756.9	SSW	2.9	1.5	1
2	13.9	17.7	10.6	12.9	4			80	10.3	55.7	SSW	2.2	1.7	2
3	15.5	19.2	11.9	12.7	2			70	9.0	57.0	S	4.0	3.4	3
4	16.9	21.9	12.7	13.3	1			60	8.9	56.2	S	3.5	4.4	4
5	18.5	24.1	13.6	13.8	0			53	8.4	53.8	SW	2.5	4.6	5
6	18.9	24.2	14.2	14.2	0			56	9.0	50.7	S	3.2	6.5	6
7	18.4	23.9	14.4	12.7	0			50	6.8	50.8	SSE	2.8	5.6	7
8	15.6	19.7	12.1	10.8	2			51	6.4	50.6	W	5.2	5.9	8
9	15.8	20.4	11.5	11.6	2			53	8.0	50.5	W	5.1	6.9	9
10	12.4	17.7	8.3	8.4	6	0.0	1.67	52	5.9	56.9	NNE	5.0	4.1	10
11	12.3	16.6	8.8	9.4	6			65	6.6	59.1	SSW	3.3	3.5	11
12	14.0	18.0	9.8	10.9	4			67	7.6	57.9	SSW	2.8	3.0	12
13	14.4	18.0	11.3	12.7	4			78	9.6	56.0	S	3.8	2.4	13
14	13.6	19.3	12.1	11.2	4	0.0	0.25	69	8.5	47.7	S	6.7	4.9	14
15	11.7	16.4	7.9	9.0	6	0.1	0.33	65	6.5	45.9	W	3.8	3.9	15
16	13.4	17.6	8.7	11.7	5			74	9.0	45.9	S	7.5	4.0	16
17	15.2	19.9	11.3	11.7	3			64	7.8	47.1	SSW	2.4	3.7	17
18	16.2	20.9	12.2	13.9	2			73	9.5	46.5	SW	2.9	3.3	18
19	16.6	21.8	12.9	12.1	1			56	7.4	47.0	SSW	2.8	4.5	19
20	15.7	21.4	13.0	11.7	2			58	7.4	42.8	WNW	3.8	4.3	20
21	13.8	17.6	11.8	10.2	4			60	6.9	48.9	NE	5.7	4.9	21
22	13.6	17.2	9.4	11.5	4			72	8.3	55.3	SSW	3.6	2.6	22
23	13.3	17.5	10.9	11.3	5	4.7	6.42	75	8.6	53.6	SSW	1.9	2.0	23
24	15.6	19.9	11.8	13.9	2	2.8	10.33	73	10.1	46.8	SSE	5.2	2.7	24
25	16.8	20.8	13.6	12.0	1	0.0	0.42	57	7.5	45.7	W	5.0	6.7	25
26	15.6	19.9	12.1	11.2	2			52	6.9	48.0	WNW	6.0	7.8	26
27	15.5	19.9	11.5	12.3	2			63	8.2	52.0	SW	2.7	4.1	27
28	15.2	21.2	11.9	12.2	3	4.5	0.92	68	8.2	51.3	SW	3.0	3.5	28
29	15.1	20.9	10.8	12.8	3			69	8.6	52.9	SSW	2.5	3.1	29
30	16.9	21.4	12.1	13.8	1			64	9.4	53.0	SSW	3.1	4.1	30
Sum					87	12.1	20.34				SSW		123.6	Sum
Avg.	15.1	19.7	11.4	11.9				64	8.2	751.4	(6)	3.8	4.1	Avg

Year: 1932 Month: April

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	6.9	7.7	7	7	11.8	13.9	10.9	10.9	11.1	11.8	Ω¹	1
2	0.2	8.7	5	5	12.6	14.2	11.7	11.5	11.4	11.9	Ω⁰⁻¹	2
3	0.9	7.7	7	7	13.6	14.8	12.1	11.9	11.6	12.0	Ω°	3
4	10.4	4.0	7	7	14.9	18.0	12.9	12.4	11.9	12.1		4
5	8.2	6.3	7	6	16.2	20.3	13.9	12.9	12.2	12.2		5
6	9.0	4.3	6	6	17.2	20.1	14.6	13.5	12.5	12.4		6
7	2.3	8.0	6	6	15.9	19.1	15.2	14.0	12.9	12.6		7
8	11.1	0.3	8	8	15.3	19.6	15.1	14.2	13.3	12.8		8
9	10.6	4.0	6	6	15.9	21.3	15.0	14.4	13.4	13.0		9
10	8.5	5.0	7	8	13.1	18.7	14.9	14.3	13.5	13.1	◍° ≪	10
11	10.7	0.3	7	7	13.0	18.9	14.3	14.0	13.6	13.3	Ω°	11
12	10.5	5.3	7	7	13.7	20.2	14.4	14.1	13.6	13.4	Ω¹	12
13	10.3	4.3	6	6	14.4	18.6	14.8	14.4	13.8	13.5	Ω°	13
14	4.6	7.7	6	5	12.7	14.1	14.9	14.5	13.9	13.7	◍° Ω°	14
15	7.6	5.0	7	7	11.5	15.1	14.1	14.1	13.8	13.7	◍°	15
16	10.1	4.7	4	4	13.4	16.4	14.0	14.0	13.9	13.8	Ω°	16
17	9.2	8.3	7	7	13.7	19.1	14.5	14.3	14.0	13.9	⊕° ☋° Ω°	17
18	8.5	4.7	7	7	17.6	22.5	15.4	14.7	14.1	13.9	☋° Ω°	18
19	9.0	2.3	8	8	17.4	22.4	15.8	15.1	14.4	14.0	☋°	19
20	6.4	4.0	7	7	16.8	21.8	16.1	15.5	14.6	14.1		20
21	6.1	6.3	6	7	14.3	17.9	16.0	15.6	14.7	14.3		21
22	11.2	1.7	8	7	14.5	19.4	15.6	15.4	14.6	14.4		22
23	1.0	8.3	6	6	12.9	14.4	15.5	15.3	14.8	14.5	◍¹	23
24	2.3	7.3	7	7	15.4	17.0	14.9	14.9	14.7	14.6	◍¹	24
25	11.3	1.3	7	7	16.7	19.7	15.3	15.0	14.7	14.6	◍°	25
26	11.7	2.7	7	9	16.9	21.7	15.7	15.2	14.7	14.7		26
27	9.6	5.0	8	7	16.0	21.5	15.9	15.6	14.9	14.7		27
28	9.7	4.7	7	7	16.0	20.5	16.3	15.8	15.1	14.8	◍¹ ≪¹ Ω°	28
29	10.5	2.7	7	8	15.2	18.5	16.0	15.7	15.2	14.9		29
30	11.3	3.0	7	7	18.0	20.7	16.1	15.7	15.2	15.3	Ω°	30
um	239.7										◍ 7, ≪ 2, Ω 12, ⊕ 1, ☋ 3	
vg.		4.9	6.7	6.8	14.9	18.7	14.7	14.3	13.7	13.6		

Year: 1932

Month: May

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)		(4)(7)
1	17.9	22.7	13.1	13.3	0			57	8.9	753.3	SSW	2.6	5.3	
2	18.8	23.7	14.2	15.0	0			56	10.4	52.1	SW	1.8	4.1	
3	19.3	24.4	15.8	15.8	0			61	10.8	48.6	SW	2.7	4.4	
4	18.4	23.1	14.7	12.1	0			45	6.3	49.1	SW	2.6	6.0	
5	18.3	23.1	14.5	14.0	0			57	8.9	52.1	S	4.1	5.0	
6	19.0	24.8	15.0	15.5	0			68	10.5	54.6	SSW	1.7	3.9	
7	20.9	26.6	15.7	17.2	0			63	11.8	52.8	SW	1.5	3.6	
8	23.3	27.9	17.5	16.0	0			45	8.3	48.5	SSE	6.3	9.8	
9	20.3	24.4	18.1	12.8	0			39	6.1	47.5	WNW	6.1	12.0	
10	18.0	23.2	13.7	12.3	0			43	6.6	49.7	S	4.3	7.0	
11	15.5	20.9	11.7	11.5	2	0.8	3.53	57	7.4	46.1	W	6.5	6.7	
12	13.6	17.9	11.2	9.7	4	0.0	0.50	58	6.5	50.1	N	5.5	3.3	
13	15.6	20.9	11.0	10.6	2			46	6.1	50.0	N	3.1	6.0	
14	15.9	18.8	13.2	11.3	2	0.0	0.12	52	7.0	50.7	SSW	2.7	3.9	
15	15.4	19.4	13.7	12.5	3	0.0	2.00	68	8.8	51.3	SSW	3.3	3.3	
16	15.9	19.4	11.8	14.0	2			73	10.1	52.2	SSW	3.1	2.9	
17	17.6	21.7	14.7	14.2	0			66	9.5	53.4	SW	2.6	3.3	
18	19.3	26.3	14.0	15.4	0			61	10.2	56.1	NNE	2.8	3.9	
19	20.0	25.8	14.9	15.7	0			54	9.7	56.3	SW	2.7	5.3	
20	21.0	15.7	16.7	14.8	0			45	8.2	56.7	NE	6.3	5.8	
21	20.2	27.9	14.2	15.2	0			54	9.8	56.3	NNE	3.3	5.8	
22	19.6	24.7	14.7	16.0	0			62	10.7	54.4	SW	2.4	4.4	
23	21.1	25.8	16.9	17.2	0			60	11.6	51.3	SSW	3.0	4.9	
24	21.0	24.6	17.4	14.7	0			51	8.3	49.1	WNW	4.3	7.2	
25	19.9	23.4	16.0	15.6	0			59	10.3	51.6	SW	3.0	6.0	
26	20.1	23.2	15.7	16.1	0	0.2	2.00	60	10.5	52.6	SSW	2.1	4.3	
27	22.8	28.7	17.7	17.6	0			52	11.1	53.7	SW	1.9	5.9	
28	24.7	29.6	21.6	18.6	0			52	12.0	54.0	SW	1.4	5.6	
29	25.7	32.1	21.0	19.5	0	0.0	0.08	52	12.8	51.7	S	2.1	6.4	
30	25.5	31.4	20.5	18.5	0	0.0	0.03	47	11.0	49.5	SSW	2.3	7.3	
31	22.5	29.0	17.9	15.2	0			43	7.7	51.2	W	3.4	9.5	
Sum					15	1.0	8.26				SW		72.8	Sum
Avg.	19.6	24.6	15.5	14.8				55	9.3	751.8	(6)	3.3	5.6	Avg.

Year: 1932 Month: May

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	11.7	0.3	7	7	18.2	22.9	16.8	16.1	15.3	15.1	Ω°	1
2	11.3	1.3	7	7	19.0	22.5	17.4	16.5	15.5	15.2		2
3	11.0	3.0	7	7	20.2	24.5	18.0	17.1	15.8	15.3		3
4	12.1	1.7	8	8	21.3	24.0	18.2	17.4	16.1	15.4		4
5	7.1	7.3	7	7	21.0	24.6	18.2	17.5	16.3	15.6		5
6	4.9	6.7	7	7	-	-	18.3	17.7	16.5	15.7		6
7	1.7	9.3	6	6	20.9	24.0	18.9	18.0	16.8	15.8		7
8	0.3	7.7	6	6	26.0	24.0	19.6	18.5	17.0	16.1		8
9	11.6	1.0	4	6	23.9	27.3	19.9	18.9	17.3	16.2		9
10	11.8	1.0	9	9	18.9	23.2	19.4	18.8	17.5	16.4		10
11	2.0	9.0	7	6	20.0	21.1	18.9	18.5	17.5	16.6	◍° ₹¹	11
12	1.3	8.0	7	6	12.1	15.1	17.7	17.7	17.3	11.1	◍°	12
13	2.4	6.7	7	7	15.5	18.6	17.1	17.2	17.3	16.7	∈°	13
14	0.3	9.7	7	6	16.3	18.8	17.4	17.3	17.1	16.7	◍°	14
15	0.7	9.0	7	6	15.7	20.6	17.3	17.2	17.0	16.7	◍° ∈°	15
16	5.2	7.0	7	6	17.4	22.1	17.5	17.2	17.0	16.7	∈° Ω°	16
17	6.0	5.0	7	6	17.6	21.3	18.0	17.6	17.0	16.7		17
18	10.2	2.0	7	7	21.0	23.6	18.4	17.8	17.2	16.8	Ω°	18
19	10.7	3.7	6	6	22.1	24.6	19.0	18.3	17.4	16.8		19
20	8.2	5.0	6	6	22.2	28.6	19.6	18.8	17.7	17.0		20
21	12.2	1.3	7	7	-	27.0	20.0	19.2	18.0	17.0		21
22	11.4	2.7	7	7	22.7	25.3	20.1	19.4	18.1	17.2	Ω°	22
23	11.1	2.7	7	7	23.0	26.3	20.4	19.7	18.3	17.4		23
24	11.9	2.3	6	7	21.9	22.3	20.6	19.9	18.5	17.5		24
25	9.2	6.7	7	7	22.3	23.1	20.6	20.0	18.7	17.6		25
26	3.0	8.7	8	7	21.0	21.6	20.4	19.9	18.8	17.8	◍°	26
27	11.6	1.0	7	7	26.1	26.9	20.5	19.9	18.9	17.9		27
28	0.0	10.0	6	5	24.2	27.3	21.4	20.5	19.1	18.1		28
29	6.4	8.0	6	6	29.7	29.6	22.2	21.3	19.4	18.2	◍°	29
30	10.4	3.7	6	6	28.6	30.6	22.7	21.5	19.7	18.4	◍°	30
31	12.0	0.3	8	8	26.4	28.6	22.7	21.8	20.0	18.5		31
Sum	229.7										◍7, ₹1, Ω 4, Ψ 3	
Avg.		4.9	6.8	6.7	21.2	24.0	19.3	18.6	17.6	16.6		

Year: 1932

Month: June

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)	Wind (5)	Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	21.1	25.6	16.3	15.9	0			54	9.7	752.4	SSW	3.2	6.2	1
2	22.2	27.7	16.4	16.9	0			54	10.8	53.7	SSW	2.1	5.4	2
3	24.2	29.6	19.7	17.5	0			45	10.5	52.7	SSW	1.8	8.6	3
4	27.4	35.4	20.2	19.7	0			42	11.0	52.0	SW	2.6	9.4	4
5	27.7	32.7	22.5	19.6	0			42	11.4	52.5	SW	1.7	8.7	5
6	28.1	33.0	24.5	19.8	0			41	11.0	50.6	SW	2.0	8.8	6
7	28.4	34.8	22.5	19.6	0			40	11.0	49.9	SSW	2.0	8.8	7
8	28.9	35.2	24.0	19.8	0			37	10.9	48.8	SSW	3.0	10.2	8
9	26.4	32.8	22.1	16.4	0			31	7.3	48.7	W	3.9	13.4	9
10	21.8	27.2	19.1	15.2	0			42	9.0	51.3	NNW	8.0	8.8	10
11	20.4	25.9	16.3	15.1	0			54	9.0	53.7	SSW	2.8	5.6	11
12	20.5	24.2	16.9	16.1	0			60	8.8	53.1	SSW	3.1	5.6	12
13	21.0	25.4	16.8	17.7	0			68	12.6	51.7	SSW	3.0	3.7	13
14	22.4	26.9	19.2	17.8	0	0.0	0.17	59	11.8	50.6	SW	2.0	4.8	14
15	23.2	27.5	18.7	18.2	0			59	12.3	50.8	SSW	3.5	6.0	15
16	24.3	29.4	20.0	19.4	0	0.0	0.17	63	13.3	47.9	S	3.9	6.4	16
17	25.7	32.3	21.0	19.5	0	0.0	0.05	55	12.6	45.4	S	4.7	9.2	17
18	23.3	27.5	20.7	18.5	0	0.3	0.62	62	12.9	48.2	SSW	2.7	5.6	18
19	21.9	25.5	19.7	18.7	0	3.0	3.92	75	13.9	51.6	N	1.2	2.3	19
20	23.3	29.4	18.3	19.3	0			67	13.7	53.2	SW	2.0	5.3	20
21	24.6	29.6	20.0	19.6	0			59	13.4	54.2	SW	2.3	5.5	21
22	26.5	30.9	21.5	19.5	0			48	12.2	52.3	SSW	2.7	7.0	22
23	27.1	33.3	21.7	18.2	0			35	8.4	48.7	W	3.9	12.7	23
24	25.1	30.6	21.0	17.2	0			41	9.1	47.7	SW	3.3	10.4	24
25	23.3	27.7	19.7	16.0	0			43	8.7	47.2	W	5.7	12.0	25
26	23.0	28.7	18.1	16.3	0			46	9.2	49.4	W	4.0	9.2	26
27	24.0	29.1	19.7	17.3	0			48	10.0	52.3	W	3.2	7.7	27
28	23.5	30.0	18.4	17.5	0			54	11.6	53.7	W	2.1	5.6	28
29	24.5	31.0	19.0	16.7	0			45	8.9	53.1	NE	3.3	6.8	29
30	25.1	31.0	20.0	17.4	0			42	10.0	53.2	NE	4.9	7.4	30
Sum					0	3.3	4.93				SSW		227.1	Sum
Avg.	24.3	29.7	19.8	17.9				51	10.8	751.0	(6)	3.2	7.6	Avg.

Year: 1932 Month: June

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	12.2	1.0	8	7	23.9	28.0	22.3	21.6	20.2	18.7		1
2	12.0	2.3	8	8	23.3	28.3	22.1	21.6	20.3	18.9		2
3	11.7	2.3	7	7	24.6	29.8	22.5	21.9	20.5	19.1		3
4	9.8	6.0	7	7	31.7	32.1	23.2	22.1	20.7	19.2		4
5	7.9	5.0	7	7	28.1	36.6	24.0	22.7	21.0	19.4		5
6	5.9	2.7	7	7	28.1	31.7	24.4	23.2	21.3	19.6		6
7	11.7	1.3	7	7	26.8	33.2	24.7	23.5	21.7	19.8		7
8	11.7	2.7	7	7	28.6	35.7	25.2	23.9	22.0	20.0		8
9	10.7	3.0	5	9	24.8	34.2	25.3	24.3	22.2	20.2		9
0	11.6	1.7	7	7	24.0	30.8	24.8	24.2	22.3	20.4		10
1	5.4	6.0	7	7	26.7	24.9	24.1	23.6	22.3	20.5		11
2	9.7	4.7	7	7	24.1	26.3	23.1	23.0	22.2	20.6		12
3	8.6	5.3	6	5	22.5	28.0	23.6	22.7	22.0	20.7		13
4	3.8	6.3	7	7	21.6	25.0	23.1	22.8	22.0	20.7	◍°	14
5	6.1	5.3	7	7	25.5	27.4	23.2	22.7	22.0	20.8	⊕°	15
6	10.2	3.0	6	6	27.3	30.0	23.5	23.1	22.0	20.9	◍°	16
7	11.8	4.3	4	5	26.6	31.2	23.7	23.3	22.1	20.9	◍°	17
8	10.6	5.3	7	7	25.2	30.0	24.1	23.5	22.3	20.9	◍°	18
9	3.2	6.7	7	7	22.3	22.2	23.5	23.3	22.3	21.0	◍¹	19
0	11.4	2.7	8	8	25.9	27.4	22.9	22.8	22.2	21.1		20
1	12.7	1.0	8	8	28.8	29.6	23.5	23.1	22.2	21.1		21
2	11.9	1.3	8	8	30.4	32.0	24.1	23.5	22.4	21.2		22
3	12.5	0.3	8	9	33.8	35.4	24.7	24.0	22.5	21.2		23
4	12.7	0.3	7	8	27.5	31.8	24.7	23.6	22.8	21.3		24
5	12.7	0.3	7	8	27.5	32.4	24.7	24.2	22.8	21.2		25
6	12.3	2.3	9	9	25.5	28.9	24.4	24.1	22.9	21.5		26
7	10.2	3.3	8	8	23.8	27.1	24.3	24.0	23.0	21.6		27
8	9.9	2.7	7	7	25.0	27.1	24.0	23.9	22.9	21.7	Ω°	28
9	10.9	2.3	7	7	25.1	27.3	23.9	23.7	22.8	21.7		29
0	11.8	3.3	7	7	25.9	30.8	24.1	23.9	22.8	21.8		30
um	303.6										◍ 5, ⊕ 1, Ω 1	
vg.		3.2	7.0	7.3	26.2	29.8	23.9	23.3	22.0	20.6		

Year: 1932 Month: July

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm) (4)(7)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)		
1	25.3	31.7	19.9	17.1	0			40	9.4	751.9	NE	3.2	7.8	1
2	24.5	30.1	19.6	18.4	0			49	11.5	49.7	WSW	3.0	8.4	2
3	24.2	29.7	20.2	18.4	0			58	11.7	48.8	SW	2.3	6.2	3
4	26.4	33.1	20.5	17.9	0			40	9.4	49.5	NE	3.9	7.3	4
5	25.4	29.3	23.1	18.7	0			47	11.6	50.0	NNE	9.2	8.2	5
6	24.6	28.7	21.7	16.6	0			39	8.5	50.8	NNE	9.6	9.3	6
7	25.8	32.0	20.3	17.0	0			35	8.2	50.7	NE	5.7	9.0	7
8	27.8	35.2	20.8	19.3	0			35	10.4	50.1	NNE	3.3	8.9	8
9	29.8	37.2	24.3	20.6	0			37	11.5	50.7	NE	2.8	8.5	9
10	29.1	35.6	24.7	21.0	0			45	13.1	50.8	NNE	3.0	8.5	10
11	27.8	33.3	24.3	21.8	0			52	15.3	49.1	SSW	2.0	6.7	11
12	28.1	33.6	24.2	21.0	0			46	13.9	48.2	S	2.8	9.0	12
13	27.7	32.9	24.2	20.1	0			44	12.4	48.7	N	7.2	8.6	13
14	27.8	35.7	23.0	21.2	0			49	13.8	46.9	NNE	3.9	8.6	14
15	26.1	31.0	21.7	21.2	0			60	15.2	43.7	SW	2.0	6.0	15
16	26.7	31.5	22.8	20.7	0			54	14.0	45.8	SW	2.5	7.1	16
17	27.5	32.4	23.3	21.0	0			52	14.2	47.2	SW	1.7	7.4	17
18	29.2	36.2	23.0	21.9	0			48	13.1	49.1	SSE	3.5	9.5	18
19	29.0	35.6	23.5	21.7	0			48	14.3	51.8	SW	2.0	9.5	19
20	30.1	39.5	24.2	21.5	0			43	13.1	49.2	SSW	1.9	10.9	20
21	29.4	33.9	25.9	21.2	0			43	13.0	48.8	SSW	3.0	8.6	21
22	29.8	35.3	25.4	21.1	0			43	13.1	45.9	SSW	3.4	9.9	22
23	28.6	34.1	23.6	19.9	0			43	11.6	47.9	SSW	3.7	10.7	23
24	29.4	34.6	23.9	20.1	0			38	11.8	46.9	WNW	4.8	13.8	24
25	29.3	34.6	22.9	18.5	0			40	7.5	48.7	NW	4.3	9.7	25
26	26.4	33.8	22.1	20.1	0			52	13.1	49.6	SSW	3.1	7.5	26
27	26.3	30.6	22.0	20.8	0			56	13.8	49.7	SW	1.9	6.0	27
28	28.0	34.6	23.1	20.5	0			50	12.8	49.7	SW	2.9	7.6	28
29	29.1	36.7	23.6	20.9	0			43	12.5	49.2	NNE	3.8	8.1	29
30	28.0	32.4	24.4	20.4	0			44	12.8	51.2	NNE	7.7	7.3	30
31	27.2	31.9	23.7	20.5	0			41	11.8	52.2	NNE	7.6	10.4	31
Sum					0	0	0				NNE		265.0	Sum
Avg.	27.5	33.5	22.9	20.0				46	12.2	749.1	(6)	3.9	8.6	Avg.

Year: 1932 Month: July

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	12.5	2.0	7	7	26.8	34.0	24.7	24.2	23.3	23.2		1
2	12.2	2.0	7	7	25.6	31.0	24.7	24.3	23.1	21.9		2
3	12.8	2.3	8	8	26.0	30.8	24.7	24.3	23.2	21.9		3
4	13.2	1.3	7	8	25.3	33.6	24.9	24.5	23.2	22.0		4
5	12.7	3.0	7	8	26.4	32.8	25.1	24.8	23.4	22.1		5
6	12.8	3.0	7	7	24.7	30.8	25.0	24.7	23.4	22.2		6
7	13.0	0.3	7	8	25.4	33.9	25.1	24.5	23.6	22.3		7
8	12.9	1.0	7	8	28.6	35.5	25.4	25.1	23.8	22.4		8
9	12.4	0.3	7	7	29.2	36.3	26.2	25.5	24.0	22.5		9
10	12.3	0.0	7	7	26.9	32.9	26.8	26.0	24.4	22.6		10
11	12.7	0.3	7	7	28.4	33.7	26.9	26.2	24.6	22.7		11
12	12.3	2.7	7	7	26.7	32.3	26.7	26.2	24.7	22.9		12
13	12.6	1.3	7	7	27.5	33.7	26.9	26.2	24.6	23.0		13
14	12.3	0.3	7	7	29.2	34.9	26.8	26.4	24.9	23.1		14
15	12.7	1.3	7	7	26.3	33.3	26.7	26.3	25.0	23.2		15
16	12.5	1.0	7	7	27.2	31.7	26.6	26.2	25.1	23.3		16
17	12.2	0.3	7	7	26.1	30.6	26.6	26.2	25.1	23.4		17
18	13.0	0.0	7	8	26.9	33.1	26.8	26.3	25.2	23.4		18
19	12.3	0.3	7	7	28.0	33.4	27.1	26.5	25.2	23.5		19
20	12.7	0.0	6	7	30.0	36.2	27.4	26.7	25.4	23.7		20
21	12.7	0.3	7	6	30.2	35.2	27.7	27.0	25.4	23.7		21
22	12.6	0.0	6	6	31.1	34.7	27.7	27.0	25.6	23.8		22
23	12.3	0.3	8	9	-	-	27.6	27.0	25.7	23.7		23
24	12.6	0.3	6	7	28.9	32.5	27.6	27.2	25.7	24.0		24
25	12.7	0.7	9	9	30.1	33.6	27.6	27.1	25.9	24.1		25
26	12.4	0.3	8	7	29.5	31.8	27.4	26.9	25.9	24.2		26
27	12.4	0.7	7	7	26.3	29.9	27.0	26.8	25.9	24.2		27
28	12.2	1.0	7	7	26.5	32.1	27.0	26.8	25.7	24.2		28
29	11.4	1.3	7	8	29.3	29.7	27.2	26.8	25.6	24.2		29
30	12.4	2.7	7	7	25.3	33.4	27.4	26.8	25.5	24.2		30
31	12.6	1.0	7	7	28.2	32.4	27.3	26.9	25.6	24.6		31
Sum	388.4											
Avg.		1.0	7.1	7.3	27.6	33.0	26.5	26.1	24.8	23.2		

Year: 1932

Month: August

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet- bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	27.8	32.8	23.1	20.2	0			44	12.4	750.9	NNE	6.7	8.3	1
2	28.1	32.9	24.1	19.2	0			39	10.3	49.4	NNE	8.5	9.8	2
3	28.7	34.5	23.9	19.2	0			36	9.9	48.7	NNE	5.9	9.5	3
4	27.9	35.7	22.3	20.0	0			43	12.3	47.6	SW	3.3	7.8	4
5	27.8	32.4	23.6	19.8	0			43	11.8	46.6	S	2.9	8.6	5
6	27.6	33.3	23.1	19.4	0			40	11.5	47.8	NNW	4.7	7.8	6
7	24.7	29.5	21.4	17.3	0			43	9.6	51.0	N	6.2	8.0	7
8	25.0	32.2	20.7	18.7	0			48	11.5	51.7	SW	2.6	6.6	8
9	26.1	33.4	20.8	18.9	0			49	11.2	51.9	NNW	2.4	6.9	9
10	26.3	32.3	21.4	18.8	0			45	11.1	52.3	NNE	3.6	7.1	10
11	26.0	31.6	20.3	17.8	0			39	9.5	53.1	NNE	6.1	8.4	11
12	26.7	33.2	21.5	18.8	0			40	10.2	53.1	NNE	5.7	8.8	12
13	27.4	33.0	21.5	18.6	0			38	10.1	52.9	NNE	5.5	9.1	13
14	27.9	33.2	23.0	18.9	0			39	10.0	52.3	NNE	7.1	9.8	14
15	27.5	31.6	24.0	18.6	0			38	10.2	52.5	NNE	9.3	10.7	15
16	27.0	31.2	24.0	18.3	0			39	10.0	53.2	NNE	10.4	11.8	16
17	27.2	32.0	24.0	18.2	0			36	9.6	52.3	NNE	8.8	11.0	17
18	27.4	32.3	23.6	18.5	0			38	10.0	51.4	N	6.0	9.0	18
19	26.6	29.8	23.1	19.2	0			45	11.5	51.6	NNE	10.2	8.2	19
20	27.1	31.1	23.5	19.6	0			45	10.9	52.4	NNE	10.6	9.2	20
21	26.8	31.9	23.0	19.1	0			45	11.4	54.1	NNE	6.7	8.1	21
22	27.2	32.3	23.5	19.9	0			44	12.5	54.7	NNE	5.8	7.8	22
23	27.8	34.6	23.1	19.1	0			40	9.8	52.5	NNE	4.3	8.4	23
24	27.9	33.7	22.9	18.1	0			33	9.0	51.4	NNE	5.3	9.0	24
25	28.7	34.7	22.7	19.1	0			33	10.0	53.3	NE	4.0	9.2	25
26	26.9	31.7	23.7	19.9	0			46	12.9	55.6	NE	8.3	8.4	26
27	24.9	30.2	21.5	17.7	0			46	10.2	54.5	NE	8.0	7.8	27
28	24.9	31.6	20.5	17.8	0			46	10.3	51.3	N	3.6	6.9	28
29	25.4	32.7	20.0	19.1	0			50	12.0	50.2	W	1.8	5.7	29
30	23.9	29.1	20.0	19.7	0	1.7	0.63	65	13.4	51.1	SW	2.5	5.8	30
31	24.3	30.1	18.7	20.1	0			65	14.3	52.8	SW	1.6	4.9	31
Sum					0	1.7	0.63				NNE		258.4	Sum
Avg.	26.8	32.3	22.3	19.0				43	11.0	751.7	(6)	5.7	8.3	Avg.

Year: 1932 Month: August

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	12.6	1.0	7	7	28.8	32.9	27.2	26.9	25.8	24.4		1
2	12.7	0.3	5	5	27.3	32.0	27.2	26.9	25.6	24.3		2
3	12.7	0.0	7	8	27.7	33.7	27.5	26.9	25.7	24.2		3
4	12.4	0.3	8	7	27.2	33.0	27.3	26.9	26.1	24.5		4
5	12.2	0.7	7	7	29.5	29.9	27.2	26.9	26.0	24.5		5
6	12.4	2.0	7	8	29.3	37.1	27.2	27.0	26.0	24.6		6
7	12.2	3.0	8	8	26.8	33.3	27.3	27.0	26.0	24.6		7
8	12.2	0.7	7	8	27.8	35.5	26.7	26.7	26.0	24.7		8
9	10.8	4.0	7	8	28.0	26.4	26.6	26.6	26.0	24.7		9
10	11.2	4.0	7	8	25.6	32.3	26.7	26.6	25.8	24.6		10
11	11.8	1.0	7	7	25.1	33.2	26.2	26.4	25.7	24.5		11
12	11.7	0.3	7	8	25.6	34.8	26.5	26.5	25.7	24.5		12
13	11.6	0.3	6	7	24.8	33.8	26.6	26.4	25.6	24.5		13
14	11.6	0.3	6	7	26.6	33.5	26.7	26.4	25.7	24.4		14
15	11.8	0.0	6	7	25.7	32.3	26.9	26.5	25.6	24.4		15
16	11.8	1.0	6	7	24.5	33.9	26.7	26.5	25.7	24.4		16
17	11.0	0.3	7	8	24.0	33.7	26.8	26.6	25.7	24.4		17
18	12.0	1.7	7	8	26.1	33.4	26.7	26.5	25.6	24.5		18
19	10.6	5.0	4	5	24.4	31.7	26.6	26.4	25.9	24.5		19
20	11.3	2.3	7	7	25.0	32.9	26.6	26.4	25.6	24.5		20
21	11.6	2.0	7	7	24.7	33.0	26.7	26.4	25.7	24.5		21
22	11.2	0.7	6	6	25.2	34.5	26.7	26.5	25.7	24.4		22
23	10.9	0.0	6	6	26.9	28.2	26.8	26.6	25.8	24.6		23
24	11.0	0.0	6	7	25.7	31.2	26.8	26.5	25.7	24.5		24
25	11.0	0.0	6.	6	25.7	31.7	26.8	26.7	25.7	24.5		25
26	10.7	1.7	7	7	25.2	32.1	26.9	26.6	25.7	24.5		26
27	11.3	1.0	7	7	24.8	31.3	26.5	26.4	26.0	24.4		27
28	11.4	1.3	9	9	27.3	33.1	26.2	26.3	25.8	24.7		28
29	11.3	1.3	8	9	25.6	34.5	26.1	26.3	25.7	24.7		29
30	8.5	4.7	7	7	22.6	30.2	26.0	26.1	25.7	24.7	●[1] ≋[1-2]	30
31	11.2	1.3	8	8	23.4	29.1	25.3	25.6	25.5	24.6		31
Sum	356.7										● 1, ≋1	
Avg.		1.4	6.8	7.2	26.0	32.8	26.7	26.6	25.8	24.5		

Year: 1932 Month: Septembe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	26.5	32.4	21.3	18.7	0			47	10.8	751.9	SSW	1.7	7.4	1
2	26.6	34.4	22.0	18.9	0			43	10.6	50.9	NE	2.2	7.2	2
3	27.5	33.8	22.5	19.2	0			39	11.3	51.4	NE	3.7	8.2	3
4	27.0	34.0	21.7	20.1	0			48	13.0	51.4	NE	2.6	7.5	4
5	26.1	31.3	21.8	20.8	0			60	14.5	51.5	SW	1.5	5.7	5
6	26.1	34.2	22.9	19.6	0	0.0	0.25	54	12.9	50.4	E	2.2	5.4	6
7	25.1	28.7	21.0	19.6	0			56	13.1	47.6	SW	2.6	5.6	7
8	25.2	31.8	22.0	19.9	0			58	13.4	48.2	NE	2.6	5.4	8
9	25.9	32.7	21.1	19.7	0			55	12.9	50.8	NNE	3.9	6.0	9
10	25.5	30.6	22.0	18.4	0			47	10.9	52.0	NNE	6.5	7.5	10
11	24.9	30.2	20.8	17.1	0			42	9.7	51.4	N	6.1	8.0	11
12	25.6	32.5	21.1	19.4	0			46	12.7	50.8	SW	1.7	7.3	12
13	27.5	34.0	22.3	21.7	0			55	15.6	49.9	SSW	1.3	6.7	13
14	26.9	33.0	23.5	20.6	0			53	13.6	52.3	NE	6.6	7.5	14
15	24.0	28.9	20.2	18.9	0			57	12.7	56.1	NE	8.5	6.8	15
16	21.8	25.1	20.4	15.9	0			50	9.8	59.1	NNE	12.6	8.6	16
17	20.5	25.5	16.9	13.1	0			39	6.2	59.6	NE	9.1	8.2	17
18	22.0	31.1	15.9	15.5	0			42	8.3	54.6	NNE	1.9	6.6	18
19	21.8	27.7	17.4	16.5	0			55	10.0	52.4	SW	2.0	5.7	19
20	22.6	27.9	17.3	17.5	0			57	11.4	52.1	SW	1.8	5.7	20
21	24.1	32.6	18.7	17.5	0			50	10.4	50.0	SSW	1.7	6.5	21
22	24.7	30.5	20.6	18.1	0			51	10.9	50.0	SW	1.9	6.4	22
23	26.3	33.6	21.5	18.5	0			44	10.7	54.0	NNE	2.7	6.4	23
24	24.2	30.2	19.8	19.4	0			61	13.4	55.1	NNE	2.0	6.1	24
25	24.8	30.8	20.7	20.6	0			64	14.5	53.9	SW	1.2	5.0	25
26	26.1	31.9	22.0	20.5	0			54	14.1	53.0	SW	1.6	5.9	26
27	25.3	30.4	21.9	20.5	0			62	14.3	51.9	SSW	1.5	5.4	27
28	24.3	29.0	20.2	20.6	0			68	15.3	52.4	SW	1.2	4.0	28
29	26.8	31.5	22.9	18.8	0			42	10.8	52.3	NNE	5.7	7.8	29
30	26.7	32.2	23.3	19.1	0			45	12.1	52.9	NNE	7.4	8.1	30
Sum					0	0.0	0.25				NNE		198.6	Sum
Avg	25.1	31.1	20.9	18.8				52	12.0	752.3	(6)	3.6	6.6	Avg

Year: 1932 Month: September

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.1	0.3	7	7	24.4	31.0	25.5	25.7	25.3	24.5		1
2	11.0	0.7	7	7	27.7	33.3	25.8	26.0	25.2	24.4		2
3	10.2	0.7	7	7	28.9	35.1	26.1	25.8	25.1	24.3		3
4	10.8	1.3	6	7	27.0	32.9	26.3	26.2	24.7	24.4		4
5	10.4	1.0	6	7	23.9	31.4	26.3	26.0	25.4	24.4		5
6	3.7	9.0	6	7	25.0	28.0	26.1	26.0	25.4	24.4	◍°	6
7	9.7	4.0	7	7	25.1	29.5	25.8	25.7	25.2	24.4		7
8	6.2	5.7	7	8	23.6	29.0	25.8	25.6	25.1	24.3	≋°	8
9	10.6	1.7	8	8	25.7	32.0	25.6	25.5	25.0	24.3		9
10	10.4	1.3	7	8	26.1	33.0	25.7	25.5	25.0	24.2		10
11	10.9	0.3	7	8	23.4	30.4	25.5	25.4	24.8	24.0		11
12	7.8	5.3	7	7	23.9	29.1	25.3	25.4	25.0	24.2	∈°	12
13	9.7	6.0	5	6	25.4	31.9	25.6	25.4	25.0	24.2	∈°	13
14	8.8	5.0	4	5	24.8	31.0	26.0	25.6	24.8	23.9		14
15	9.1	4.7	5	7	23.2	28.8	25.6	25.4	24.7	23.9		15
16	10.2	2.7	5	5	22.0	26.3	24.3	24.8	24.4	23.6	∈°	16
17	10.6	0.0	7	8	21.6	27.2	23.9	24.2	24.1	23.6		17
18	10.9	0.0	8	9	24.2	29.7	23.4	24.0	24.2	23.8		18
19	10.6	0.0	8	7	22.5	28.1	23.5	23.8	24.2	23.8		19
20	10.5	0.3	7	8	23.7	27.3	23.5	23.8	24.1	23.7	∩°	20
21	10.5	0.3	7	8	24.5	29.5	23.7	23.8	24.0	23.6	∩°⁻¹	21
22	10.2	0.3	7	7	25.3	29.4	23.9	24.0	24.2	23.5		22
23	9.7	0.3	7	7	25.5	31.5	24.4	24.2	23.7	23.3		23
24	9.5	0.3	7	7	25.6	28.9	24.5	24.3	23.9	23.5	∩°	24
25	10.2	0.3	7	7	25.5	30.2	24.4	24.3	24.0	23.4	∩¹	25
26	9.9	0.0	7	7	25.5	30.2	24.6	24.4	24.0	23.4	∩¹	26
27	10.0	0.0	7	7	26.6	29.6	24.8	24.5	24.0	23.4	∩°	27
28	9.8	0.3	7	7	25.3	29.1	24.6	24.4	24.0	23.4	∩¹	28
29	9.7	0.0	6	7	25.0	31.1	24.7	24.4	23.9	23.4	∩°	29
30	9.6	0.7	5	5	24.6	31.1	25.0	24.6	23.9	23.3		30
31												31
Sum	292.3										◍1, ≋1, ψ3, ∩8	
Avg.		1.7	6.6	7.1	24.8	30.2	25.0	25.0	24.5	23.9		

Year: 1932 Month: October

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Dergee days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	26.6	32.0	22.8	18.6	0			44	10.7	753.3	NNE	6.0	8.1	
2	27.7	34.0	23.7	18.7	0			40	10.4	51.8	NNE	5.5	9.4	
3	27.2	36.5	23.4	20.2	0			48	13.4	50.9	NE	1.8	8.0	
4	26.0	32.7	21.7	19.8	0			50	12.8	49.4	S	2.0	6.4	
5	25.1	29.0	21.3	20.7	0			63	14.8	50.4	S	2.0	5.5	
6	24.5	29.2	21.4	21.9	0			75	19.0	55.1	SW	1.1	3.7	
7	24.2	31.7	19.6	20.4	0			70	15.0	57.2	SW	0.7	3.6	
8	24.6	30.3	20.6	19.1	0			54	13.0	55.0	SW	1.1	5.8	
9	24.6	29.6	20.9	19.7	0			60	14.1	51.3	S	1.8	5.2	
10	24.6	30.5	20.0	20.0	0			67	14.5	51.2	S	2.0	4.8	10
11	25.7	31.3	21.7	19.4	0			50	12.8	52.4	SW	0.9	5.3	11
12	26.6	32.9	21.8	18.7	0			43	11.2	53.1	SW	1.1	8.4	12
13	25.7	31.4	21.5	19.4	0	0.0	0.03	52	12.7	53.4	ESE	1.5	7.0	13
14	24.2	29.0	20.9	19.5	0			61	13.5	53.4	SW	0.9	4.7	14
15	23.4	28.7	19.3	19.0	0			63	13.3	52.3	SW	0.9	4.0	15
16	24.5	31.6	19.6	17.9	0			53	10.7	52.7	NE	1.6	6.4	16
17	24.6	30.2	20.0	19.5	0			59	13.3	52.8	SW	1.1	4.9	17
18	24.3	32.0	20.2	18.1	0			53	11.0	52.9	SW	0.9	6.1	18
19	22.4	27.1	18.9	18.0	0			61	12.1	50.2	SW	1.0	4.5	19
20	20.8	26.8	19.9	18.2	0	4.3	0.18	76	13.6	46.5	NNE	3.3	2.8	20
21	18.4	21.0	16.6	15.6	0	0.6	1.25	73	11.3	52.1	NE	6.3	3.1	21
22	20.0	25.0	16.5	16.4	0			65	10.7	56.3	NE	3.9	3.8	22
23	21.3	27.7	16.6	16.4	0			59	10.7	55.6	N	4.2	4.8	23
24	20.5	26.4	15.6	15.8	0			61	10.6	52.0	NNE	2.2	4.8	24
25	19.3	23.6	16.1	17.4	0	0.0	0.05	81	14.1	47.0	S	1.1	1.8	25
26	20.4	24.7	16.0	17.0	0			71	12.1	47.1	SSW	2.2	6.3	26
27	20.1	24.4	16.9	16.6	0			69	11.8	49.0	SSW	2.4	4.0	27
28	19.9	23.8	16.0	17.3	0			71	12.4	49.7	SSW	2.0	3.9	28
29	21.1	25.5	17.5	18.0	0			71	12.9	52.6	SSW	2.2	3.6	29
30	21.4	25.2	18.3	18.3	0			72	14.4	53.9	SSW	2.1	3.3	30
31	20.9	25.3	16.8	18.6	0			77	13.9	49.7	S	4.4	3.0	31
Sum					0	4.9	1.51				SSW		154.3	Su
Avg.	23.2	28.7	19.4	18.5				62	12.8	751.9	(6)	2.3	5.0	Av

Year: 1932 Month: October

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. Temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	10.1	0.0	8	9	24.6	31.1	25.2	24.8	24.0	23.3		1
2	9.8	0.0	7	8	29.1	31.1	25.2	24.8	24.1	23.3		2
3	9.5	0.0	7	8	24.8	32.7	25.3	25.0	24.2	23.4		3
4	9.0	4.3	7	7	25.7	29.7	25.5	24.9	24.2	23.5		4
5	8.3	5.3	7	8	23.9	29.0	25.1	24.8	24.2	23.5		5
6	7.6	4.3	7	6	25.1	28.8	25.0	24.7	24.2	23.5	Ω¹⁻²	6
7	7.6	7.3	6	5	23.1	27.5	24.8	24.6	24.2	23.5	≤² Ω²	7
8	9.6	2.0	7	7	24.3	28.2	24.5	24.3	24.1	23.5	∈°	8
9	4.6	8.3	7	7	21.8	24.9	24.4	24.6	24.0	23.5		9
0	10.2	2.0	8	7	23.6	27.4	24.2	24.1	23.6	23.4	Ω°	10
1	8.3	1.3	7	7	23.8	27.2	24.2	24.0	23.8	23.4		11
2	7.5	5.3	7	7	23.5	28.5	24.3	24.1	23.8	23.3		12
3	4.9	6.7	7	7	23.3	27.2	24.5	24.0	23.8	23.3	◍°	13
4	8.7	3.3	6	7	24.8	27.0	24.3	24.1	23.7	23.3		14
5	8.7	6.7	7	7	21.9	24.2	24.0	23.9	23.7	23.2		15
6	8.0	6.0	7	7	24.8	26.7	23.9	23.7	23.6	23.2		16
7	8.2	5.0	7	7	25.3	26.5	24.0	23.8	23.5	23.1		17
8	4.1	6.3	7	6	21.8	26.1	24.0	23.8	23.5	23.1		18
9	7.9	6.7	8	8	21.3	23.5	23.6	23.5	23.4	23.1		19
0	1.2	7.7	7	8	19.2	20.6	23.1	23.2	23.2	22.9	◍° ≤¹	20
1	3.7	6.0	7	9	17.6	17.9	21.8	22.1	22.6	22.6	◍ ≤° T° ≤°	21
2	9.3	1.0	7	9	19.2	19.8	21.5	21.8	22.3	22.5		22
3	5.9	1.0	7	9	20.0	20.9	21.5	21.8	22.1	22.5		23
4	8.8	3.0	8	7	18.6	19.8	21.6	21.6	22.1	22.4		24
5	2.2	8.0	6	6	17.8	19.2	21.4	21.2	22.0	22.3	◍° Ω¹⁻²	25
6	8.1	6.7	8	9	19.5	20.7	21.4	21.5	21.9	22.1	≤° ≤°	26
7	9.0	1.7	8	8	20.2	20.5	21.5	21.5	21.8	22.0		27
8	8.9	2.0	8	9	19.4	20.6	21.4	21.4	21.7	21.9	Ω°⁻¹	28
9	9.0	0.7	8	8	20.2	21.4	21.4	21.5	21.7	21.9	Ω°	29
0	9.0	0.7	8	9	20.8	20.5	21.6	21.5	21.8	21.9	Ω²	30
1	7.3	4.3	7	7	20.7	20.6	21.4	21.5	21.6	21.7	Ω°	31
m	235.0										◍4, ≤3, ≤1, Ψ1, Ω8	
g.		4.0	7.2	7.5	22.3	24.8	23.4	23.3	23.2	22.9		

Year: 1932 Month: Novemb

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	19.8	22.5	19.3	18.6	0	24.9	9.42	84	15.3	746.6	S	5.7	3.3
2	15.3	18.3	11.7	10.5	3	3.0	2.50	59	6.8	51.7	NNW	4.2	3.5
3	12.3	15.5	10.1	9.6	6			66	7.3	58.1	NNE	5.1	2.7
4	12.5	14.1	10.2	9.5	5	0.0	1.00	68	7.5	57.5	NNW	5.9	2.5
5	14.5	16.3	11.1	11.7	3	0.1	1.00	65	8.4	54.7	NNE	7.4	3.5
6	14.4	17.0	13.3	11.9	4	0.4	2.42	71	8.6	51.9	N	5.8	2.4
7	15.4	20.6	12.1	12.5	3			71	9.1	54.2	NNE	0.8	2.3
8	15.0	21.8	10.8	13.0	3			73	8.3	57.5	NNE	0.8	2.1
9	15.6	22.0	11.9	13.1	2			73	9.4	58.4	N	1.1	2.3
10	15.6	20.2	11.7	13.2	2	0.0	0.05	73	9.4	59.1	NNE	3.6	2.0
11	15.5	19.9	11.9	12.6	2			68	8.8	59.6	NNE	5.5	2.8
12	15.5	18.4	13.6	13.3	2			72	9.4	56.7	NNE	3.7	2.5
13	14.7	15.8	13.5	13.7	3	9.7	12.35	83	10.8	54.8	NNE	4.2	1.3
14	12.9	15.4	10.9	11.7	5	4.3	-	87	9.5	53.7	NNE	13.0	1.7
15	11.1	12.8	10.1	9.0	7	0.1	4.00	74	7.5	54.6	N	12.8	2.3
16	11.1	14.3	8.9	9.8	7			73	8.4	51.3	NW	4.1	2.3
17	11.2	16.4	6.9	9.5	7	0.0	0.17	65	7.1	50.5	WNW	2.3	2.1
18	10.9	13.2	7.0	9.2	7			77	7.4	54.0	NNE	5.1	1.6
19	9.9	12.2	9.0	7.1	8	0.0	0.58	68	5.1	59.3	N	8.5	2.4
20	9.2	12.4	7.0	6.2	9			60	5.0	61.6	NNE	8.6	3.5
21	9.0	14.2	4.7	7.1	9			68	6.7	60.0	NNE	3.1	2.2
22	12.3	14.6	8.5	11.9	6	11.3	9.88	85	9.8	56.7	NNE	2.2	1.1
23	16.7	19.5	13.4	15.6	1	1.4	1.00	84	12.1	56.5	SSE	5.2	1.9
24	18.0	19.1	17.1	17.1	0	4.4	8.17	88	14.9	52.9	SSE	9.3	1.8
25	15.8	19.4	13.3	13.1	2	11.2	5.17	73	9.3	50.0	WSW	3.7	3.4
26	15.3	19.4	11.9	11.9	3			65	8.1	55.6	SW	1.2	3.0
27	14.1	19.8	10.4	11.7	4			69	8.8	56.6	N	2.6	2.7
28	13.1	18.1	9.4	11.3	5			77	8.6	58.2	SSW	0.9	1.7
29	14.2	19.5	10.6	12.5	4			79	9.6	63.5	N	1.0	1.8
30	13.8	19.4	10.1	12.4	4			83	9.8	64.0	NNE	1.7	1.4
Sum					126	70.8	-				NNE		70.1
Avg.	13.8	17.4	11.0	11.7				73	8.9	756.0	(6)	4.6	2.3

Year: 1932 Month: November

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	0.0	9.7	7	7	19.3	19.6	21.5	21.5	21.6	21.8	●1 ≋ ∩° Ω°	1
2	9.0	2.7	9	9	14.0	12.8	20.1	20.3	21.2	21.5	●0-1	2
3	6.0	3.3	7	8	12.2	10.9	18.3	18.8	20.4	21.2		3
4	2.6	9.7	7	7	10.6	10.5	17.3	18.1	19.9	20.9	●°	4
5	0.1	9.3	7	7	12.2	12.1	17.2	17.8	19.4	20.4	●1 ∩°	5
6	0.9	10.3	7	7	12.6	13.0	17.1	17.8	19.2	20.4	●°	6
7	6.4	2.3	8	9	13.4	13.9	17.2	17.7	18.8	20.0	Ω°	7
8	6.7	4.3	7	8	13.6	14.5	17.0	17.6	18.7	19.7	Φ° Ω° ⌐°	8
9	7.4	6.3	4	8	14.3	14.6	17.5	17.7	18.7	19.7	Ω1	9
10	3.9	8.7	7	7	14.2	14.9	17.5	17.8	18.4	19.5	●° Ω	10
11	4.4	9.0	6	7	14.5	13.9	17.4	17.7	18.3	19.3	Ψ°	11
12	0.0	8.0	7	8	13.3	15.1	17.6	17.7	18.3	19.3	Ω°	12
13	0.0	10.0	6	6	13.1	13.3	17.2	17.5	18.1	19.1	●1-2	13
14	0.0	10.0	7	7	11.7	11.6	16.4	16.8	18.6	18.6	●1	14
15	0.0	7.0	7	7	10.2	9.4	16.3	15.8	17.3	18.4	●°	15
16	4.1	7.7	8	8	10.6	10.2	14.7	15.3	17.1	18.5		16
17	3.3	4.3	8	8	–	9.6	14.3	15.1	16.6	18.2	●° Ω0-1	17
18	0.0	6.0	7	7	9.4	10.2	14.2	14.9	16.3	17.9	Ω°	18
19	0.0	7.0	6	7	8.4	8.6	14.0	14.5	15.9	17.6	●°	19
20	8.2	2.7	7	8	7.5	8.0	13.3	13.9	15.5	17.2		20
21	1.6	8.3	7	7	8.0	8.8	13.0	13.6	15.2	17.2		21
22	0.0	10.0	6	7	10.9	11.1	13.4	13.9	15.3	17.3	●1-2	22
23	4.1	8.0	7	7	15.0	14.4	14.5	14.7	15.6	17.0	●0-1	23
24	0.0	10.0	6	6	16.4	16.3	15.1	15.6	16.0	17.2	●1	24
25	8.6	2.7	7	9	14.2	13.4	15.9	15.9	16.4	17.3	●2 ≋2	25
26	8.8	2.7	8	7	16.0	15.2	15.3	15.5	16.1	17.1	Ω°	26
27	8.6	2.3	8	7	12.1	12.0	14.9	15.2	16.3	16.9	Ω0-1	27
28	5.7	5.7	7	7	11.8	11.7	14.6	14.9	15.7	16.8	Ω1	28
29	5.8	2.0	6	6	13.0	12.8	14.8	15.0	15.7	16.8	Ω°	29
30	7.4	5.0	7	8	14.0	13.2	14.9	15.0	15.7	16.7	≡1 Ω2	30
um	113.6										●15, ≋2, ∩2, Φ1, Ψ1, Ω13, ⌐1, ≡1	
vg.		6.5	6.9	7.4	12.6	12.5	16.1	16.5	17.5	18.7		

Year: 1932 Month: December

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	13.4	19.2	9.0	10.8	5			73	7.9	761.4	NNE	2.0	2.1	1
2	13.0	17.9	8.8	10.9	5			72	8.1	59.6	WSW	1.0	2.3	2
3	14.4	16.7	11.2	13.3	4	7.4	1.88	86	11.2	58.5	SE	2.5	1.2	3
4	15.9	17.2	14.0	14.1	2	5.5	4.58	82	10.9	53.7	SSE	8.3	3.7	4
5	16.3	19.4	13.9	14.7	2	0.7	2.50	81	11.1	52.0	S	4.1	2.4	5
6	14.9	18.4	12.8	13.2	3	5.6	1.33	81	10.0	51.2	SSE	1.3	1.9	6
7	14.6	18.0	11.9	13.0	3			81	10.1	52.2	S	1.5	1.8	7
8	14.9	20.6	11.8	12.9	3			80	9.7	53.4	S	1.0	1.9	8
9	15.2	17.7	12.8	14.2	3	0.2	2.33	87	11.4	56.0	SSE	2.3	1,5	9
10	15.3	19.0	13.6	14.4	3	2.6	4.50	91	11.6	55.6	S	1.3	1.1	10
11	15.0	20.2	11.4	13.1	3			84	11.1	56.1	SSW	0.6	1.6	11
12	13.5	18.1	11.1	12.1	4			84	9.5	58.9	NNE	4.6	1.4	12
13	10.2	12.8	7.7	8.1	8			74	6.7	63.5	NE	8.6	2.0	13
14	9.3	12.8	6.8	7.0	9			70	6.0	65.4	NNE	7.6	2.7	14
15	9.9	15.0	7.2	7.7	8			71	6.4	65.8	NNE	3.5	2.3	15
16	9.9	15.7	6.0	8.1	8			73	6.7	64.5	NNE	1.6	1.7	16
17	10.3	15.7	6.7	8.7	8			74	6.9	63.4	N	3.1	1.6	17
18	11.0	16.3	7.1	8.8	7			74	7.1	62.8	NE	3.3	2.1	18
19	10.2	12.9	8.3	8.0	8	0.0	1.00	72	6.5	61.2	NNE	8.9	2.1	19
20	9.4	11,7	8.1	7.9	9	0.3	2.42	78	6.9	61.3	N	9.7	2.1	20
21	9.4	13.2	7.6	7.5	9	0.5	2.16	74	6.3	61.4	N	6.7	2.2	21
22	9.6	14.0	6.9	7.8	8	0.0	0.08	73	6.7	61.5	NNW	2.8	1.9	22
23	11.1	17.1	5.9	8.6	7			64	6.5	62.3	NNE	1.3	2.6	23
24	11.5	17.7	7.6	8.9	6			68	6.8	60.9	NNW	1.4	2.7	24
25	9.7	12.2	7.9	7.5	8			72	6.3	62.3	NNE	10.0	2.6	25
26	8.0	10.2	6.5	5.6	10	0.0	0.42	66	5.2	63.6	NNE	11.3	3.5	26
27	7.7	10.0	6.6	5.5	10			67	5.3	62.8	NNE	8.2	2.8	27
28	7.7	12.0	4.9	5.6	10	0.0	2.00	73	5.8	61.7	NNE	2.5	1.7	28
29	8.5	11.9	4.8	6.6	9			69	5.8	62.8	NNW	2.0	1.7	29
30	8.7	14.1	6.0	7.0	9			78	6.5	62.6	NNW	2.2	1.5	30
31	8.8	13.4	6.8	6.7	9			71	5.9	62,2	NW	2,5	1.7	31
Sum					200	22,8	25.20				NNE		64.4	Sum
Avg.	11.5	15.5	8.8	9,6				76	7.8	760.0	(6)	4.1	2.1	Avg.

Year: 1932 Month: December

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	8.0	0.3	6	7	11.5	12.3	14.7	14.9	15.4	16.5	Ω²	1
2	8.6	4.3	7	7	11.1	12.0	14.4	14.6	15.4	16.5	Ω¹	2
3	0.0	9.3	6	5	13.4	13.4	14.7	14.8	15.4	16.4	◍¹ Ω¹	3
4	0.0	10.0	5	5	15.3	13.4	15.2	15.2	15.5	16.4	◍°	4
5	3.9	8.7	7	7	14.3	14.3	15.4	15.0	15.7	16.5	◍¹ ∈°	5
6	2.1	6.0	8	8	13,5	13,9	15.3	15.4	15.7	16.5	◍¹ ∈° Ω⁰⁻¹	6
7	6.1	4.0	7	8	13.1	12.8	14.9	15.1	15.6	16.4	∈° Ω²	7
8	5.9	3.7	7	7	–	–	14.9	15.0	15.5	16.4	Ω²	8
9	0.9	9.0	6	6	13.8	13.7	15.0	15.1	15.5	16.3	◍° Ω¹	9
10	0.7	7.3	8	8	14.1	14.5	15.3	15.4	15.7	16.4	◍¹ Ω¹	10
11	7.2	1.0	7	7	12.3	13.0	15.2	15.2	15.6	16.3	Ω¹	11
12	–	5.3	8	7	11.8	12.4	15.0	15.0	14.8	16.2	Ω¹	12
13	3.8	3.0	7	8	9.2	9.6	14.1	14.3	15.0	15.9	Ω°	13
14	5.4	2.3	7	8	7.5	8.2	13.0	13.5	14.6	15.8		14
15	6.2	1.3	7	8	9.6	10.1	12.7	13.2	14.5	15.7		15
16	4.5	5.3	7	8	7.9	9.9	12.5	12.9	14.1	15.6	Ω¹	16
17	7.7	2.3	7	8	10.4	10.7	12.5	12.8	13.9	15.4	Ω¹	17
18	6.2	5.0	7	8	9.1	10.5	12.6	12.9	13.9	15.3	Ω¹	18
19	1.0	6.3	7	7	8.9	8.9	12.5	12.8	13.7	15.0	◍° Ω°	19
20	3.9	6.3	7	7	7.9	8.3	12.4	12.6	13.7	15.0	◍° ∩°	20
21	3.9	6.3	7	8	8.6	9.7	11.9	12.3	13.5	14.9	◍° ⁂°	21
22	4.6	4.3	7	8	8.7	10.5	12.1	12.4	13.5	14.8	◍° Ω°	22
23	7.9	0.0	7	8	9.5	10.2	11.9	12.2	13.4	14.8	Ω⁰⁻¹	23
24	5.3	0.0	7	7	9.7	10.8	12.2	12.3	13.3	14.6	Ω¹	24
25	7.1	4.7	5	6	8.6	10.3	12.3	12.4	13.2	14.5		25
26	5.2	7.7	6	7	6.7	9.0	11.9	12.4	13.0	14.3	◍°	26
27	6.7	4.3	7	8	7.2	8.6	11.5	11.8	12.9	14.2	∩°	27
28	3.2	4.0	7	8	5.9	7.3	11.1	11.6	12.7	14.2	◍° ∩° Ω¹ ⌴°	28
29	2.6	9.3	8	8	8.1	9.2	11.2	11.6	12.7	14.1	Ω°	29
30	4.2	6.0	8	8	7.1	8.3	11.4	11.6	12.4	14.0	Ω¹⁻²	30
31	3,2	4.7	8	7	7.1	7.5	11.2	11.6	12.6	13.9	Ω¹	31
Sum	136.0										◍12, ⁂ 1, ∩ 3, Ψ 3, Ω 22, ⌴ 1	
Avg.		4.9	6.9	7.3	10.0	10.8	13.3	13.5	14.3	15.4		

Y E A R: 1932

Month	Air temperature (°C) Average 24 hours	Average Maximum (4)	Average Minimum (4)	Absolute Maximum (4)	Date	Absolute Minimum (4)	Date	Degree days (base 18 °C) (1)	Average of Wet bulb tempr. (3)	Average of Relative humid. (%) (1)	Average of Vapor pressure (mm) (3)	Sunshine hrs (8) Total	Sunshine hrs (8) Possible (9)
JAN.	8.0	11.1	5.9	17.6	1	1.0	2.6	309	5.8	70	5.6	108.8	303.8
FEB.	7.0	10.9	3.9	19.4	13	-2.2	8.23	318	5.0	70	5.3	117.5	311.6
MAR.	10.3	14.3	7.1	21.9	14	2.0	3	237	8.3	73	6.9	71.0	368.9
APR.	15.1	19.7	11.4	24.2	6	7.9	1.15	87	11.9	64	8.2	239.7	393.4
MAY	19.6	24.6	15.5	32.1	29	11.0	13	15	14.8	55	9.3	229.7	438.3
JUNE	24.3	29.7	19.8	35.4	4	16.3	11	0	17.9	51	10.8	303.6	439.6
JULY	27.5	33.5	22.9	39.5	20	19.6	2	0	20.0	46	12.2	388.4	446.4
AUG.	26.8	32.3	22.3	35.7	4	18.7	31	0	19.0	43	11.0	356.7	418.8
SEPT.	25.1	31.1	20.9	34.4	2	15.9	18	0	18.8	52	12.0	292.3	370.4
OCT.	23.2	28.7	19.4	36.5	3	15.6	24	0	18.5	62	12.8	235.0	344.9
NOV.	13.8	17.4	11.0	22.5	1	4.7	21	126	11.7	73	8.9	113.6	301.8
DEC.	11.5	15.5	8.8	20.6	8	4.8	29	200	9.6	76	7.8	136.0	294.6
YEAR	17.7	22.4	14.1	39.5	July 20	-2.2	Febr. 8.23	1292	13.4	61	9.2	2529.3	4432.5

Month	Avg. cloudiness (tenths) (3)	Avg. Visibility (10) Toward sea	Avg. Visibility (10) Toward Land	Average soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Number of days (4) Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25.0°C (Summer days)	Maximum ≥ 30.0°C (Tropical days)	Minimum ≥ 20.0°C (Tropical nights)
JAN.	6.2	6.2	6.7	6.4	6.8	9.3	9.6	10.8	11.9	0	0	0	0	0
FEB.	6.1	6.0	6.5	6.5	6.8	8.6	8.8	9.5	10.5	5	0	0	0	0
MAR.	7.2	6.3	6.5	9.6	11.0	10.5	10.5	10.7	11.2	0	0	0	0	0
APR.	4.9	6.7	6.8	14.9	18.7	14.7	14.3	13.7	13.6	0	0	0	0	0
MAY.	4.9	6.8	6.7	21.2	24.0	19.3	18.6	17.6	16.6	0	0	12	2	3
JUNE	3.2	7.0	7.3	26.2	29.8	23.9	23.3	22.0	20.6	0	0	29	13	14
JULY	1.0	7.1	7.3	27.6	33.0	26.5	26.1	24.8	23.2	0	0	31	28	29
AUG.	1.4	6.8	7.2	26.0	32.8	26.7	26.6	25.8	24.5	0	0	31	28	30
SEPT.	1.7	6.6	7.1	24.8	30.2	25.0	25.0	24.5	23.9	0	0	30	23	24
OCT.	4.0	7.2	7.5	22.3	24.8	23.4	23.3	23.2	22.9	0	0	26	13	15
NOV.	6.5	6.9	7.4	12.6	12.5	16.1	16.5	17.5	18.7	0	0	0	0	0
DEC.	4.9	6.9	7.3	10.0	10.8	13.3	13.5	14.3	15.4	0	0	0	0	0
YEAR	4.3	6.7	7.0	17.3	20.1	18.1	18.0	17.9	17.8	5	0	159	107	115

Y E A R : 1932

Month	Average Pressure at 0°C (mm) (1)	Wind (1) (5) Avg. Speed (m.p.s.)	Wind (1) (5) Prevailing direction	Precipitation Total (mm) (4)	Precipitation Maximum in 24 hrs	Precipitation Date	Total evaporation (mm) (4)(7)	Number of days Rain (4)	Drezzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)
AN.	759.3	3.8	NE	29.5	10.9	8	66.6	9	0	2	11	0	17	8	0
EB.	53.1	4.5	NNE	22.3	8.5	25	58.8	16	0	3	4	0	19	5	5
AR.	52.2	3.7	NE	91.2	22.0	28	66.1	16	0	0	2	0	16	10	0
PR.	51.4	3.8	SSW	12.1	4.7	23	123.6	7	0	0	0	0	7	12	0
AY	51.8	3.3	SW	1.0	0.8	11	172.8	7	0	0	0	0	7	4	0
UNE	51.0	3.2	SSW	3.3	3.0	19	227.1	5	0	0	0	0	5	1	0
ULY	49.1	3.9	NNE	0	0	0	265.0	0	0	0	0	0	0	0	0
UG.	51.7	5.7	NNE	1.7	1.7	30	258.4	1	0	0	0	0	1	0	0
EP.	52.3	3.6	NNE	0.0	0.0	6	198.6	1	0	0	0	0	1	8	0
CT.	51.9	2.3	SSW	4.9	4.3	20	154.3	4	0	0	0	0	4	8	0
OV.	56.0	4.6	NNE	70.8	24.9	1	70.1	15	0	0	0	0	15	13	0
EC.	60.0	4.1	NNE	22.8	7.4	3	64.4	12	0	0	1	0	12	22	1
EAR	753.3	3.9	NNE	259.6	24.9	Nov 1	1725.8	93	0	5	18	0	104	91	6

Month	Number of days: Snow cover (3)	Clear (0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0 tenths) (3)	Cloudy (8.1-10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)
AN.	0	4	16	11	0	4	0	0	0	1	1	0	2	0
EB.	1	7	11	11	4	10	0	1	0	0	1	1	0	0
AR.	0	2	16	13	0	11	2	1	0	0	0	0	0	0
PR.	0	4	23	3	5	0	2	0	0	1	3	0	0	0
AY	0	8	17	6	1	0	1	0	0	0	3	0	0	0
UNE	0	8	22	0	9	0	0	0	0	1	0	0	0	0
ULY	0	24	7	0	28	0	0	0	0	0	0	0	0	0
UG.	0	23	8	0	25	0	1	0	0	0	0	0	0	0
EP.	0	22	7	1	15	0	1	0	0	0	3	0	0	0
CT.	0	9	21	1	4	0	3	1	0	0	1	0	0	0
OV.	0	0	19	11	4	7	2	0	0	0	1	1	2	1
EC.	0	5	21	5	0	2	0	0	0	0	3	0	3	0
EAR	1	116	188	62	95	34	12	3	0	3	16	2	7	1

Y E A R : 1932

Month	Frequency (%) of the wind direction (24 hourly observations)(5)																
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	C
JAN.	7.4	19.9	28.6	4.7	1.8	0.4	0.4	0.9	2.1	2.4	1.7	3.4	2.7	1.4	1.9	3.8	16
FEB.	4.7	16.0	21.9	10.3	2.2	1.5	1.0	1.2	3.4	4.5	4.1	3.9	3.6	2.8	2.9	2.0	14
MAR.	7.7	13.9	20.6	4.6	2.7	0.7	2.3	3.2	4.3	8.0	5.4	2.7	3.8	3.1	3.4	2.0	11
APR.	3.5	4.0	4.4	1.7	1.4	0.7	2.5	4.9	10.0	16.7	9.1	5.4	7.6	6.7	4.2	0.9	16.
MAY	4.2	4.2	5.2	2.6	0.7	0.4	1.2	4.2	7.8	13.2	13.7	7.5	5.4	5.2	2.3	2.8	19.
JUNE	4.0	3.9	3.2	1.3	0.7	0.1	0.1	4.3	7.2	15.4	14.0	5.3	7.8	4.6	2.9	2.6	22.
JULY	5.1	16.0	10.5	3.0	0.9	0.8	0.4	2.0	4.2	10.2	11.8	6.0	3.1	1.8	2.1	2.3	19.
AUG.	17.3	34.3	20.0	1.2	0.3	0.1	0.4	0.7	1.1	2.7	3.1	0.7	0.9	0.4	2.0	4.2	10.
SEP.	6.3	15.0	14.2	2.2	1.5	0.3	0.1	0.7	0.7	6.8	10.0	4.6	1.1	1.1	1.1	1.9	32.
OCT.	4.5	7.7	6.7	1.6	0.7	1.1	1.2	2.6	9.6	11.2	10.9	3.1	1.1	0.9	0.4	0.8	35.
NOV.	22.8	26.2	6.9	0.6	0.8	0.3	1.0	4.9	3.6	2.5	1.9	1.9	1.4	2.2	3.7	7.9	11.
DEC.	10.7	23.4	11.3	2.6	2.4	0.9	2.2	6.6	5.1	3.1	1.2	1.5	1.8	1.8	3.9	6.6	14.
YEAR	8.1	15.4	12.8	2.9	1.3	0.6	1.1	3.0	4.9	8.1	7.3	3.8	3.4	2.7	2.6	3.2	18.

REFERENCE NOTES

1) Average of 24 hourly values.
2) Day ending at 24 h.
3) Average of 8,14 and 21 h. observations.
4) Day ending at 21h
5) From Steffens - Hedde anemograph (mean instantaneous readings).
6) Mouthly prevailing direction.
7) From Piche evaporimeter.
8) From Campbell - Stokes recorder.
9) Mouthly possible sunshine uncorrected for the around topography.
10) At 14h observation.

YEAR 1933

Year : 1933 Month: January

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Precipit. Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid (%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Wind (1) (5) Prevailing direction	Avg. speed (met. p.s.)	Total evaporation (mm) (4)(7)	Date
1	9.3	14.6	6.0	7.0	9			68	5.5	761.9	N	2.5	2.2	
2	9.6	16.0	5.9	7.3	8			71	6.2	62.6	NNE	1.5	2.1	2
3	9.1	15.2	5.5	7.3	9			73	6.3	63.9	NNE	2.5	1.8	3
4	9.2	14.1	5.8	7.0	9	0.0	1.00	74	6.3	63.6	NE	3.9	1.5	4
5	7.8	11.2	6.6	5.5	10			68	5.3	63.6	NE	6.7	1.9	5
6	7.1	12.9	3.3	5.2	11			72	5.2	63.0	NNE	1.6	1.8	6
7	8.3	12.4	4.7	6.4	10			72	5.9	63.6	NNE	3.4	1.7	7
8	8.5	13.9	5.8	5.9	9			66	5.3	62.4	NE	3.1	2.1	8
9	9.6	12.5	4.7	8.7	8	0.5	4.00	81	7.5	55.7	SSE	2.9	1.5	9
10	6.5	8.4	5.5	4.0	11	0.2	4.00	73	4.9	52.2	NNE	5.0	1.3	10
11	5.3	6.9	3.8	4.0	13	5.6	14.00	82	5.5	51.1	NNE	10.7	1.4	11
12	7.7	10.6	5.3	6.6	10	1.7	7.75	77	6.3	49.4	NW	3.5	1.3	12
13	8.5	11.8	6.0	7.6	9	2.1	2.58	83	7.1	49.2	NNE	4.4	1.0	13
14	8.6	9.4	8.4	7.1	9	0.0	3.08	81	6.7	51.2	NE	11.6	1.7	14
15	7.5	9.7	6.4	5.8	10	0.0	0.25	73	6.0	52.6	NNE	9.9	1.9	15
16	7.6	12.6	3.9	5.9	10			75	5.7	52.2	NE	1.0	1.4	16
17	11.0	14.4	7.6	9.9	7	0.3	1.33	81	8.1	49.2	S	3.5	1.5	17
18	11.2	15.1	7.4	8.6	7			71	6.8	49.1	S	1.5	2.2	18
19	12.4	16.7	9.1	11.7	6	0.6	0.92	82	9.2	49.5	SSW	5.5	2.0	19
20	10.6	13.4	8.9	8.6	7	10.0	8.53	84	7.4	44.8	SW	2.3	1.9	20
21	9.7	14.6	6.4	8.4	8	0.3	0.33	81	7.2	45.5	NE	1.5	1.1	21
22	8.8	14.9	7.5	8.6	9	38.0	12.25	88	7.6	45.6	NE	3.7	0.9	22
23	7.7	12.1	6.0	5.8	10	5.8	10.42	79	5.9	44.4	NW	4.0	1.2	23
24	5.9	7.2	5.3	4.3	12	0.0	1.05	78	5.4	50.7	NNE	8.3	1.4	24
25	5.1	6.4	4.7	3.9	13	0.6	5.75	80	5.2	56.4	NNE	8.8	1.4	25
26	5.7	8.9	3.7	4.2	12	1.6	10.00	76	5.0	59.3	NNE	7.8	1.5	26
27	5.1	7.7	3.6	3.5	13	1.6	6.67	77	4.9	60.2	NNE	7.5	1.5	27
28	6.1	9.1	3.2	4.7	12			74	5.4	59.7	NNE	3.0	1.6	28
29	7.6	12.3	4.0	6.0	10			74	5.7	59.9	NE	1.0	1.3	29
30	10.0	12.7	6.2	9.6	8	0.0	0.25	87	8.4	56.0	SSW	0.7	0.9	30
31	13.4	16.5	8.8	11.5	5			77	8.7	54.6	SW	2.1	1.9	31
Sum					294	68.9	99.08				NNE		48.9	Sum
Avg.	8.4	12.1	5.8	6.8				77	6.3	754.9	(6)	4.2	1.6	Avg

Year: 1933 Month: January

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	7.4	3.0	8	9	8.6	9.5	11.0	11.4	12.4	13.8		1
2	8.3	1.3	8	8	9.2	10.2	11.1	11.4	12.3	13.7	∩°	2
3	5.8	2.0	6	8	8.0	9.6	11.2	11.4	12.3	13.6	∩$^{1-2}$ ⌊$^{0-1}$	3
4	4.9	6.7	7	7	9.4	10.0	11.3	11.5	12.3	13.6	●° ∩$^{0-1}$	4
5	7.4	5.0	7	7	7.4	9.3	11.3	11.4	12.2	13.5		5
6	5.1	6.3	7	8	6.5	7.7	10.8	11.1	12.1	13.4	∩°	6
7	5.4	7.7	8	9	6.1	7.4	10.7	11.0	12.0	13.3	∩$^{0-1}$	7
8	5.4	4.7	7	8	7.2	8.5	10.8	10.9	12.3	13.3	⊖^{1}	8
9	0.0	9.7	9	8	8.4	8.6	10.9	11.2	12.0	13.3	●°	9
10	0.0	10.0	7	7	5.0	5.4	10.7	10.9	11.8	13.2	●°	10
11	0.0	10.0	7	7	3.4	3.9	9.6	10.2	11.4	12.8	●^{1} ⁂°	11
12	0.7	10.0	8	8	7.4	7.2	9.6	10.2	11.4	13.0	●° ⁂°	12
13	0.0	8.7	7	8	7.1	7.6	9.9	10.3	11.4	13.2	●$^{0-1}$ ⁂°	13
14	4.5	10.0	7	7	7.0	6.9	10.2	10.4	11.3	12.6	●° ⁂°	14
15	1.5	8.0	8	8	6.2	7.4	9.8	10.1	11.2	13.3	⁂°	15
16	3.1	7.0	8	8	6.2	7.4	9.4	10.1	11.1	12.5	∩^{2}	16
17	0.0	8.3	8	8	9.6	10.1	10.1	10.4	11.3	12.6	●°	17
18	5.7	3.0	7	9	8.8	10.0	10.7	10.7	11.5	12.6	∩^{2}	18
19	2.7	8.0	7	6	11.8	11.9	11.0	11.1	11.6	12.6	●$^{0-1}$ ∩^{2}	19
20	0.8	5.0	8	9	9.1	8.8	11.4	11.3	11.7	12.7	●$^{1-2}$ ⊼$^{0-1}$	20
21	0.0	8.3	7	6	8.5	8.9	10.8	11.0	11.6	12.5	●° <°	21
22	0.3	9.3	7	9	9.8	9.7	10.8	10.9	11.6	12.6	●$^{1-2}$ ⊼^{1}	22
23	0.0	5.3	6	8	7.4	7.8	10.5	10.7	11.5	12.6	●$^{1-2}$	23
24	0.0	7.3	6	6	4.9	4.8	9.8	10.2	11.1	12.2	●° ⁂°	24
25	0.0	10.0	6	6	4.3	4.0	9.1	9.6	10.7	12.1	●° ⁂°	25
26	0.0	8.3	5	8	6.4	5.2	8.8	9.3	10.4	12.0	⁂°	26
27	2.1	9.3	6	6	3.8	4.1	8.5	9.0	10.4	11.8	●° ⁂	27
28	4.0	9.0	6	5	4.9	5.4	8.4	8.9	10.4	11.8		28
29	0.0	7.7	6	7	6.7	7.0	8.7	9.0	10.4	11.8	∩°	29
30	0.0	9.7	3	3	8.5	8.6	9.2	9.6	10.5	11.7	●°	30
31	0.5	8.7	5	6	11.3	11.3	10.2	10.2	10.7	11.8	∩^{2}	31
Sum	75.6										●17, ⁂9, ⊼2, <1, ⊖1, ∩10⌊1	
Avg.		7.3	6.8	7.3	7.4	7.9	10.2	10.5	11.5	12.7		

Year : 1933 Month: February

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18° (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4) (7)	
1	12.2	16.4	11.0	9.1	6			65	6.8	755.4	NNE	3.5	2.6	1
2	8.5	13.5	6.0	6.8	9			71	6.1	57.4	NNE	2.7	1.6	2
3	9.9	12.7	5.3	8.8	8			78	7.5	53.1	S	0.9	1.5	3
4	10.5	14.8	8.8	7.9	7	0.1	3.00	67	6.4	56.0	NNW	5.0	2.3	4
5	9.7	14.5	4.7	7.9	8			71	6.6	55.7	SSW	0.9	1.9	5
6	11.3	16.5	7.2	10.1	7			79	8.2	52.4	SSW	0.9	1.6	6
7	12.9	19.0	9.8	10.3	5			70	7.5	51.4	NNW	1.0	2.3	7
8	12.0	14.6	8.7	10.7	6			82	8.3	53.0	SSE	2.7	1.6	8
9	13.5	16.2	11.6	11.6	4			75	8.7	56.9	ENE	3.5	2.3	9
10	10.8	15.8	8.2	8.6	7			73	6.9	58.1	NNE	5.0	2.3	10
11	10.3	13.8	6.4	9.2	8			80	7.7	52.8	S	1.4	1.5	11
12	12.5	17.3	8.8	10.4	5			75	8.2	51.6	S	1.3	1.7	12
13	7.9	13.3	6.0	5.0	10	1.7	3.33	73	5.1	56.0	NNE	8.4	2.0	13
14	6.4	8.3	4.3	4.5	12	0.2	0.50	73	5.3	53.0	NNE	2.6	1.6	14
15	10.0	13.6	6.7	8.9	8			80	7.6	48.1	SW	0.7	1.1	15
16	12.1	14.7	10.0	10.9	6			85	8.9	47.4	NNW	2.0	1.0	16
17	10.6	15.1	10.0	9.5	7	0.7	10.75	84	8.0	45.3	NNE	7.1	1.1	17
18	7.1	11.1	4.9	5.6	11	8.1	12.50	77	5.7	40.2	NNE	7.2	1.7	18
19	8.5	13.4	4.9	6.7	9	0.2	1.00	74	6.1	45.5	NW	1.4	1.6	19
20	10.1	12.8	7.4	8.1	8	0.2	1.17	75	6.9	49.7	E	2.4	1.5	20
21	10.7	13.8	9.4	10.4	7	25.0	18.33	87	9.1	41.1	SSE	8.4	1.2	21
22	10.2	14.7	7.6	8.8	8	1.0	4.50	76	7.3	42.3	SSW	2.8	2.3	22
23	11.0	13.9	7.5	9.8	7	1.5	4.00	77	8.2	46.9	S	5.5	2.0	23
24	10.4	13.3	6.9	7.1	8	3.5	4.25	65	5.6	49.2	SW	3.9	3.4	24
25	10.3	13.8	6.0	7.7	8			66	6.2	51.7	SSW	1.4	2.6	25
26	10.9	15.4	8.1	8.2	7			69	6.4	50.9	S	1.3	2.2	26
27	10.1	14.7	8.0	7.3	8			66	5.8	53.5	NE	4.6	2.2	27
28	9.8	14.6	6.6	6.9	8			60	5.3	55.8	NNE	7.1	2.5	28
Sum					212	42.2	63.33				NNE		53.2	Sum
Avg.	10.3	14.3	7.5	8.5				74	7.0	751.1	(6)	3.4	1.9	Avg

Year: 1933 Month: February

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1.5	5.0	9	6	11.2	12.9	11.1	10.9	11.1	11.9		1
0.8	3.3	6	4	8.2	11.6	10.5	10.6	11.0	11.8	Ω°	2
0.0	10.0	5	5	8.6	9.7	10.1	10.5	11.0	11.9		3
1.3	5.7	8	6	8.3	9.5	10.6	10.7	11.1	12.0	◍°	4
1.9	5.0	7	5	8.7	9.0	10.3	10.5	11.0	12.0	Ω°	5
7.4	5.3	4	5	10.7	11.1	10.6	10.7	11.1	12.0	Φ$^{0-1}$ Ω²	6
7.2	2.7	8	6	12.6	12.9	11.2	11.1	11.1	12.0	Φ° Ω²	7
0.0	9.7	6	6	10.4	11.1	11.5	11.3	11.4	12.1	Ω²	8
0.0	9.7	7	6	12.4	13.7	11.9	11.7	11.7	12.2	Φ$^{0-1}$	9
3.1	3.7	5	8	9.6	10.1	11.9	11.7	11.7	12.3	Ω°	10
6.3	5.0	5	6	11.2	10.3	11.8	11.6	11.8	12.4	Ω°	11
8.9	6.0	9	8	9.9	10.9	11.5	11.6	11.9	12.4	Ω$^{0-1}$	12
0.0	10.0	7	6	5.5	6.7	11.3	11.2	11.5	12.2	⚹° Ψ$^{0-1}$ Ω°	13
0.0	9.3	4	5	4.5	5.9	10.1	10.1	11.3	12.3	◍	14
0.4	9.3	8	5	9.2	10.2	10.3	11.0	11.3	12.3		15
0.0	10.0	4	4	12.2	12.6	11.2	11.2	11.6	12.3	Ω¹	16
0.7	10.0	6	6	10.5	11.6	11.6	11.5	11.7	12.3	◍$^{0-1}$	17
0.0	10.0	8	8	6.9	7.3	10.7	10.9	11.5	12.2	◍¹	18
7.6	7.7	7	9	7.8	9.6	10.4	10.7	11.5	12.3	◍°	19
0.6	8.7	8	6	7.6	8.2	10.7	10.9	11.5	12.2	◍°	20
0.0	10.0	4	4	8.9	9.8	10.8	11.0	11.4	12.1	◍²	21
6.3	7.7	7	7	8.8	9.1	10.6	10.8	11.5	12.3	◍¹	22
4.6	6.7	6	5	9.5	9.5	10.6	10.8	11.4	12.3	◍¹	23
7.5	2.7	7	9	8.0	8.4	10.7	10.8	11.5	12.4	◍°	24
7.4	8.7	7	7	7.7	8.4	10.2	10.2	11.3	12.2	Ω°	25
3.6	6.3	8	9	7.7	11.4	10.6	10.7	11.3	12.2	Ω°	26
5.9	6.0	7	7	7.7	9.6	10.9	10.9	11.3	12.1		27
6.8	5.3	5	7	10.5	12.3	10.8	10.8	11.3	12.0		28
89.8										◍ 10, ⚹ 1, Ψ 1, Φ 3,	
	7.1	6.5	6.3	9.1	10.1	10.9	10.9	11.4	12.2	Ω 12	

Year: 1933

Month: March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	7.8	10.6	7.1	5.0	10			62	4.8	755.4	NNE	10.8	3.0
2	6.3	8.8	4.7	3.4	12			60	4.1	59.4	NE	8.7	3.2
3	6.7	11.8	3.3	4.2	11			61	4.4	60.5	NNE	4.2	2.5
4	8.6	13.5	2.3	6.8	9			66	5.8	58.2	S	1.5	2.4
5	13.5	18.4	8.7	11.6	4			71	8.5	57.1	S	2.1	2.4
6	14.0	16.7	11.3	11.5	4			72	7.9	56.1	S	1.8	2.3
7	14.3	18.5	11.1	12.3	4			78	8.7	54.3	S	2.9	2.4
8	13.4	19.8	10.9	11.2	5			78	8.7	55.0	NNE	5.4	2.1
9	7.7	11.6	6.1	5.2	10			67	5.4	60.5	NNE	14.8	3.2
10	6.9	10.5	4.7	4.5	11			63	4.7	56.2	NNE	9.4	3.1
11	6.9	9.1	4.9	4.3	11			62	4.6	52.3	NNE	5.9	2.4
12	6.3	8.6	4.7	3.6	12	0.0	0.08	63	4.2	54.2	NNE	6.5	2.7
13	5.6	9.0	4.6	3.3	12	0.0	0.50	67	4.4	56.2	NE	2.9	1.7
14	5.4	10.5	0.9	3.8	13			67	4.4	59.1	NNE	2.6	1.6
15	8.2	14.1	2.5	5.3	10			54	4.4	59.1	SSW	1.5	2.8
16	9.9	13.1	5.2	6.9	8			56	5.2	56.7	SW	2.1	2.4
17	12.3	15.1	9.8	8.8	6			56	6.1	52.9	NE	2.1	3.1
18	12.5	17.1	7.8	9.4	5			61	6.5	48.2	SSW	2.1	3.4
19	12.5	16.2	9.9	9.5	5			63	6.8	45.8	WSW	5.3	5.2
20	13.8	20.8	9.5	8.5	4			47	4.9	52.4	WNW	4.2	4.6
21	13.1	16.9	8.8	10.3	5			61	7.3	48.6	SSE	4.8	4.0
22	10.3	14.6	10.4	8.0	8	8.0	6.42	70	7.5	45.6	W	3.2	3.3
23	6.9	10.2	5.3	4.9	11	0.6	3.53	71	5.2	47.3	NNE	1.8	1.4
24	7.7	11.9	3.8	5.7	10	0.0	0.33	66	5.1	50.4	SSW	1.7	2.0
25	9.0	14.0	5.0	6.3	9	0.3	0.17	63	5.3	56.9	NNE	2.9	2.4
26	8.4	10.2	6.1	6.3	10			67	5.6	60.2	NNE	8.8	2.2
27	9.0	11.5	6.8	7.2	9	2.5	3.00	74	6.6	54.9	NNE	7.0	1.9
28	10.4	15.0	8.1	7.7	8			63	5.9	54.5	NNE	3.4	2.3
29	11.0	16.3	5.9	8.0	7			59	5.7	52.6	SSW	1.8	3.1
30	13.4	19.2	8.7	9.8	5			57	6.3	52.1	NNE	4.6	3.0
31	11.9	17.6	7.9	8.3	6			55	5.6	54.4	NNE	5.0	3.8
Sum					254	11.4	14.03				NNE		85.9
Avg.	9.8	13.9	6.7	7.2				64	5.8	754.4	(6)	4.6	2.8

Year: 1933 Month: March

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (2)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4) :	Date
			Toward sea	Toward land	Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120		
1	2.2	9.7	6	6	8.4	10.0	10.8	10.7	11.2	11.9		1
2	5.1	8.7	6	7	4.8	7.3	10.2	10.3	10.9	11.8		2
3	9.3	5.0	6	6	6.4	8.3	9.8	10.0	10.8	11.8		3
4	8.5	4.0	5	6	7.9	10.2	9.7	9.9	10.7	11.8	Ω^{0} ⌴	4
5	7.6	7.0	7	8	13.0	14.9	10.9	10.6	11.1	11.9	Ψ^{0} Ω^{0-1}	5
6	0.6	7.0	8	7	11.9	16.6	12.0	11.5	11.4	12.0	Ω^{0-1}	6
7	8.3	7.0	6	8	14.4	16.4	12.4	11.9	11.7	12.2	Ω^{1}	7
8	5.2	8.3	4	6	13.4	15.3	13.0	12.5	12.0	12.3	Ψ^{0-1} Ω^{2}	8
9	1.6	5.3	4	7	7.4	9.9	12.2	11.9	11.8	12.1		9
10	0.0	10.0	6	7	7.2	8.9	11.2	11.4	11.7	12.2		10
11	2.5	9.3	6	6	5.6	7.5	11.0	10.9	11.6	12.2	Ψ^{1}	11
12	4.3	8.7	6	7	5.6	7.6	10.3	10.6	11.3	12.1	$\circ^{0}$ $\ast^{0}$	12
13	0.9	7.3	6	6	6.3	8.4	10.2	10.3	11.2	12.1	$\circ^{0}$	13
14	3.5	5.0	6	8	9.0	9.4	9.5	9.8	10.9	11.9		14
15	10.5	1.3	7	6	10.0	11.9	9.4	9.7	10.9	12.0	Ω^{1} $\llcorner^{0-1}$	15
16	0.5	9.3	5	6	8.3	9.8	10.0	10.2	11.1	11.9	Ω^{0}	16
17	0.0	8.3	6	5	10.8	12.3	10.8	10.7	11.2	11.9		17
18	7.6	3.3	6	6	12.2	16.5	11.2	11.1	11.4	12.1	Ω^{0}	18
19	9.7	4.0	4	8	15.3	18.3	12.1	11.8	11.7	12.3	Ω^{1}	19
20	10.9	1.3	7	9	15.9	18.5	12.5	12.2	12.0	12.3		20
21	10.2	5.3	7	8	14.4	16.1	12.9	12.6	12.2	12.4		21
22	0.7	10.0	8	7	9.5	11.2	13.0	12.7	12.4	12.5	$\circ^{1-2}$	22
23	1.2	9.7	7	7	6.1	6.5	11.7	11.7	12.2	12.5	$\circ^{0}$	23
24	7.8	7.7	8	8	7.9	9.6	10.8	11.0	11.8	12.5	$\circ^{0}$	24
25	4.0	5.7	7	7	7.9	9.5	10.7	10.9	11.6	12.3	$\circ^{0}$	25
26	0.0	10.0	6	7	7.6	8.7	10.5	10.7	11.4	12.2		26
27	0.5	9.0	6	5	7.2	7.7	10.5	10.7	11.3	12.1	$\circ^{1}$	27
28	6.5	5.7	7	8	9.9	11.7	10.8	10.9	11.4	12.2		28
29	10.5	0.0	6	7	12.3	14.9	11.0	10.9	11.4	12.2	Ω^{0} $\llcorner^{0-1}$	29
30	8.7	5.0	4	5	14.1	16.5	11.6	11.6	11.7	12.3	Ω^{0-1}	30
31	11.1	2.3	8	9	14.2	16.6	12.3	12.0	11.9	12.4		31
Sum	160.0										$\circ$ 7, $\ast$ 1, Ψ 3, Ω 11, ⌴ 3,	
Avg.		6.5	6.2	7.1	9.9	11.8	11.1	11.1	11.5	12.1		

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days. (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	11.5	17.9	5.6	9.3	6			67	7.0	753.7	SW	2.2	2.9	1
2	11.9	17.2	7.7	10.0	6	0.0	0.17	73	7.6	52.5	S	2.1	2.2	2
3	12.6	18.1	9.3	10.6	5	2.0	2.17	70	7.2	50.8	SSW	1.5	2.2	3
4	10.4	15.0	7.6	7.9	8	2.7	12.67	68	6.4	52.1	NNE	2.7	2.0	4
5	13.8	19.7	8.0	11.1	4			63	7.7	52.0	S	2.2	4.1	5
6	14.6	20.4	10.7	10.1	3			53	6.1	52.6	S	2.0	4.0	6
7	13.2	17.4	11.0	9.8	5			61	6.8	52.5	S	2.1	3.6	7
8	12.9	16.6	10.2	10.2	5			68	7.5	51.0	S	1.7	2.6	8
9	11.1	16.0	10.3	8.3	7	9.2	3.83	72	6.3	49.9	N	4.4	2.7	9
10	8.5	12.8	4.8	5.4	9	7.4	7.67	59	4.7	54.1	NNW	6.8	2.5	10
11	10.5	14.9	5.0	8.4	7			62	6.1	55.6	S	2.7	3.1	11
12	12.6	16.9	9.3	9.7	5	0.0	0.17	66	6.9	52.6	SSW	3.0	2.9	12
13	8.6	13.0	8.0	6.2	9	3.5	9.83	77	6.1	54.1	NNE	4.1	1.8	13
14	10.7	16.4	6.3	8.1	7	0.1	3.00	69	6.8	59.2	N	2.5	2.6	14
15	12.3	17.2	7.7	10.9	6			73	8.2	58.1	S	1.4	2.2	15
16	14.7	19.4	10.2	12.8	3			75	9.3	55.1	S	2.4	2.2	16
17	15.7	19.9	11.6	13.2	2			72	7.6	51.9	S	3.2	3.1	17
18	15.9	20.5	12.0	13.8	2			75	10.2	51.2	S	2.2	3.7	18
19	15.9	22.3	13.1	13.9	2			77	9.9	47.6	SSE	5.2	2.9	19
20	16.9	21.9	12.8	13.8	1	0.8	1.33	69	9.6	45.7	W	3.5	4.3	20
21	16.8	20.8	12.8	13.4	1			64	8.8	49.3	SE	2.3	4.9	21
22	17.6	22.9	13.7	14.5	0			70	10.2	47.9	SSW	2.7	3.5	22
23	16.9	22.1	13.6	15.0	1			75	11.0	44.4	S	3.1	2.4	23
24	14.2	17.7	11.8	10.0	4	0.4	1.00	57	6.9	44.9	SW	5.2	5.8	24
25	13.5	18.2	11.3	9.4	4	0.0	0.08	57	6.1	47.2	W	4.7	6.2	25
26	12.3	17.9	7.9	9.2	6	0.9	2.50	62	6.4	49.8	NNE	3.1	2.6	26
27	12.6	17.3	9.2	9.5	5	0.0	1.00	60	6.7	52.6	SSE	2.4	3.3	27
28	12.6	15.6	10.1	10.4	5	2.7	9.50	76	7.9	53.1	SE	4.2	3.2	28
29	15.0	20.1	10.8	12.6	3	0.1	1.00	72	9.1	54.7	SSW	2.4	3.4	29
30	15.7	20.4	11.2	12.9	2			70	8.9	56.3	S	1.8	2.5	30
Sum					133	29.8	55.92				SSW		95.4	Sum
Avg.	13.4	18.2	9.8	10.7				68	7.7	751.7	(6)	3.0	3.2	Avg

Year: 1933 Month: April

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	10.9	0.3	6	7	10.4	16.8	12.4	12.2	12.1	12.5		1
2	8.4	5.0	6	6	11.8	15.8	12.8	12.5	12.3	12.6	●° ∩¹	2
3	7.2	6.0	5	6	12.7	14.5	12.9	12.6	12.4	12.7	●¹ R° ≤° ∩¹	3
4	4.1	6.7	7	8	9.3	10.5	12.6	12.5	12.6	12.8	●¹	4
5	11.2	1.0	6	7	15.5	18.3	12.3	12.4	12.6	12.9	∩²	5
6	4.2	6.0	6	8	14.6	18.9	13.3	13.0	12.8	13.0		6
7	5.2	7.0	6	7	14.4	18.0	13.9	13.4	13.0	13.1		7
8	2.7	8.0	5	6	12.5	14.9	14.0	13.6	13.2	13.2		8
9	2.6	6.3	6	7	10.4	13.0	13.9	15.5	13.3	13.3	●¹⁻²	9
10	5.4	5.0	8	8	7.5	9.2	12.6	12.6	13.0	13.3	●¹	10
11	11.2	1.7	8	8	10.9	14.3	11.6	12.1	13.0	13.3		11
12	4.7	5.3	7	7	13.5	14.8	12.3	12.3	12.7	13.3	●° ∩⁰⁻¹	12
13	0.0	10.0	5	5	7.4	8.4	12.2	12.1	12.6	13.0	●¹	13
14	11.5	2.7	8	9	10.3	15.2	11.7	12.0	12.5	13.1	●°	14
15	10.0	3.3	6	6	12.9	18.2	12.1	12.1	12.6	13.2	∩¹	15
16	2.1	2.7	7	8	14.4	22.8	13.1	12.8	12.9	13.2	∩¹	16
17	11.2	1.7	7	7	19.8	19.8	14.3	13.7	13.2	13.3	∩¹	17
18	10.2	4.0	6	7	16.3	21.2	14.9	14.2	13.5	13.4	∩¹	18
19	3.6	9.3	4	5	18.3	20.8	15.5	14.7	13.9	13.7	∩¹	19
20	9.8	4.7	6	8	21.6	24.3	15.8	15.0	14.2	13.9	●⁰⁻¹ R° ≤¹	20
21	10.6	3.7	7	7	18.1	25.1	16.3	15.5	14.5	14.0		21
22	3.2	9.0	7	6	16.6	19.5	16.6	15.8	14.8	14.2	≤°	22
23	7.6	8.0	5	5	17.8	21.3	16.7	16.0	15.1	14.4		23
24	10.4	6.0	9	9	14.0	16.3	16.3	15.7	15.2	14.6	●° ≤°	24
25	6.8	8.3	7	9	13.8	23.5	16.0	15.7	15.3	14.7	●°	25
26	4.8	8.7	8	9	10.9	14.7	15.5	15.3	15.2	14.8	●⁰⁻¹	26
27	3.8	7.7	8	8	11.3	16.0	15.2	15.0	15.1	14.9	●°	27
28	0.0	10.0	9	8	10.7	12.6	14.8	14.5	14.8	14.9	●⁰⁻¹	28
29	10.2	3.0	9	8	14.8	18.0	14.5	14.7	14.9	14.9	●°	29
30	10.7	3.3	6	7	15.5	21.0	15.6	15.1	15.0	14.9	∩°	30
												31
Sum	204.3										● 15, R 2 ≤ 2, ∩ 10,	
Avg.		5.5	6.7	7.2	13.6	17.3	14.1	13.8	13.6	13.6		

Year: 1933 Month: May

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid. (%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Wind (1) (5) Prevailing direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)	
1	17.5	23.3	12.2	13.9	0			39	8.8	754.8	SSW	1.9	4.2	1
2	17.2	23.6	14.9	15.0	1			59	9.6	52.8	SSW	2.0	4.2	2
3	21.2	25.9	16.1	15.4	0			52	10.0	50.9	SSW	1.6	5.1	3
4	20.6	26.9	17.0	16.9	0			65	11.3	49.3	W	3.0	4.7	4
5	20.1	26.2	15.9	16.0	0	0.0	0.05	60	10.5	50.8	WSW	4.2	6.6	5
6	17.8	21.1	15.5	13.6	0	0.0	0.25	59	8.8	53.7	NNW	6.0	4.5	6
7	17.1	22.0	12.5	12.3	1			68	6.9	55.3	N	6.0	5.5	7
8	16.8	24.7	11.6	12.2	1			51	7.4	51.6	SSW	2.6	5.3	8
9	16.4	21.6	12.0	13.4	2	0.0	0.13	62	8.5	48.8	SSW	1.2	2.9	9
10	19.2	24.4	15.1	13.4	0			48	7.5	46.9	W	2.3	6.7	10
11	18.0	23.0	14.0	14.4	0			58	9.6	47.8	SSW	2.3	5.1	11
12	18.8	23.0	15.1	14.1	0			56	8.8	47.3	WSW	4.6	6.4	12
13	17.5	21.8	14.4	13.7	0			61	9.1	47.8	SSE	3.7	5.3	13
14	17.1	22.7	13.5	13.7	1	0.6	0.58	65	9.5	50.0	W	2.4	4.0	14
15	17.1	21.2	13.0	13.9	1			66	10.5	52.1	SSW	2.6	3.8	15
16	17.6	22.6	14.0	13.3	0	0.0	0.05	58	8.4	48.9	WNW	5.7	5.2	16
17	16.8	22.0	13.9	11.0	1			45	5.8	51.7	NW	4.4	7.2	17
18	16.3	21.6	12.5	13.1	2			63	8.7	51.9	SSW	2.2	3.9	18
19	15.9	20.7	13.1	13.6	2	1.8	2.48	70	9.4	47.7	SSW	2.5	2.8	19
20	13.3	18.3	12.1	11.5	5	20.8	6.05	82	9.3	47.3	N	1,4	1.5	20
21	15.1	20.1	11.0	13.2	3	3.0	2.17	74	9.4	48.7	WNW	2.1	2.0	21
22	17.4	22.8	13.6	15.2	1	0.0	0.17	69	10.3	52.0	S	1.5	3.0	22
23	17.6	21.8	13.7	14.9	0			71	10.3	51.7	SSW	2.3	2.9	23
24	17.2	20.6	13.8	14.6	1			72	10.1	50.6	SSW	2.1	3.6	24
25	17.3	22.1	13.1	15.3	1			73	11.4	49.9	SSW	1.9	2.6	25
26	19.2	23.7	15.7	15.4	0	0.0	0,25	62	10.0	47.1	S	2.2	4.4	26
27	19.6	23.8	15.7	15.4	0			59	9.8	45.2	S	3.0	4.7	27
28	17.6	22.0	15.1	13.1	0	0.0	0.17	56	8.2	46.1	W	3.8	5.8	28
29	18.6	24.2	13.5	14.1	0			53	8.4	46.1	W	3.1	7.3	29
30	19.5	24.3	13.5	15.2	0			57	9.5	47.1	SSW	2.5	5.9	30
31	18.4	22.6	16.0	13.7	0	1.1	1.00	56	8.6	46.3	WSW	2.6	5.0	31
Sum					23	27.3	13.35				SSW		142.1	Sum
Avg.	17.8	22.7	14.0	14.0				60	9.2	749.6	(6)	2.9	4.6	Avg

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.7	2.0	7	7	18.9	24.1	16.4	15.8	15.2	15.0	Ω^{0-1}	1
2	9.4	5.0	6	6	18.7	25.3	17.3	16.4	15.5	15.1		2
3	6.3	6.0	5	5	19.5	25.3	18.0	17.1	15.8	15.3		3
4	5.3	6.7	5	4	23.6	27.0	18.8	17.6	16.2	15.4		4
5	11.3	3.7	6	5	21.7	27.2	19.2	18.0	16.5	15.7	◍°	5
6	7.8	4.7	6	7	18.8	26.2	19.2	18.2	16.8	15.9	◍°	6
7	11.0	4.0	6	8	17.8	26.0	18.5	18.0	16.9	16.1		7
8	5.4	8.0	6	6	15.2	22.5	18.6	17.9	17.0	16.3	$\Omega\Omega^{0}$	8
9	1.5	9.0	7	6	17.3	24.1	18.2	17.8	17.1	16.4	◍° Ω^{2}	9
10	10.8	2.3	6	7	18.9	27.4	18.5	17.9	17.2	16.5		10
11	11.7	1.7	8	8	18.2	26.2	18.9	18.3	17.3	16.6		11
12	12.0	2.0	6	7	19.9	25.1	19.1	18.4	16.5	16.7		12
13	9.6	3.3	6	6	18.4	25.7	19.2	18.6	17.6	16.9		13
14	6.3	6.3	8	9	15.4	21.7	19.0	18.5	17.8	16.9	◍° T°	14
15	11.8	3.3	6	7	17.5	26.1	18.7	18.3	17.7	17.0	$\Omega\Omega^{0}$	15
16	8.7	4.0	4	5	18.1	24.2	18.9	18.3	17.8	17.1	◍° Ω^{1}	16
17	11.9	2.3	9	9	16.6	26.3	18.6	18.3	17.7	17.1		17
18	2.6	5.7	7	7	15.4	23.9	18.8	18.3	17.8	17.2		18
19	6.3	9.0	7	6	15.2	21.6	18.4	18.1	17.8	17.3	◍¹ R°	19
20	3.0	9.0	8	5	12.1	13.5	17.5	17.2	17.6	17.2	◍² ▲° R° ∩¹	20
21	3.8	8.7	9	9	15.8	17.4	16.6	16.9	17.3	17.2	◍ R ∩	21
22	5.1	6.0	7	6	18.0	20.3	16.8	16.9	17.2	17.1	◍	22
23	10.6	4.3	8	7	18.3	21.7	17.0	17.4	17.1	17.1	$\Omega\Omega^{1-2}$	23
24	7.3	7.3	7	8	16.0	20.8	17.8	17.4	17.1	17.0	$\Omega\Omega^{2}$	24
25	9.7	5.3	7	7	18.1	25.3	17.9	17.6	17.2	17.0	Ω^{2}	25
26	11.2	3.7	7	8	20.2	26.0	18.5	18.0	17.3	17.1	◍°	26
27	11.5	1.7	7	8	20.8	29.6	19.2	18.4	17.6	17.2		27
28	4.9	7.0	9	8	17.4	22.2	19.4	16.7	17.8	17.4	◍°	28
29	11.7	3.7	8	9	22.4	30.8	19.2	18.7	18.0	17.3		29
30	11.4	2.3	8	8	21.2	29.1	19.8	19.1	18.1	17.5		30
31	5.8	6.0	4	6	16.5	23.7	19.9	19.3	18.3	17.6	◍$^{0-1}$	31
um	257.4										◍12, ▲1, R 4, ∩ 2,	
vg.		5.0	6.8	6.9	18.1	24.4	18.5	17.9	17.2	16.7	Ω 8,	

Year: 1933 Month: June

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid (%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	18.9	22.8	14.6	14.5	0			58	9.3	747.1	SSE	2.9	5.2	1
2	19.8	23.6	15.7	15.6	0			58	9.9	47.9	SSW	2.0	4.8	2
3	19.0	23.3	14.8	14.9	0	0.0	0.03	61	9.5	49.5	SSW	2.7	5.0	3
4	17.9	22.8	14.0	15.8	0	8.4	5.00	75	11.1	49.4	NW	2.2	3.2	4
5	18.2	22.1	14.4	15.3	0			68	10.5	51.5	SSW	2.1	3.3	5
6	18.5	21.8	14.8	14.5	0			60	9.4	52.5	S	2.8	4.3	6
7	19.6	23.6	15.9	15.0	0			56	9.4	49.9	SSW	2.3	5.6	7
8	19.4	23.7	17.7	16.5	0	0.1	0.25	66	11.7	48.6	SSW	1.5	3.3	8
9	20.6	25.6	17.2	17.2	0	0.7	2.75	67	12.0	45.2	W	2.0	3.9	9
10	20.4	25.4	17.0	15.8	0			57	10.0	47.9	SSW	2.3	5.4	10
11	20.1	23.7	16.3	15.9	0			62	10.6	50.0	SSW	2.1	4.6	11
12	17.3	19.6	15.9	16.5	1	14.6	15.00	89	13.5	49.4	W	0.9	1.2	12
13	20.5	26.5	15.2	16.6	0	0.0	0.33	67	11.0	48.2	WSW	2.4	4.5	13
14	22.4	28.3	16.8	16.6	0			52	9.8	50.3	WSW	3.1	7.5	14
15	21.5	25.2	17.9	15.9	0			53	9.8	49.4	W	2.9	6.6	15
16	21.9	26.8	17.3	15.9	0			48	9.2	50.5	S	2.0	7.2	16
17	22.7	27.4	17.7	17.0	0			47	10.4	51.1	SSW	1.9	6.3	17
18	25.1	30.1	20.2	18.2	0			44	11.0	45.2	SW	3.6	7.7	18
19	24.4	29.2	19.7	17.8	0			67	10.7	46.4	W	5.4	11.0	19
20	25.0	29.3	21.2	18.8	0	0.0	0.25	50	12.0	47.6	SSW	2.5	8.7	20
21	24.4	29.1	20.2	19.1	0			56	12.9	49.2	SSW	1.5	6.7	21
22	25.1	29.7	20.1	19.1	0			55	12.3	51.0	SSW	1.4	6.0	22
23	27.6	33.3	22.6	19.1	0			47	11.7	51.4	SSW	1.5	7.6	23
24	27.7	33.2	22.5	18.8	0			40	10.2	48.6	W	2.7	11.4	24
25	24.9	29.3	21.0	17.0	0			41	9.1	49.7	S	2.7	9.2	25
26	25.5	32.1	19.4	19.0	0			47	11.6	48.2	SSE	3.6	8.5	26
27	27.3	33.0	22.1	18.5	0			38	10.0	47.5	W	5.1	14.4	27
28	25.1	29.6	20.5	17.8	0			46	10.3	49.7	S	2.7	9.2	28
29	25.4	31.0	20.2	20.2	0			54	14.1	46.8	SSW	1.5	6.9	29
30	26.6	32.0	22.2	17.8	0			38	9.4	47.7	W	3.2	11.2	30
Sum					1	23.8	23.61				SSW		200.4	Sum
Avg.	22.4	27.1	18.2	17.1				55	10.7	748.9	(6)	2.5	6.7	Avg

Year: 1933 Month: June

Date	Total sunshine (hrs) (6)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	7.8	4.7	8	8	17.8	23.4	19.2	19.0	18.4	17.6	≤1	1
2	10.5	4.7	7	7	19.4	25.2	19.6	19.1	18.4	17.8		2
3	8.9	5.7	6	7	19.4	27.7	19.9	19.3	18.5	17.9	●° Ω°	3
4	11.9	7.7	6	7	18.0	19.7	19.7	19.4	18.6	17.9	●² R²	4
5	9.6	6.7	8	8	20.3	23.2	19.1	18.9	18.6	18.0		5
6	11.2	4.0	7	7	19.3	22.1	19.4	19.0	18.5	18.1		6
7	9.7	5.7	7	7	20.4	25.0	19.9	19.3	18.6	18.1		7
8	3.1	7.3	7	7	19.2	24.6	20.3	19.7	18.7	18.1	●¹	8
9	7.0	6.0	6	7	20.6	25.9	20.5	19.7	18.9	18.2	●⁰⁻¹	9
10	8.3	3.7	7	8	21.9	26.8	20.8	20.1	19.0	18.3		10
11	5.4	7.0	6	7	19.0	21.9	20.8	20.1	19.1	18.4		11
12	3.3	9.7	6	6	18.4	18.9	20.2	19.7	19.1	18.5	●¹ R°	12
13	12.0	2.7	7	7	21.2	22.7	19.5	19.3	19.1	18.5	●°	13
14	12.1	2.7	6	7	24.1	28.6	20.2	19.6	19.0	18.5		14
15	-	2.7	7	8	20.9	25.4	21.0	20.0	19.2	18.5		15
16	12.4	2.0	7	7	20.7	25.4	21.3	20.4	19.4	18.6		16
17	11.4	3.0	7	6	20.9	26.0	21.8	20.7	19.6	18.8		17
18	11.6	3.7	7	7	24.0	29.7	22.4	21.3	19.9	18.9		18
19	12.0	3.3	6	6	24.0	28.5	23.0	21.7	20.2	19.0		19
20	12.1	2.3	7	7	24.4	28.6	23.7	22.2	20.5	19.2	●°	20
21	11.6	2.7	7	8	24.0	29.2	23.8	22.5	20.9	19.4		21
22	12.2	0.7	7	7	22.8	29.6	24.1	22.7	21.2	19.6	Ω°	22
23	11.6	2.3	7	7	26.3	32.1	24.5	23.0	21.5	19.8		23
24	12.0	0.0	4	4	25.9	30.8	25.1	23.6	21.7	20.1		24
25	12.4	0.0	9	9	23.7	29.3	25.1	23.7	22.0	20.3		25
26	11.8	0.3	7	7	23.2	27.9	24.8	23.8	22.2	20.5		26
27	12.1	0.3	4	5	26.4	32.1	25.4	24.0	22.3	20.6		27
28	11.5	2.0	7	7	25.6	28.4	25.6	24.1	22.6	20.8		28
29	11.6	1.3	7	7	26.1	29.5	25.2	24.2	22.9	21.0		29
30	12.4	0.7	7	8	25.4	31.9	26.0	24.4	23.0	21.1		30
um	299.6										●7, R 2, ≤1, Ω2,	
vg.		3.5	6.7	7.0	22.1	26.7	21.4	20.5	20.1	19.0		

Year: 1933 Month: July

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	24.9	30.5	20.1	18.0	0			44	10.5	749.1	W	2.5	9.3	
2	23.6	28.0	20.0	17.1	0			48	10.2	50.9	W	3.2	8.2	
3	22.6	27.2	17.9	16.8	0			51	10.0	55.3	SSE	3.2	7.1	
4	23.4	28.6	18.9	17.8	0			55	11.0	53.2	S	2.2	6.6	
5	23.3	26.8	19.3	18.1	0			54	11.7	47.5	SSE	3.0	4.0	
6	21.2	25.7	18.8	15.5	0	0.0	0.22	48	9.4	51.0	N	3.8	6.8	
7	21.5	25.2	17.8	17.5	0			59	11.9	54.0	S	2.5	4.9	
8	23.5	29.2	18.5	18.8	0			61	12.7	52.6	SSW	1.5	5.4	
9	25.8	32.1	20.7	17.3	0			48	11.8	50.5	NE	3.7	6.8	
10	25.1	32.1	20.3	18.9	0			53	12.1	51.3	S	2.0	7.3	10
11	24.8	29.9	20.6	19.4	0			57	13.1	52.7	SW	2.4	6.6	11
12	25.9	32.7	20.3	20.4	0			56	13.9	53.3	SSW	1.6	6.2	12
13	26.8	32.8	20.8	20.8	0			55	14.2	52.9	SSW	1.9	8.0	13
14	29.5	36.4	22.9	22.2	0			48	15.0	51.7	NNE	2.7	7.9	14
15	29.8	35.5	25.5	22.4	0			49	14.5	50.6	NNE	5.7	9.6	15
16	26.7	36.5	22.4	21.6	0			48	14.0	48.6	NNE	3.7	8.3	16
17	28.4	37.1	22.8	22.3	0			54	15.9	47.3	SW	1.4	8.7	17
18	27.6	31.5	23.7	21.4	0			53	14.7	48.5	NNE	7.5	8.5	18
19	27.0	32.3	23.8	21.9	0			59	15.5	48.6	N	7.5	7.2	19
20	26.1	31.7	22.5	21.2	0	0.0	0.05	61	15.3	49.2	NNE	5.9	6.2	20
21	25.0	33.1	19.8	21.3	0			67	16.3	50.8	SSW	2.2	5.4	21
22	25.1	30.8	20.8	20.9	0			65	15.0	51.5	SSW	1.8	5.3	22
23	26.8	33.5	21.1	21.6	0			59	16.0	50.8	NE	1.6	6.0	23
24	26.3	32.7	21.3	20.5	0	0.0	0.23	55	14.0	49.2	SW	1.3	6.2	24
25	24.3	31.2	21.5	19.8	0	6.2	1.83	63	14.4	49.6	N	1.3	4.0	25
26	24.6	31.2	20.8	19.5	0	23.7	2.80	62	14.0	52.2	N	2.2	5.0	26
27	26.0	31.6	21.3	20.1	0			51	13.0	53.6	N	5.6	6.4	27
28	27.2	32.6	22.9	19.5	0			46	11.5	53.0	N	6.4	7.7	28
29	27.7	32.5	23.6	20.2	0			46	13.2	52.3	NNE	5.8	8.1	29
30	28.2	35.1	22.6	19.7	0			39	10.9	50.4	N	3.6	8.3	30
31	26.3	30.4	21.9	19.6	0			44	12.5	49.3	SSW	2.1	8.6	31
Sum					0	29.9	5.13				NNE		214.6	Sum
Avg.	25.7	31.5	21.1	19.7				54	13.2	751.0	(6)	3.3	6.9	Avg

Year: 1933 Month: July

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	10.7	1.3	8	8	25.3	28.7	25.6	24.6	23.1	21.3		1
2	11.9	3.3	9	9	25.6	31.0	25.4	24.5	23.2	21.3		2
3	11.4	1.3	8	8	23.3	27.5	25.0	24.2	23.2	21.5		3
4	9.9	2.7	7	7	23.5	27.8	24.8	24.1	23.2	21.6		4
5	5.2	6.3	7	7	21.9	24.1	24.5	23.9	23.1	21.6		5
6	2.3	7.3	8	9	21.1	26.3	23.8	23.4	22.8	21.7	◍°	6
7	11.2	1.7	7	8	21.3	26.2	23.6	23.0	22.8	21.6		7
8	11.0	1.0	5	6	24.2	27.5	23.6	23.2	22.8	21.6	Ω°	8
9	12.2	2.7	6	8	24.9	32.1	24.7	23.7	22.8	21.7		9
10	11.8	1.7	7	8	23.7	27.7	25.0	24.0	23.0	21.7		10
11	9.5	1.7	8	8	24.6	27.8	25.1	24.2	23.1	21.7		11
12	10.0	1.7	7	5	25.5	28.4	25.1	24.2	23.2	21.8		12
13	11.9	0.7	6	6	26.1	29.7	25.4	24.4	23.4	21.9		13
14	11.5	0.7	6	7	26.6	32.2	26.0	26.0	23.5	22.1		14
15	11.4	0.3	6	8	31.1	36.1	26.7	25.3	23.8	22.3		15
16	11.7	0.0	6	8	26.4	35.7	26.9	25.6	24.2	22.5		16
17	11.8	0.0	6	8	28.4	36.0	27.2	25.7	24.4	22.5		17
18	11.7	0.7	4	4	28.4	33.8	27.1	25.9	24.4	22.7		18
19	9.8	3.3	6	7	30.7	34.4	27.0	26.0	24.7	23.0		19
20	9.7	5.0	7	8	27.1	32.9	26.7	25.8	24.7	22.4	◍°	20
21	11.3	1.7	6	6	26.6	30.9	26.6	25.9	24.9	23.1	Ω°	21
22	9.8	3.3	6	7	25.3	30.7	26.2	25.6	24.8	23.2	Ω¹	22
23	11.1	3.0	7	9	28.5	31.7	26.3	25.6	24.8	23.5	Ω$^{0-1}$	23
24	6.3	7.3	6	7	29.9	32.4	26.4	25.7	24.9	23.3	◍°	24
25	5.0	6.3	7	9	24.2	26.1	25.9	25.5	24.9	23.4	◍$^{1-2}$ ⊼¹	25
26	6.6	4.3	3	3	22.2	21.5	24.6	24.4	24.4	23.4	◍² ⊼²	26
27	11.6	3.7	8	9	26.9	27.6	24.0	24.0	24.0	23.4		27
28	9.8	2.0	5	6	26.3	31.4	24.7	24.2	24.0	23.3		28
29	11.1	0.7	5	6	27.6	32.5	25.4	24.6	24.0	23.2		29
30	11.8	0.3	8	9	27.7	34.0	25.9	25.0	24.1	23.2		30
31	10.7	0.0	6	6	24.7	31.0	26.1	25.3	24.3	23.3		31
Sum	311.7										◍5, ⊼2, Ω4	
Avg.		2.4	6.5	7.2	25.8	30.2	25.5	24.8	23.8	22.4		

Year: 1933 Month: August

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)		
1	27.9	33.9	23.7	20.6	0			50	12.1	748.9	ENE	1.6	7.9	
2	26.8	33.4	22.0	20.0	0			52	12.7	49.0	N	2.1	6.5	
3	26.4	33.9	21.0	21.8	0			54	13.1	48.3	ENE	1.8	6.4	
4	25.7	31.6	20.9	20.5	0			59	14.1	49.8	SSW	1.7	5.8	
5	26.1	32.1	21.2	20.5	0			56	14.2	51.2	NNE	1.7	6.3	
6	25.7	32.8	21.6	20.6	0	0.3	0.05	61	14.7	50.4	NNE	1.9	5.0	
7	23.8	28.9	21.2	19.3	0	0.2	0.58	64	13.3	49.8	NNW	3.8	4.1	
8	24.3	29.1	20.1	17.3	0	0.0	0.39	48	10.2	51.1	N	5.5	6.9	
9	24.7	30.9	19.7	17.8	0			43	10.2	51.4	NNW	5.1	7.1	
10	27.7	34.5	21.2	19.3	0			40	10.7	52.2	NNW	5.7	9.2	1
11	29.2	36.2	23.8	21.0	0			40	12.4	53.1	NNW	4.8	9.5	1
12	29.0	34.8	25.0	20.4	0			41	13.3	51.3	N	5.6	9.5	1
13	28.3	34.9	23.5	19.9	0			46	11.6	48.3	WNW	2.9	8.8	1
14	27.8	34.5	22.8	20.8	0			51	13.7	50.6	NW	1.5	7.7	1
15	26.2	31.8	22.2	20.2	0			67	13.9	51.7	N	3.5	6.4	1
16	25.0	30.6	19.4	18.0	0			45	10.6	52.6	N	6.1	7.5	1
17	25.5	33.0	19.9	19.3	0			49	12.1	51.5	N	3.2	7.3	1
18	25.7	30.7	20.5	20.7	0			59	14.6	51.6	SSW	1.2	4.5	1
19	27.2	34.7	21.8	21.1	0			53	13.8	52.9	N	1.5	5.7	1
20	28.4	35.7	23.6	20.7	0			45	13.2	51.8	N	2.3	7.5	20
21	28.4	37.1	22.9	21.3	0			49	13.8	49.6	N	1.7	8.0	2
22	27.0	32.7	23.0	21.5	0			58	15.6	47.5	S	1.5	5.7	2
23	29.5	37.2	23.3	21.0	0			46	12.7	45.1	SW	3.6	11.8	2
24	28.4	33.7	24.8	21.3	0			48	14.2	46.4	W	1.9	8.8	2
25	27.1	33.5	22.6	18.9	0			43	10.8	49.2	N	5.4	7.5	25
26	25.0	29.2	22.1	17.9	0			46	10.8	51.5	N	6.7	8.3	2
27	24.1	30.6	19.0	17.1	0			44	9.6	51.1	NE	4.8	6.8	2
28	23.9	28.9	19.0	17.1	0			46	10.0	50.7	NE	5.3	6.8	28
29	22.2	25.3	20.3	18.4	0	0.0	1.25	65	12.9	47.6	NE	4.0	5.1	29
30	21.0	24.2	18.3	17.9	0	1.4	0.92	71	13.2	49.8	W	2.4	3.9	30
31	22.2	26.9	18.4	17.4	0			59	11.4	53.1	W	4.8	9.1	31
Sum					0	1.9	3.19				N		221.4	Su
Avg.	26.1	32.2	21.6	19.7				51	12.6	750.3	(6)	3.4	7.1	Av

Year: 1933 Month: August

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	9.1	1.0	6	8	26.4	33.9	26.3	25.5	24.5	23.4		1
2	10.8	1.7	8	9	27.5	34.8	26.6	25.7	24.6	23.4		2
3	7.6	4.7	7	8	22.6	28.5	26.7	25.9	24.7	23.5		3
4	9.2	2.0	7	6	25.4	31.4	26.4	25.7	24.8	23.6	Ω°	4
5	9.2	1.3	6	8	25.8	30.8	26.5	25.7	24.7	23.5		5
6	5.6	6.3	7	8	24.1	27.7	26.3	26.0	24.8	23.7	◍° R°-1	6
7	3.1	6.3	6	7	23.4	28.1	25.7	25.3	24.7	23.7	◍° ≺¹	7
8	11.3	3.3	7	8	22.7	29.8	25.4	24.9	24.5	23.6	◍°	8
9	11.8	0.3	8	9	25.0	32.0	25.5	25.0	24.5	23.6		9
10	10.7	0.0	6	9	25.1	34.7	25.8	25.1	24.5	23.7		10
11	11.1	0.0	6	8	28.4	35.7	26.6	25.6	24.7	23.7		11
12	10.0	0.7	5	6	28.9	36.1	27.1	26.1	24.9	23.7		12
13	11.8	0.3	7	9	29.1	36.3	27.3	26.4	25.2	23.9		13
14	11.3	0.7	5	7	25.8	32.7	27.3	26.5	25.3	24.0		14
15	10.3	1.0	7	7	25.2	31.4	27.2	26.5	25.5	24.1		15
16	11.7	1.3	6	7	27.5	32.7	26.6	26.0	25.1	24.1		16
17	11.1	0.7	6	7	23.6	30.7	26.4	26.0	25.3	24.2		17
18	11.0	1.3	8	8	26.5	31.7	26.4	25.9	25.3	24.1		18
19	9.3	3.7	7	8	25.1	30.4	26.6	26.0	25.3	24.2		19
20	11.4	1.3	7	8	26.2	31.1	26.8	26.1	25.3	24.2		20
21	11.4	0.0	8	8	28.3	37.3	27.6	26.4	26.0	24.2		21
22	11.5	0.3	7	6	25.5	33.0	26.9	26.4	25.4	24.2		22
23	9.5	0.3	4	4	29.9	35.0	27.8	26.4	25.5	24.3		23
24	9.5	0.3	7	7	26.0	34.6	27.5	26.7	25.6	24.3		24
25	11.2	1.7	6	7	27.6	33.0	27.1	26.5	25.4	24.3		25
26	10.4	1.3	7	7	27.7	32.4	26.7	26.2	25.2	24.3		26
27	9.2	2.0	7	8	25.3	31.9	26.8	25.7	25.1	24.3		27
28	8.7	4.3	6	8	24.4	29.4	25.9	25.9	25.0	24.3		28
29	4.6	6.7	7	7	23.5	26.7	25.4	25.2	25.1	24.3	◍°	29
30	6.8	6.0	7	8	21.0	24.6	24.8	24.6	25.8	24.3	◍°-1	30
31	11.4	2.7	9	9	24.8	27.5	24.2	24.3	24.7	24.2		31
Sum	301.6										◍5, R1, ≺1, Ω1	
Avg.		2.1	6.7	7.5	25.8	31.8	26.4	25.8	25.0	24.0		

Year: 1933 Month: September

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)		
1	22.4	27.7	17.7	17.8	0			54	11.6	753.7	SW	2.3	6.2	
2	22.5	27.4	18.1	18.1	0			60	12.4	51.3	SSW	2.5	5.1	
3	22.1	27.7	19.0	19.0	0	2.6	0.67	72	14.3	50.0	SW	1.8	4.6	
4	21.9	28.7	18.7	18.5	0	0.5	0.73	71	13.5	49.7	ENE	2.6	2.9	
5	21.6	26.5	18.9	17.2	0	0.0	0.25	62	11.9	52.2	NE	2.8	4.1	
6	21.8	28.9	15.6	17.3	0			55	11.1	53.8	N	1.7	4.9	
7	22.4	29.9	17.1	18.3	0			52	12.3	55.6	NNE	3.1	5.4	
8	21.1	26.5	17.4	15.3	0			50	9.0	56.7	NE	5.6	5.6	
9	20.5	26.1	15.9	14.5	0			47	6.9	56.1	NE	6.0	6.3	
10	20.8	26.7	16.3	15.3	0			49	9.2	56.5	NNE	5.6	6.1	10
11	20.1	24.4	19.0	15.3	0			57	10.5	58.3	NE	7.0	5.6	1
12	19.9	25.6	16.7	14.9	0			53	9.0	59.0	NE	6.8	5.7	12
13	21.6	29.0	15.0	17.0	0			56	11.3	55.9	SSW	2.2	6.5	13
14	23.7	30.0	18.6	19.5	0			64	13.5	52.8	SW	1.5	4.9	14
15	27.2	34.6	21.9	21.1	0			55	14.0	49.5	S	3.6	9.2	15
16	19.0	21.0	18.7	14.5	0			58	9.5	52.3	NE	5.6	5.4	16
17	19.4	24.2	14.5	15.2	0			58	9.9	51.2	S	2.1	5.1	17
18	20.4	24.3	16.0	17.1	0			66	11.9	50.3	S	3.1	4.7	18
19	20.9	26.2	17.9	18.0	0	7.1	4.25	76	13.4	48.8	NNW	1.8	3.2	19
20	20.0	24.1	15.5	18.0	0			77	13.6	53.2	SSW	1.8	2.7	20
21	21.7	27.5	17.9	19.5	0			76	14.7	53.9	SW	1.1	3.0	21
22	22.4	26.6	17.5	19.1	0			67	14.0	52.3	SW	1.4	3.6	22
23	22.3	28.0	17.7	18.8	0			71	13.5	50.3	SW	1.3	3.0	23
24	21.7	27.3	17.3	18.7	0			73	14.0	49.5	N	1.4	3.2	24
25	22.0	27.9	18.0	18.8	0			72	14.2	52.0	SW	1.5	3.4	25
26	20.7	24.8	17.6	15.5	0			58	9.6	54.5	NE	6.1	4.9	26
27	20.2	23.2	16.9	13.4	0			43	7.5	55.5	NE	9.6	7.0	27
28	20.3	24.1	17.4	14.2	0			46	8.2	55.9	NE	8.3	7.7	28
29	20.6	25.7	17.1	15.3	0			50	9.1	56.0	NE	6.2	6.4	29
30	20.9	26.4	15.6	15.3	0			51	8.8	55.9	SSW	1.6	5.8	30
Sum					0	10.2	5.90				NE		152.2	Su
Avg.	21.4	26.7	17.3	17.0				60	11.4	753.4	(6)	3.6	5.1	Av

Year: 1933 Month: September

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	11.6	2.3	9	9	23.1	28.7	24.3	24.2	24.4	24.0		1
2	10.7	3.7	9	8	23.7	29.5	24.4	24.2	24.3	23.9		2
3	8.8	2.7	8	7	22.1	27.6	24.3	24.2	24.2	23.8	◍¹	3
4	7.3	8.0	8	7	23.0	24.5	23.8	23,7	23.8	23.6	◍¹⁻²	4
5	5.9	7.0	9	8	18.6	21.6	23.3	23.4	23.6	23.5	◍⁰	5
6	10.6	2.3	8	9	–	–	23.0	23.1	23.3	23.4		6
7	11.1	1.0	8	9	23.0	30.7	23.4	23.3	23.1	23.2		7
8	10.4	3.0	7	8	21.2	27.9	23.4	23.3	23.0	23.2		8
9	11.1	1.3	8	8	20.0	26.8	23.1	23.0	22.9	23.1		9
10	11.2	1.0	8	8	19.1	27.7	22.9	22.8	23.0	23.1		10
11	10.0	3.3	7	7	16.9	22.9	22.8	22.8	22.8	22.9		11
12	8.6	3.3	8	8	18.3	25.3	22.4	22.4	22.5	22.8		12
13	11.2	0.0	7	7	21.0	27.2	22.5	22.5	22.7	22.7		13
14	11.0	0.3	7	5	21.8	29.4	23.0	22.8	22.8	22.8		14
15	8.7	1.0	4	7	25.2	33.3	23.9	23.4	23.0	22.8		15
16	0.0	8.0	7	7	16.0	20.4	23.3	23.1	22.7	22.7		16
17	10.6	0.7	8	7	18.4	23.9	22.2	22.5	22.7	22.7		17
18	9.1	4.3	6	7	20.5	25.1	22.1	22.2	22.5	22.6		18
19	9.0	4.3	8	9	22.6	23.0	22.4	22.3	22.4	22.5	◍¹⁻²	19
20	10.1	1.7	8	8	20.0	23.3	21.9	21.8	22.2	22.4		20
21	10.5	0.7	6	8	21.3	26.5	22.0	21.9	22.1	22.3	Ω²	21
22	9.2	0.3	6	8	21.5	25.6	22.2	22.1	22.1	22.3	Ω¹	22
23	10.3	0.0	6	7	21.9	26.7	22.4	22.2	22.1	22.2		23
24	9.8	1.0	6	8	19.9	26.1	22.6	22.3	22.2	22.2		24
25	9.3	1.7	6	7	20.8	25.6	22.7	22.3	21.9	22.1	Ω¹⁻²	25
26	9.6	2.0	5	8	19.2	25.9	22.5	22.2	21.9	22.0		26
27	10.2	2.0	4	7	19.0	25.3	22.0	22.1	21.6	22.0		27
28	10.4	1.7	5	8	17.6	25.4	21.8	21.5	21.5	21.8		28
29	10.4	0.7	6	9	19.7	27.0	21.7	21.5	21.6	21.8		29
30	10.3	1.3	7	8	19.7	26.7	21.5	21.4	21.6	21.9		30
m.	287.0										◍ 4, Ω 3	
g.		2.4	7.0	7.7	20.5	26.2	22.8	22.7	22.7	22.7		

Date	Air. temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction (1)	Avg. speed (met.p.s.) (5)	(4)(7)	Date
1	21.2	28.0	16.5	16.6	0			61	11.3	756.5	NNE	2.1	4.2	1
2	18.0	22.4	15.1	15.1	0	6.45	5.17	73	10.8	56.7	NE	3.0	2.7	2
3	18.5	23.6	13.9	15.8	0			69	11.2	54.6	SW	1.4	3.4	3
4	20.3	25.6	16.4	17.8	0			73	12.8	54.2	SW	1.1	3.8	4
5	20.8	25.5	16.9	18.9	0			77	14.6	55.7	SSW	1.0	3.0	5
6	21.1	26.0	17.9	19.3	0	0.0	1.00	80	15.5	56.8	NE	1.2	2.5	6
7	18.9	22.2	16.8	15.0	0			66	10.2	58.7	NE	5.2	3.6	7
8	18.0	24.2	15.0	12.8	0			51	6.9	58.0	NE	5.2	4.9	8
9	18.0	23.5	12.1	13.7	0			58	8.7	56.4	SSW	1.1	4.6	9
10	19.4	24.0	15.5	16.8	0			73	12.1	54.1	SSW	1.8	3.2	10
11	19.5	22.8	16.5	17.8	0	0.0	0.08	80	13.7	53.6	SW	0.8	1.6	11
12	20.4	25.2	17.3	17.4	0			73	12.7	53.6	SW	1.5	3.0	12
13	19.9	25.0	15.2	16.7	0			68	11.6	53.5	SSW	0.9	3.2	13
14	20.3	25.4	16.6	18.7	0			77	14.3	51.2	SSW	1.5	2.4	14
15	21.2	26.5	17.4	17.8	0			71	13.0	52.4	SSW	1.3	3.4	15
16	19.1	24.6	16.6	16.3	0			72	11.8	50.6	NNE	1.3	2.2	16
17	16.2	19.5	12.5	13.9	2	20.2	6.05	79	10.4	49.2	NW	4.2	1.7	17
18	19.0	22.9	14.2	17.5	0			76	13.6	49.8	S	6.0	2.9	18
19	19.4	22.5	18.5	14.3	0			55	9.0	50.1	SW	3.8	6.1	19
20	18.3	22.8	15.0	13.4	0	0.0	0.03	51	8.3	53.3	W	1.7	5.2	20
21	17.6	22.8	13.2	12.8	0			55	8.0	53.5	W	0.9	4.3	21
22	16.8	22.0	13.3	13.0	1			62	8.6	54.0	NNE	3.1	3.5	22
23	15.2	20.5	12.2	12.7	3			69	9.1	56.7	NNE	3.0	2.7	23
24	15.4	20.7	11.2	12.5	3	0.0	0.17	68	8.6	59.1	NNE	1.8	2.9	24
25	17.5	20.7	14.5	15.9	0	0.2	0.82	79	12.1	56.7	S	1.5	2.0	25
26	19.8	24.5	15.8	16.7	0			73	12.4	51.6	W	1.7	2.5	26
27	20.6	25.0	15.8	18.2	0			77	14.0	49.7	S	4.9	3.4	27
28	22.6	26.4	20.2	19.0	0			72	14.1	52.6	S	4.4	4.4	28
29	22.4	25.8	19.2	18.3	0			66	12.8	55.2	S	4.4	5.3	29
30	21.7	25.3	17.5	16.3	0			58	10.6	54.7	S	1.9	5.6	30
31	20.4	25.2	17.3	17.6	0			64	12.8	52.7	S	1.8	3.7	31
Sum					9	36.8	13.32				S		107.9	Sum
Avg.	19.3	23.9	15.7	16.1				69	11.5	754.1	(6)	2.4	3.5	Avg.

Year: 1933 Month : October

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	8.4	5.0	7	8	18.0	22.6	21.7	21.6	21.7	21.8		1
2	1.4	8.0	7	8	16.5	17.5	21.2	21.2	21.4	21.7	◍1-2	2
3	9.4	1.0	7	8	17.4	21.4	20.0	20.2	21.1	21.3		3
4	9.9	0.7	6	7	20.3	24.5	20.1	20.3	21.0	21.5	Ω1-2	4
5	8.0	1.0	6	7	20.1	24.6	20.6	20.5	21.0	21.4	Ω1-2	5
6	8.3	4.0	6	6	20.3	25.0	21.0	20.8	21.0	21.3	◍° R° Ω2	6
7	4.2	7.0	6	6	14.5	19.8	20.8	20.7	20.9	21.2	Ω°	7
8	10.1	0.0	7	9	16.4	24.7	20.2	20.2	20.6	21.1		8
9	10.4	0.0	5	7	16.1	22.2	19.7	19.8	20.4	21.1	Ω°	9
10	10.1	0.3	6	8	18.8	23.7	19.7	19.9	20.5	21.0	Ω1	10
11	2.0	6.3	7	6	17.9	20.4	20.2	20.1	20.5	20.9	◍° ≺1 Ω2	11
12	6.1	5.0	6	7	18.3	22.3	20.5	20.4	20.6	20.9	≺°	12
13	10.0	0.3	6	6	19.3	23.6	20.4	20.3	20.5	20.8	Ω1-2	13
14	9.5	2.7	6	7	20.7	23.8	20.5	20.4	20.6	20.8	Ω1	14
15	8.6	5.3	7	8	21.1	23.6	20.9	20.5	20.6	20.8	Ω2	15
16	3.2	6.0	4	6	19.1	21.0	20.8	20.6	20.6	20.8		16
17	3.6	7.3	9	9	15.8	16.6	19.8	19.8	20.3	20.7	◍1-2 R ∩°	17
18	4.9	7.0	5	6	19.2	19.6	19.3	19.4	20.1	20.6	≺°	18
19	4.9	4.3	7	7	15.7	18.4	19.5	19.2	19.9	20.5	≺°	19
20	9.2	2.7	7	9	17.4	19.3	19.1	19.1	19.6	20.3	◍°	20
21	9.7	1.7	8	9	19.0	20.4	18.9	18.7	19.2	20.2	Ω°	21
22	9.1	4.0	8	9	17.9	19.4	19.0	18.8	19.2	19.9		22
23	4.4	4.7	7	8	14.8	16.2	18.6	18.5	18.9	19.7		23
24	5.8	6.3	5	7	15.6	16.2	18.2	18.2	18.7	19.7	◍°	24
25	0.7	8.3	6	7	16.2	17.3	18.4	18.4	18.8	19.6	◍° Ω2	25
26	2.7	5.3	7	7	18.8	19.1	18.4	18.6	18.9	19.6	Ω2	26
27	0.8	9.7	6	6	18.3	20.3	19.1	19.8	18.9	19.5		27
28	8.7	5.7	5	7	20.8	21.8	20.0	19.4	19.2	19.6		28
29	3.5	8.0	4	6	19.8	21.5	20.5	19.8	19.4	19.6	Ω°	29
30	0.1	8.3	7	7	16.8	19.9	20.3	19.8	19.5	19.6	Ψ°	30
31	3.1	9.7	6	6	17.3	19.5	20.1	19.7	19.5	19.6		31
Sum	190.8										◍7, R2, ≺4, ∩1, Ψ1, Ω14	
Avg.		4.7	6.4	7.2	18.0	20.9	19.9	19.8	20.1	20.6		

Year: 1933 Month: November

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	19.6	21.6	16.8	17.1	0	0.1	0.25	76	13.0	752.5	S	0.8	2.9	
2	19.2	23.0	17.1	15.5	0			67	10.8	54.0	SW	1.1	2.7	2
3	19.4	22.9	15.7	17.0	0			77	12.9	53.9	NE	0.6	2.8	3
4	21.4	27.7	17.8	17.5	0			65	12.2	54.0	SW	1.0	4.0	4
5	22.0	25.9	17.9	16.5	0			57	10.5	53.7	S	3.8	5.4	5
6	20.7	25.1	17.0	18.1	0			76	13.8	55.3	SSW	0.8	3.4	6
7	19.5	21.0	17.1	17.1	0	0.0	0.17	76	12.8	54.7	S	0.9	1.7	7
8	20.5	24.5	17.1	16.3	0			67	11.5	53.6	WSW	0.8	3.8	8
9	20.8	21.9	17.7	18.1	0	0.0	0.02	73	13.6	51.4	S	4.2	3.8	9
10	20.1	23.5	17.2	17.5	0	8.2	2.00	78	13.2	50.1	S	5.0	4.3	10
11	18.6	23.1	15.2	14.9	0	0.3	0.50	69	10.2	49.4	S	1.7	3.4	11
12	18.4	21.8	15.0	15.3	0			68	11.0	49.5	S	3.0	3.7	12
13	18.1	22.7	13.9	14.9	0			70	10.5	52.1	S	1.6	3.4	13
14	18.9	22.2	15.3	17.0	0			78	13.3	49.9	SSW	1.4	1.6	14
15	20.9	24.7	18.5	17.3	0			66	12.6	48.5	S	3.1	4.5	15
16	19.7	23.5	14.0	13.8	0			56	8.6	54.9	WSW	0.8	4.2	16
17	17.1	23.3	13.5	13.8	1			64	9.3	58.3	ENE	1.2	3.5	17
18	17.7	24.2	12.6	13.9	0			62	9.2	58.8	NE	2.8	3.5	18
19	16.6	21.6	14.0	12.4	1			58	8.1	57.7	NE	4.7	4.2	19
20	14.1	16.9	13.1	10.8	4			63	8.2	57.6	NE	10.5	4.0	20
21	10.2	13.1	9.2	7.0	8	0.4	1.00	64	5.7	60.2	NE	11.0	4.1	21
22	10.6	12.6	8.9	8.0	7			69	6.4	59.8	NE	5.7	2.4	22
23	9.8	12.7	7.4	8.7	8	7.0	5.17	82	7.5	56.1	NW	0.4	1.4	23
24	13.3	17.4	9.5	13.9	5	7.9	14.00	91	11.4	45.3	S	3.4	0.6	24
25	15.4	18.9	12.4	12.7	3	4.0	1.20	71	8.9	43.9	WSW	1.8	2.7	25
26	16.6	20.4	12.5	13.8	1			70	9.9	50.2	S	3.2	3.0	26
27	17.9	20.7	15.4	16.1	0			80	12.2	50.0	S	4.3	3.1	27
28	15.3	17.9	13.5	10.6	3			58	6.9	50.4	W	3.4	4.6	28
29	12.2	16.6	10.4	9.1	6			62	6.7	55.8	NNE	4.6	2.9	29
30	8.4	10.8	7.3	5.3	10	0.0	0.05	62	4.8	61.8	NE	7.9	3.4	30
Sum					57	27.9	24.36				S		99.0	Sum
Avg.	17.0	20.7	14.1	14.0				69	10.2	754.4	(6)	3.2	3.3	Avg.

Year: 1933 Month: November

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	0.0	10.0	8	5	17.2	18.2	20.0	19.7	19.5	19.6	●0-1	1
2	0.0	8.7	5	6	16.5	18.5	19.7	19.5	19.4	19.6		2
3	0.5	9.3	7	5	16.7	19.5	19.6	19.4	19.4	19.6		3
4	7.4	4.0	6	7	18.1	19.8	19.6	19.5	19.4	19.6		4
5	5.4	6.3	6	8	19.2	20.0	19.8	19.5	19.4	19.6		5
6	4.0	8.7	5	5	18.3	19.7	20.1	19.7	19.5	19.6		6
7	0.0	10.0	2	3	16.8	17.7	19.9	19.7	19.5	19.6	●0	7
8	0.7	9.3	8	6	16.8	19.2	19.7	19.5	19.5	19.6		8
9	0.0	10.0	6	7	18.0	20.7	19.9	19.7	19.6	19.6	●0	9
0	6.8	6.0	7	9	18.2	17.8	20.1	19.6	19.6	19.7	●1-2	10
1	6.8	2.7	7	9	15.3	15.3	19.3	19.1	19.3	19.6	●0-1 ⌓1	11
2	8.9	2.0	7	9	15.2	15.9	18.9	18.8	19.2	19.4	⌓0	12
3	7.8	4.3	7	9	16.3	16.4	18.7	18.5	18.9	19.4	⌓2	13
4	0.1	6.3	6	6	16.3	17.1	18.5	18.6	18.9	19.3	⌓1-2	14
5	6.0	5.7	5	6	18.6	20.6	19.3	18.9	19.0	19.4		15
6	7.9	5.3	5	7	15.0	18.4	19.0	18.7	18.9	19.3		16
7	4.3	6.0	5	6	14.7	17.5	18.4	18.4	18.7	19.2		17
8	7.9	2.0	4	6	15.3	17.8	18.2	18.2	18.5	19.1		18
9	7.6	2.3	7	8	13.8	16.8	18.1	18.1	18.4	19.0		19
0	1.3	7.0	4	6	13.3	14.4	17.6	17.6	18.1	18.8		20
1	1.6	9.3	6	7	7.9	9.8	16.3	16.6	17.3	18.3	●0 ⊕1	21
2	0.0	5.7	8	8	8.4	10.3	15.6	16.0	17.3	18.4		22
3	0.0	10.0	5	6	9.3	9.3	14.7	15.3	16.8	18.4	●1-2	23
4	0.0	9.0	9	6	12.9	12.8	14.8	15.4	16.7	18.0	●1-2 ≺0-1	24
5	3.3	6.7	7	7	12.5	12.7	15.2	15.6	16.7	17.9	●2 ⌓0	25
6	5.9	8.3	7	8	13.5	13.9	15.3	15.6	16.6	17.7	⌓0-1	26
7	8.2	5.7	5	7	15.6	16.8	16.1	16.1	16.8	17.7	Ψ0-1 ⌓1-2	27
8	8.3	2.3	8	9	11.7	13.9	16.0	16.1	16.8	17.8		28
9	7.0	6.7	6	9	10.0	13.5	15.3	15.5	16.3	17.4		29
0	0.0	10.0	7	8	6.4	7.5	14.4	14.8	15.7	17.1	●0	30
m	117.7										●10, ≺1, ⊕1, Ψ1, ⌓7	
g.		6.7	6.2	6.9	14.6	16.1	17.9	17.9	18.3	18.9		

Year: 1933 Month: December

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humd. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	8.7	12.8	5.4	6.4	9			66	5.6	758.8	NE	4.7	2.5
2	11.6	14.3	7.6	11.3	6	12.1	24.00	87	9.5	49.1	NE	2.7	0.9
3	7.6	12.7	7.9	6.0	10	44.3	17.00	84	6.3	53.5	NE	13.2	1.2
4	5.0	6.7	3.9	3.2	13	0.0	5.00	73	4.6	62.9	NE	13.7	2.5
5	6.2	10.3	3.8	4.4	12			74	5.3	60.2	NE	2.5	1.5
6	8.5	13.1	3.8	7.4	9			77	6.6	55.6	SSW	0.9	1.0
7	11.9	14.2	8.8	11.3	6	0.0	3.67	88	9.4	51.2	S	1.2	0.9
8	13.2	17.5	10.0	11.8	5			81	9.3	52.6	SSW	0.5	1.4
9	13.8	17.8	11.1	12.3	4			81	9.6	53.5	ENE	0.4	1.4
10	12.6	18.0	11.9	12.6	5	17.7	8.75	89	9.5	50.3	NE	2.1	0.8
11	10.0	11.3	8.8	9.1	8	1.7	3.50	86	8.0	51.8	NE	2.8	0.9
12	12.2	15.7	9.5	10.9	6	3.4	8.25	82	8.6	47.3	W	1.6	1.6
13	12.0	14.7	8.0	11.1	6	0.3	3.78	85	9.2	49.8	S	2.8	0.9
14	16.7	20.4	9.2	15.3	1	0.0	0.17	82	11.8	44.9	S	3.9	1.5
15	16.8	20.2	13.5	15.4	1			83	12.9	42.1	S	4.2	2.1
16	14.7	18.2	13.7	12.8	3	2.4	2.75	86	10.1	42.4	SSW	0.9	1.6
17	13.5	17.7	10.5	11.1	4			73	8.0	48.9	WSW	1.0	2.4
18	12.8	15.9	10.5	11.7	5			81	9.7	49.1	W	0.5	1.6
19	11.8	16.0	8.9	9.4	6			77	7.5	47.3	E	2.7	1.7
20	7.7	11.1	7.5	5.9	10	12.8	9.00	84	6.2	42.9	NE	7.1	1.3
21	4.0	5.3	4.0	2.9	14	0.2	7.42	79	5.0	47.6	NE	7.7	1.5
22	2.1	4.3	2.0	0.6	16	0.3	11.00	75	4.1	51.0	NNE	9.2	1.4
23	0.3	3.8	-1.0	-1.5	18			63	3.5	58.4	NNW	5.5	1.1
24	0.4	4.6	-1.8	-1.4	18			63	2.9	61.4	NNW	4.0	1.8
25	4.7	9.8	-0.9	2.0	13			62	4.2	60.0	SW	0.4	2.0
26	9.8	14.0	1.3	7.9	8			70	6.6	57.3	S	1.2	2.0
27	12.4	17.0	7.5	9.9	6			70	7.4	55.2	SW	1.1	2.4
28	12.3	14.3	9.3	10.3	6			75	8.0	52.3	S	3.0	2.0
29	13.0	14.4	9.3	11.1	5	3.4	1.17	77	8.7	50.0	S	6.9	2.4
30	14.3	17.3	11.4	11.9	4	0.3	2.02	74	8.7	51.8	S	6.4	4.2
31	13.8	15.0	12.6	12.4	4	5.7	1.72	83	10.0	49.7	ESE	4.4	2.8
Sum					241	104.6	109.20				S		53.3
Avg.	10.2	13.5	7.4	8.6				78	7.6	751.9	(6)	3.8	1.7

Year: 1933 Month: December

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indaicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	0.0	9.3	7	9	7.2	10.4	13.3	14.0	15.4	16.9		1
2	0.0	10.0	5	6	10.8	11.0	13.5	13.9	15.3	16.8	●1-2	2
3	0.0	10.0	7	6	3.9	5.1	13.2	13.6	14.7	16.0	●2	3
4	5.8	5.7	7	8	3.4	4.2	11.5	12.4	14.0	15.5	●0	4
5	6.3	4.7	7	9	4.8	5.4	10.8	11.9	13.6	15.5	Ω1	5
6	4.0	7.0	7	8	7.2	9.0	10.9	11.7	13.4	15.3		6
7	0.0	7.7	8	6	9.8	10.0	11.6	12.2	13.5	15.2	●0-1	7
8	7.9	3.0	5	6	10.4	12.0	12.2	12.7	13.6	15.2	Ω2	8
9	5.6	7.7	5	5	11.0	12.4	12.8	12.9	13.7	15.1	Ω2	9
10	0.0	8.7	8	8	12.6	13.3	13.4	13.6	13.9	15.1	●1-2	10
11	0.0	9.3	6	6	9.0	8.9	12.8	13.1	13.5	15.0	●0-1	11
12	7.3	4.7	7	9	10.9	11.7	12.8	13.0	13.8	15.1	●1	12
13	0.7	9.3	4	4	11.1	10.6	12.6	13.0	13.8	15.0	●0 Ω1-2	13
14	6.3	4.0	6	5	14.3	15.8	13.7	13.6	14.1	15.0	●0 Ω1	14
15	4.8	4.7	4	5	14.9	15.3	14.3	14.0	14.3	15.0	Ω0	15
16	3.6	6.3	6	8	12.4	12.7	14.4	14.3	14.4	15.0	●0-1	16
17	8.2	2.7	7	9	11.1	12.2	13.8	14.1	14.3	15.0	Ω1-2	17
18	3.2	6.7	6	5	11.4	11.7	13.6	14.0	14.3	15.0	Ω1	18
19	7.3	5.0	7	6	8.3	9.2	13.7	14.1	14.2	14.9	Ω2	19
20	0.0	8.7	8	8	7.1	7.0	12.6	13.0	13.8	14.9	●1-2	20
21	0.0	9.7	7	7	2.6	2.4	10.9	11.9	13.0	14.4	⁂0	21
22	0.5	8.3	5	6	1.8	1.9	9.6	10.8	12.6	14.3	⁂0	22
23	7.1	3.0	7	9	2.1	3.2	8.4	9.8	12.0	14.3	⌊1	23
24	8.3	1.3	7	9	0.2	2.6	7.6	8.9	11.4	13.6		24
25	8.1	0.7	7	9	2.5	3.4	7.1	8.4	10.9	13.1	⌊0-1	25
26	7.6	3.3	7	8	7.9	8.0	8.2	8.9	11.0	13.0	Ψ0	26
27	7.3	6.7	7	8	10.3	11.8	9.5	9.9	11.2	13.0	Ω0	27
28	0.0	9.3	4	4	9.3	9.7	10.4	10.6	11.4	12.9	Ω0	28
29	0.0	9.0	7	7	11.4	12.0	11.1	11.1	11.7	13.1	●1-2	29
30	6.7	6.7	6	6	12.4	13.3	11.9	11.6	12.1	13.1	●0-1	30
31	1.1	7.3	7	5	11.9	11.8	12.2	12.1	12.3	13.1	●1-2 ≺0	31
Sum	117.7										●14, ⁂2, ≺1, Ψ1, Ω11, ⌊2	
Avg.		6.5	6.4	6.9	8.5	9.3	11.7	12.2	13.3	14.7		

YEAR: 1933

Month	Air temperature (°C)							Degree days (base 18°C) (1)	Average of			Sunshine h (8)	
	Average			Absolute					Wet bulb tempr. (3)	Relative humid (%) (1)	Vapor pressure (mm) (3)	Total	Pos-- sible (9)
	24 hours	Maxi-- mum (4)	Mini-- mum (4)	Maxi-- mum (4)	Date	Mini-- mum (4)	Date						
JAN.	8.4	12.1	5.8	16.7	19	3.2	28	294	6.8	77	6.3	75.6	303.
FEB.	10.3	14.3	7.5	19.0	7	4.3	14	212	8.5	74	7.0	89.8	300.
MAR.	9.8	13.9	6.7	20.8	20	0.9	14	254	7.2	64	5.8	160.0	368.
APR.	13.4	18.2	9.8	22.9	22	4.8	10	133	10.7	68	7.7	204.3	393.
MAY	17.8	22.7	14.0	26.9	4	11.0	21	23	14.0	60	9.2	257.4	438.
JUNE	22.4	27.1	18.2	33.3	23	14.0	4	1	17.1	55	10.7	299.6	439.
JULY	25.7	31.5	21.1	37.1	17	17.8	7	0	19.7	54	13.2	311.7	446.
AUG.	26.1	32.2	21.6	37.2	23	18.3	30	0	19.7	51	12.6	301.6	418.
SEP.	21.4	26.7	17.3	34.6	15	14.5	17	0	17.0	60	11.4	287.0	370.
OCT.	19.3	23.9	15.7	28.0	1	11.2	24	9	16.1	69	11.5	190.8	344.
NOV.	17.0	20.7	14.1	27.7	4	7.3	30	57	14.0	69	10.2	117.7	301.
DEC.	10.2	13.5	7.4	20.4	14	-1.8	24	241	8.6	78	7.6	117.7	294.
YEAR	16.8	21.4	13.3	37.2	Aug. 23	-1.8	Dec. 24	1224	13.3	65	9.4	2.413.2	4.421

Month	Avg. cloudiness (tenths) (3)	Avg. Visi-bility (10)		Average soil temperature (°C)(3)						Number of days (				
		Toward sea	Toward Land	Surface		In cm depth as indicated below (in cups)				Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25.0°C (Summer days)	Maximum ≥ 30.0°C (Tropical days	Minimum ≥ 20.0°C
				Green	Bare	30	60	90	120					
JAN.	7.3	6.8	7.3	7.4	7.9	10.2	10.5	11.5	12.7	0	0	0	0	0
FEB.	7.1	6.5	6.3	9.1	10.1	10.9	10.9	11.4	12.2	0	0	0	0	0
MAR.	6.5	6.2	7.1	9.9	11.8	11.1	11.1	11.5	12.1	0	0	0	0	0
APR.	5.5	6.7	7.2	13.6	17.3	14.1	13.8	13.6	13.6	0	0	0	0	0
MAY	5.0	6.8	6.9	18.1	24.4	18.5	17.9	17.2	16.7	0	0	3	0	0
JUNE	3.5	6.7	7.0	22.1	26.7	21.4	20.5	20.1	19.0	0	0	20	7	11
JULY	2.4	6.5	7.2	25.8	30.2	25.5	24.8	23.8	22.4	0	0	31	23	24
AUG.	2.1	6.7	7.5	25.8	31.8	26.4	25.8	25.0	24.0	0	0	30	24	24
SEPT.	2.4	7.0	7.7	20.5	26.2	22.8	22.7	22.7	22.7	0	0	22	2	1
OCT.	4.7	6.4	7.2	18.0	20.9	19.9	19.8	20.1	20.6	0	0	13	0	0
NOV.	6.7	6.2	6.9	14.6	16.1	17.9	17.9	18.3	18.9	0	0	3	0	0
DEC.	6.5	6.4	6.9	8.5	9.3	11.7	12.2	13.3	14.7	3	0	0	0	0
YEAR	5.0	6.6	7.1	16.1	19.4	17.5	17.3	17.4	17.5	3	0	122	55	60

YEAR : 1933

Month	Average Pressure at 0°C (mm) (1)	Wind (1) (5)		Precipitation			Total evaporation (mm)	Number of days							
		Avg. Speed (m.p.s.)	Prevailing direction	Total (mm) (4)	Maximum in 24 hrs	Date	(4)(7)	Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)
JAN.	754.9	4.2	NNE	68.9	38.0	22	48.9	17	0	0	9	0	19	10	1
FEB.	751.1	3.4	NNE	42.2	25.0	21	53.2	10	0	0	1	0	11	12	0
MAR.	754.4	4.6	NNE	11.4	8.0	22	85.9	7	0	0	1	0	7	11	3
APR.	751.7	3.0	SSW	29.8	9.2	9	95.4	15	0	0	0	0	15	10	0
MAY	749.6	2.9	SSW	27.3	20.8	20	142.1	12	0	0	0	1	12	8	0
JUNE	748.9	2.5	SSW	23.8	14.6	12	200.4	7	0	0	0	0	7	2	0
JULY	751.0	3.3	NNE	29.9	23.7	26	214.6	5	0	0	0	0	5	4	0
AUG.	750.3	3.4	N	1.9	1.4	30	221.4	5	0	0	0	0	5	1	0
SEP.	753.4	3.6	NE	10.2	7.1	19	152.2	4	0	0	0	0	4	3	0
OCT.	754.1	2.4	S	36.8	30.8	17	107.9	7	0	0	0	0	7	14	0
NOV.	754.4	3.2	S	27.9	8.2	10	99.0	10	0	0	0	0	10	7	0
DEC.	751.9	3.8	S	104.6	44.3	3	53.3	14	0	0	2	0	16	11	2
YEAR	752.1	3.4	NNE	414.7	44.3	Dec. 3	1.474.3	113	0	0	13	1	118	93	6

Month	Number of days														
	Snow cover (3)	Clear (0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0 tenths) (3)	Cloudy (8.1-10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)	
JAN.	0	1	15	15	1	10	2	1	0	0	0	1	0	0	
FEB.	0	0	16	12	0	6	0	0	0	0	1	3	0	0	
MAR.	0	3	16	12	4	3	0	0	0	0	3	0	0	0	
APR.	0	4	20	6	6	2	2	2	0	0	0	0	0	0	
MAY	0	2	25	4	5	0	4	0	0	0	0	0	2	0	
JUNE	0	7	22	1	11	0	2	1	0	0	0	0	0	0	
JULY	0	17	14	0	15	0	2	0	0	0	0	0	0	0	
AUG.	0	20	11	0	12	0	1	1	0	0	0	0	0	0	
SEP.	0	16	14	0	13	0	0	0	0	0	0	0	0	0	
OCT.	0	8	19	4	8	0	2	4	0	0	1	0	1	0	
NOV.	0	0	18	12	0	8	0	1	0	1	1	0	0	0	
DEC.	0	2	18	11	2	8	0	1	0	0	1	0	0	0	
YEAR	0	80	208	77	77	37	15	11	0	1	7	4	3	0	

YEAR : 1933

Month	Frequency (%) of the wind direction (24 hourly observations) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW
JAN.	6.7	30.6	17.5	3.2	1.6	1.2	0.7	3.6	4.6	2.6	2.5	1.7	1.4	1.9	4.5	3.6
FEB.	4.8	14.7	8.8	4.0	4.1	0.8	2.7	4.8	10.9	6.7	3.9	2.7	1.8	1.2	4.1	5.1
MAR.	6.9	27.0	8.9	1.7	0.8	0.3	2.2	3.4	6.4	6.6	1.9	3.0	2.2	2.5	1.7	4.3
APR.	4.2	4.0	2.1	1.0	0.4	0.6	4.6	5.8	10.7	10.8	5.1	4.2	5.0	0.8	2.2	4.3
MAY	3.2	3.9	1.5	0.4	0.4	0.3	1.6	3.4	9.6	17.1	6.3	7.5	7.8	4.0	2.6	1.4
JUNE	0.7	1.0	0.3	0.1	0.4	0.6	3.1	4.0	12.4	14.7	6.7	6.7	12.5	2.6	1.3	1.1
JULY	12.8	14.7	5.9	0.9	0.8	0.1	0.3	1.2	5.6	9.0	6.2	2.2	2.3	1.3	2.5	5.5
AUG.	16.3	5.1	6.2	2.7	1.1	0.1	1.3	1.9	4.7	5.0	3.8	0.9	6.3	3.1	6.2	11.8
SEP.	2.6	12.8	22.1	4.2	2.4	0.6	0.6	1.1	5.1	6.7	7.2	1.7	1.9	1.6	1.7	1.9
OCT.	1.5	8.2	9.7	2.2	0.9	0.6	0.9	1.3	13.8	8.2	7.7	2.6	3.6	2.0	1.9	1.6
NOV.	3.6	5.8	13.9	2.6	1.0	1.3	0.8	1.8	16.0	4.4	5.1	4.9	4.4	2.1	0.8	0.8
DEC.	4.0	8.0	13.5	3.1	2.4	1.3	1.5	1.3	13.7	3.6	2.8	1.1	1.5	1.5	2.8	5.0
YEAR	5.6	11.4	9.2	2.2	1.3	0.6	1.7	2.8	9.4	7.9	4.9	3.2	4.2	2.1	2.7	3.9

REFERENCE NOTES

1) Average of 24 hourly values.
2) Day ending at 24 h.
3) Average of 8,14 and 20h. observations.
4) Day ending at 20 h.
5) From Steffens-Hedde anemograph (mean instantaneous readings).
6) Monthly prevailing direction.
7) From Piche evaporimeter.
8) From Campbell - Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography.
10) At 14h observation.

YEAR 1934

Year: 1934 Month: January

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	15.1	17.5	11.6	13.3	3	1.3	0.42	80	10.3	751.1	SE	3.3	3.3	1
2	13.4	17.7	12.5	12.2	5	2.5	1.00	86	10.2	48.0	E	1.7	1.2	2
3	11.7	14.9	8.3	9.5	6	0.3	1.00	74	7.3	47.6	WSW	2.9	2.9	3
4	10.5	13.7	7.8	8.7	7	0.5	0.50	79	7.4	51.3	SE	0.4	1.4	4
5	10.4	15.9	6.5	8.5	8			77	7.2	55.6	SW	0.5	1.6	5
6	9.3	13.2	7.0	7.9	9	2.8	3.00	81	7.2	55.9	NE	2.7	1.4	6
7	7.9	10.0	6.9	5.5	10			70	5.8	57.2	NE	8.6	2.3	7
8	6.7	9.7	4.3	5.3	11	0.0	1.00	76	5.8	57.8	NE	6.2	1.7	8
9	7.7	8.9	5.6	6.4	10	0.0	2.75	77	6.3	57.1	NE	7.7	1.6	9
10	7.7	10.0	7.0	5.8	10	0.0	6.00	72	5.7	56.9	NE	10.3	2.7	10
11	4.3	5.1	4.3	3.0	14	1.5	9.67	81	4.7	57.9	NE	6.9	1.6	11
12	4.5	10.0	0.5	2.4	13			86	4.0	58.0	WNW	1.2	1.4	12
13	6.8	10.8	3.1	5.1	11			70	5.2	54.8	E	0.7	1.2	13
14	8.9	11.7	7.2	8.6	9	19.5	14.23	88	7.9	51.9	E	3.7	0.9	14
15	9.3	14.3	6.6	7.7	9			76	6.6	55.1	NW	2.2	1.5	15
16	11.4	15.5	7.7	10.1	7	0.0	0.17	79	8.0	54.9	SSW	1.3	1.5	16
17	12.3	14.0	10.2	9.4	6			71	7.2	52.3	SW	1.6	1.8	17
18	7.9	11.4	7.0	10.0	10	23.7	14.50	88	6.9	53.6	NW	3.1	1.0	18
19	9.6	13.6	6.5	7.7	8	1.3	2.33	75	6.7	55.8	NE	3.0	1.6	19
20	9.9	14.9	6.0	8.0	8			73	6.6	56.0	NNE	0.4	1.6	20
21	9.9	16.7	5.2	7.5	8			73	6.3	59.2	NE	1.6	1.5	21
22	7.9	10.7	6.6	5.6	10			70	5.5	63.9	NE	12.1	2.4	22
23	6.1	8.8	4.6	3.4	12			63	4.2	63.9	NE	11.9	2.9	23
24	5.9	8.8	4.1	3.4	12			63	4.3	64.6	NE	11.7	2.8	24
25	6.7	10.2	4.4	3.6	11			55	4.1	66.8	NE	8.4	3.3	25
26	8.0	12.7	4.4	4.7	10			53	4.3	66.1	NE	3.6	2.8	26
27	8.7	12.3	5.7	5.6	9			54	5.1	62.0	SE	0.5	2.4	27
28	9.0	12.2	5.9	7.0	9	0.0	4.58	73	6.0	53.8	NE	1.1	2.0	28
29	9.7	13.9	6.0	7.8	8	0.0	0.08	78	6.7	51.6	S	0.6	1.4	29
30	12.0	16.0	8.6	10.6	6			74	8.3	53.9	SSW	0.9	2.0	30
31	11.8	15.9	9.8	9.9	6	0.0	0.03	76	8.0	50.8	WNW	2.8	2.3	31
Sum					275	53.4	61.26				NE		60.0	Sum
Avg.	9.1	12.6	6.5	7.2				73	6.4	756.3	(6)	4.0	1.9	Avg

Year: 1934 Month : January

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Toward land	Avg. Soil temperature (°C) (3) Surface Green	Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	6.3	6.3	6	7	13.2	12.9	12.5	12.3	12.5	12.5	●° Ω0-1	1
2	0.8	8.3	6	6	12.0	11.8	12.7	12.5	12.6	13.3	●1 ≷2 T°	2
3	3.3	4.7	8	8	10.2	9.4	12.1	12.3	12.6	13.4	●°	3
4	0.3	8.3	8	5	8.5	8.6	11.6	11.9	12.4	13.3	●0-1 Ω2	4
5	7.2	2.0	5	7	8.9	10.1	11.3	11.6	12.3	12.9	Ω1-2	5
6	0.6	6.7	7	8	8.0	8.0	11.1	11.5	12.2	13.2	●1 ≷1	6
7	4.1	4.7	6	7	6.8	7.0	10.8	11.2	12.0	13.0		7
8	1.5	5.0	5	6	6.2	7.3	9.9	10.6	11.7	12.8	●°	8
9	0.0	2.7	6	6	6.4	6.3	9.8	10.4	11.5	12.7	●° ⁂°	9
10	2.9	7.7	6	8	6.2	7.1	9.8	10.2	11.4	12.6	●° ⁂°	10
11	0.0	10.0	7	6	2.8	3.4	9.0	9.7	11.1	12.4	●° ⁂°	11
12	0.0	3.3	6	9	3.4	5.1	8.3	9.0	10.8	12.4	Ω°	12
13	0.0	8.7	7	7	6.4	6.3	8.5	9.0	10.7	12.3		13
14	0.0	10.0	5	4	8.1	8.3	9.2	9.6	10.7	12.0	●1-2 ≺°	14
15	4.6	5.3	7	9	8.7	9.1	9.6	9.9	10.7	12.0	≺° Ω1	15
16	4.0	8.3	5	6	10.2	11.2	9.9	10.1	10.8	12.0	●° Ω2	16
17	0.9	8.0	7	7	9.1	9.6	10.7	11.0	11.1	12.1	Ω°	17
18	0.0	10.0	7	7	6.7	6.9	10.5	10.7	11.1	12.0	●2	18
19	4.0	4.0	8	6	7.9	8.2	10.2	10.5	11.0	12.0	●0-1	19
20	8.3	0.0	5	6	8.1	8.5	10.0	10.3	10.9	12.0	Ω1	20
21	8.8	2.3	8	9	9.1	9.9	10.1	10.3	10.8	11.9	Ω1-2	21
22	0.4	8.3	7	7	6.1	5.8	10.0	10.3	10.6	11.8		22
23	4.2	4.0	6	8	5.7	6.7	9.2	9.7	10.4	11.7		23
24	7.7	5.0	6	8	5.5	6.1	8.6	9.1	10.2	11.5		24
25	8.5	2.7	9	6	5.6	7.3	8.6	9.0	10.2	11.5		25
26	8.3	3.0	6	8	6.1	7.5	8.5	8.9	10.2	11.4	Ψ2	26
27	0.6	9.7	8	7	5.9	6.8	9.0	9.0	10.0	11.4		27
28	0.8	9.0	4	5	6.6	7.9	9.2	9.3	10.2	11.4	●° T°	28
29	2.1	6.7	7	7	7.7	8.4	9.4	9.6	10.3	11.4	●° Ω2	29
30	6.5	4.7	5	8	19.5	10.7	10.1	10.0	10.5	11.4	Ω°	30
31	1.0	9.0	7	7	9.8	11.5	10.8	10.5	10.7	11.6	●° Ω2	31
um	97.7										●16, ⁂3, ≷3, ≺2, Ψ1, Ω 12.	
vg.		6.3	6.5	6.9	7.6	8.2	10.0	10.3	11.1	12.2		

Year: 1934 Month: February

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	9.5	13.8	6.8	6.5	.8	0.3	1.25	62	5.2	748.5	W	1.3	2.6	1
2	8.9	13.5	6.5	7.0	9	2.5	2.33	77	6.4	53.2	NE	4.7	1.7	2
3	9.1	11.7	7.6	7.2	9	0.0	0.17	73	6.3	55.5	NE	7.2	2.0	3
4	8.8	11.1	7.6	6.9	9	0.3	2.00	73	6.1	54.4	NE	7.9	2.0	4
5	9.8	13.1	7.8	8.9	8	19.8	15.00	87	7.9	47.9	NE	9.0	1.1	5
6	6.2	8.5	4.3	5.0	12	60.6	19.00	87	6.0	44.7	NE	8.5	1.3	6
7	6.3	9.5	4.6	3.8	12	0.1	1.00	65	4.4	48.9	N	5.2	2.2	7
8	8.8	14.6	4.4	6.4	9			66	5.7	52.9	WNW	1.2	2.3	8
9	10.0	16.8	6.2	7.0	8			58	5.2	53.9	NNE	3.7	2.3	9
10	5.3	9.2	3.6	1.6	13			50	3.9	63.7	NE	6.8	3.5	10
11	7.2	14.0	1.3	4.2	11			53	3.8	61.3	SSW	0.5	2.5	11
12	10.1	14.8	5.0	7.1	8			59	5.3	56.8	SW	0.7	2.9	12
13	4.7	10.5	6.5	2.7	13	1.6	7.58	78	4.5	52.8	NE	4.0	1.6	13
14	0.1	2.8	-2.0	-1.4	18	2.6	14.50	78	3.5	54.3	NNE	10.4	0.8	14
15	-2.6	0.8	-4.6	-3.9	21	15.1	11.50	77	2.8	55.8	N	4.9	0.1	15
16	-0.4	5.4	-5.7	1.2	18			76	3.3	54.6	N	2.1	0.2	16
17	1.5	5.4	-1.2	1.0	16	0.0	2.30	79	4.2	58.5	N	3.0	1.0	17
18	2.3	6.2	0.0	1.2	16	0.0	2.42	76	4.1	57.5	NNW	1.3	0.8	18
19	4.0	7.7	1.3	3.1	14	0.6	7.83	73	4.7	57.0	N	1.5	1.1	19
20	7.3	12.8	2.0	5.4	11	0.4	1.50	73	5.3	56.5	SW	0.9	1.6	20
21	10.1	16.2	5.0	7.6	8			66	5.9	55.6	SW	1.1	2.4	21
22	8.0	11.2	6.1	5.0	10			63	4.7	60.5	NNE	5.2	2.9	22
23	7.5	12.6	2.0	6.4	10			72	6.0	64.2	SW	1.0	2.0	23
24	11.1	15.4	6.9	9.2	7			73	7.2	61.2	SSW	1.4	2.3	24
25	11.2	15.8	7.0	9.1	7			71	7.1	60.0	SW	1.1	2.2	25
26	11.2	15.9	7.8	9.8	7			78	7.8	59.7	SW	1.0	1.5	26
27	12.4	16.2	9.7	10.9	6			75	8.6	56.2	SSW	1.3	2.0	27
28	12.0	15.8	8.4	10.2	6			72	7.9	51.8	SSW	1.7	2.6	28
Sum					304	103.9	88.38				NE		51.5	Sum
Avg.	7.2	11.5	4.1	5.3				71	5.5	755.6	(6)	3.5	1.8	Avg.

Year: 1934 Month: February

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil Temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena. (4)	Date
1	8.2	5.3	8	9	12.5	10.7	10.7	10.6	10.8	11.6	●°	1
2	0.8	4.3	7	7	7.2	7.9	10.6	10.6	10.9	11.6	●¹ ⚑¹	2
3	0.1	9.7	7	8	8.3	8.9	10.4	10.4	10.9	11.6	●°	3
4	0.0	7.3	7	8	7.7	8.6	10.3	10.3	10.9	11.6	●°	4
5	0.0	10.0	7	7	7.8	7.8	10.3	10.4	10.8	11.6	●¹⁻² ⚑¹⁻²	5
6	0.0	10.0	8	7	4.4	5.3	9.9	10.0	10.0	10.9	●⁰⁻¹ ⚑²	6
7	4.6	2.7	6	8	6.0	5.9	9.1	9.3	9.9	10.7	●°	7
8	8.6	1.0	7	8	9.4	9.1	8.8	9.1	9.8	10.7	Ω°	8
9	9.1	1.7	7	9	10.6	10.2	9.2	9.3	9.9	10.7	≤° Ω¹⁻²	9
10	7.0	3.3	6	9	2.0	3.1	8.8	8.9	9.7	10.6		10
11	9.9	0.0	7	7	6.1	8.4	8.4	8.4	9.4	10.5	⌊¹	11
12	9.4	2.7	8	8	6.6	8.5	8.3	8.5	9.4	10.5	⌊°	12
13	0.0	10.0	7	7	3.4	3.6	8.4	8.5	9.3	10.4	*° *°	13
14	6.2	4.7	6	8	0.9	2.6	7.0	7.8	8.9	10.2	*¹⁻² ≤° ⊡*	14
15	2.1	6.7	6	6	-1.2	-0.5	5.9	7.1	8.5	10.1	*² ⊡*	15
16	7.0	4.0	7	9	1.2	1.5	5.1	6.3	8.0	9.7	⊡*	16
17	4.2	7.3	8	9	4.2	4.2	5.3	6.2	7.8	9.5	*° ⊡*	17
18	0.4	9.0	8	8	2.5	2.8	5.6	6.3	7.7	9.4	*° ⊡*	18
19	0.2	9.0	7	9	6.4	5.7	5.6	6.4	7.6	9.3	●° *° ⊡*	19
20	8.5	5.0	7	9	6.3	6.8	6.4	6.8	7.8	9.3	●° Ω¹	20
21	6.3	2.3	6	9	10.1	11.0	7.2	7.3	8.0	9.4	⌊° Ω¹⁻²	21
22	10.1	2.0	6	9	6.9	8.6	7.8	7.8	8.3	9.5	Ω⁰⁻¹	22
23	9.8	0.0	6	7	9.4	8.8	7.5	7.7	8.3	9.5	⌊° Ω⁰⁻¹	23
24	9.9	0.3	7	8	10.3	11.3	8.1	7.9	8.5	9.6	Ω²	24
25	9.3	1.3	7	9	11.5	12.1	8.9	8.3	8.8	8.9	Ω²	25
26	9.0	9.0	7	7	10.3	11.8	9.2	8.8	9.0	9.7	Ω²	26
27	2.3	7.3	7	8	11.5	15.1	9.8	9.4	9.3	9.9	Ω¹	27
28	4.2	6.0	7	7	10.3	12.0	10.4	9.9	9.6	10.1	Ω¹	28
Sum	147.2										●9, *6, *1, ⚑3,	
Avg.		5.1	6.9	8.0	6.9	7.6	8.3	8.5	9.2	10.3	≤2, ⊡* 6, Ω 11, ⌊ 4,	

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	13.1	17.0	9.1	11.3	5			70	8.4	749.9	SSE	3.1	3.3	
2	13.6	17.5	12.0	12.4	4	0.0	1.05	82	9.8	51.4	SSE	1.2	3.0	
3	13.5	18.9	10.3	10.6	4			69	7.9	48.5	ENE	3.8	2.3	
4	11.3	14.5	11.9	9.2	7	8.6	5.17	74	7.6	36.8	NE	11.3	3.4	
5	8.3	10.7	7.0	6.2	10	3.6	8.50	77	5.9	43.8	NE	4.4	1.5	
6	8.5	11.0	4.3	7.7	9	1.5	6.00	83	7.0	48.7	ENE	5.0	1.3	
7	9.9	13.9	6.1	8.1	8	9.1	4.33	76	6.9	51.1	NW	1.8	1.4	
8	11.2	14.5	7.9	9.0	7			71	6.9	51.4	W	2.3	3.2	
9	11.7	16.9	9.2	10.8	6			71	8.2	53.4	SSW	1.4	2.2	
10	12.7	16.3	9.0	11.3	5			76	8.7	54.2	SW	0.3	1.6	10
11	14.5	19.4	11.0	11.1	3			64	7.5	54.7	SW	1.2	2.8	11
12	14.4	18.7	10.6	11.1	4			64	7.4	54.0	SSW	2.1	3.6	12
13	14.8	18.9	10.7	12.6	3			68	9.1	55.4	SSW	1.6	3.3	13
14	15.3	19.6	10.8	11.9	3			64	8.4	57.2	SSW	1.9	3.5	14
15	15.4	19.0	11.8	12.0	3			60	7.9	52.6	S	2.3	4.6	15
16	15.8	19.5	13.1	12.6	2	0.0	0.17	68	8.7	45.6	SW	3.3	3.6	16
17	12.4	16.2	11.5	8.4	6	0.0	0.05	59	6.2	48.3	WSW	5.1	3.8	17
18	12.8	16.0	8.7	10.4	5			64	7.5	51.6	SW	2.9	3.3	18
19	14.1	18.0	11.0	11.7	4	2.4	1.00	67	8.3	51.7	SSW	3.0	3.8	19
20	13.6	18.3	9.1	9.9	4			62	6.7	55.5	SW	2.2	4.0	20
21	14.1	19.1	9.7	11.0	4			59	7.2	56.9	SW	0.9	3.6	21
22	14.1	19.6	9.9	11.0	4			59	7.3	55.0	SW	0.9	3.5	22
23	14.5	19.8	8.9	11.3	3			59	7.3	52.6	SSE	2.8	3.2	23
24	14.9	20.0	9.9	12.1	3			62	7.9	53.4	SSE	1.5	3.2	24
25	14.6	20.8	9.0	11.7	3			66	7.8	54.7	ENE	2.3	3.2	25
26	14.1	19.8	8.8	11.9	4			69	8.4	51.7	SSE	2.2	3.0	26
27	15.6	18.1	8.7	11.6	2			74	8.7	48.5	E	2.4	2.8	27
28	13.9	18.5	10.4	10.9	4	0.0	0.33	72	7.9	48.0	N	2.5	2.0	28
29	11.6	14.3	9.2	9.5	6			76	7.5	47.7	NNE	2.4	1.6	29
30	14.0	18.8	11.2	12.6	4	0.0	1.50	80	9.7	46.4	S W	3.0	2.0	30
31	14.1	19.0	8.5	12.6	4	20.0	4.83	82	9.8	46.1	SW	3.4	1.6	31
Sum					143	45.2	32.93				SW		89.2	Sum
Avg.	13.3	17.5	9.7	10.8				69	7.9	750.9	(6)	2.7	2.9	Avg

Year: 1934 Month: March

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	6.4	7.0	7	7	11.7	12.9	10.5	10.0	9.8	10.2	D¹	1
2	0.5	9.7	6	5	11.6	13.0	10.6	10.4	10.1	10.4	●°	2
3	2.9	9.7	8	8	11.2	12.1	11.5	10.7	10.3	10.6	D¹	3
4	0.0	10.0	8	7	8.7	9.2	11.4	10.9	10.5	10.7	●¹⁻² ▲¹⁻² R¹	4
5	0.9	8.0	8	8	7.3	7.7	10.7	10.6	10.6	10.8	●°	5
6	0.0	10.0	7	7	8.4	9.1	10.2	10.3	10.5	10.8	●⁰⁻¹	6
7	6.0	5.0	8	9	10.6	10.7	10.1	10.2	10.5	10.9	●²	7
8	8.9	5.3	8	8	10.2	11.2	10.4	10.3	10.5	11.0	D¹	8
9	9.4	2.3	8	8	11.8	14.4	10.7	10.4	10.6	11.0	D¹	9
10	3.6	8.7	7	6	11.2	13.1	11.1	10.7	10.8	11.1	D²	10
11	10.3	3.3	9	8	13.6	18.2	11.7	11.1	11.0	11.3	D²	11
12	2.4	7.0	8	8	12.7	14.0	12.0	11.4	11.2	11.4	D°	12
13	9.4	0.0	8	8	14.0	18.3	12.3	11.7	11.7	11.5	D⁰⁻¹	13
14	4.8	7.3	7	7	11.8	11.8	12.6	12.0	11.6	11.6	D¹	14
15	0.8	7.0	7	7	13.5	14.6	12.5	12.2	11.7	11.8		15
16	8.6	4.7	7	7	15.7	17.9	13.2	12.4	11.9	11.9	●°	16
17	6.7	4.3	3	4	10.5	13.9	13.5	12.6	12.1	12.0	●°	17
18	4.7	7.7	8	8	12.4	14.8	12.8	12.4	12.2	12.1		18
19	5.9	2.3	6	6	13.2	16.5	13.0	12.6	12.3	12.3	●¹⁻²	19
20	10.6	2.3	8	9	14.0	16.7	12.9	12.5	12.3	12.4		20
21	10.2	0.0	8	8	12.7	19.1	13.2	12.8	12.5	12.4	D D¹	21
22	11.0	0.0	7	7	13.3	19.2	13.3	13.1	12.6	12.6	D°	22
23	7.5	5.7	6	5	12.8	17.2	13.6	13.0	12.7	12.7		23
24	3.1	9.0	5	5	14.2	18.1	13.7	13.1	12.9	12.8		24
25	10.0	2.0	8	7	14.8	19.5	15.3	13.5	13.0	12.9	D¹⁻²	25
26	8.8	4.3	6	5	14.7	18.7	14.3	13.7	13.2	13.0		26
27	10.1	1.3	5	5	13.7	16.5	14.2	13.8	13.3	13.1	D D¹	27
28	8.0	6.3	6	6	12.9	16.7	14.2	13.9	13.4	13.2	●° D¹	28
29	0.0	10.0	6	6	10.5	12.8	14.3	13.9	13.5	13.3		29
30	4.7	9.0	6	6	13.8	16.1	14.2	13.9	13.5	13.4	●° ≤¹	30
31	6.2	6.7	8	6	13.6	16.0	13.6	13.4	11.9	13.0	●¹ ▲² R²	31
Sum	182.4										●11, ▲2, R2, ≤1,	
Avg.		5.7	7.0	6.8	12.3	14.8	12.5	12.0	11.8	11.9	∩14,	

Year: 1934 Month: April

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	12.4	14.5	8.7	10.6	6	0.6	6.50	79	8.3	745.7	NE	4.1	1.4	1
2	10.4	14.7	8.0	7.7	8	0.0	0.67	67	5.8	48.8	NE	8.2	3.0	2
3	10.3	14.3	8.0	8.1	8	0.5	2.17	70	6.6	49.7	NE	8.1	2.9	3
4	10.4	13.5	8.1	9.0	8	3.2	10.00	78	7.6	47.9	NE	5.0	1.7	4
5	11.3	16.6	7.1	9.3	7			73	7.2	49.6	N	3.5	2.0	5
6	11.4	16.8	7.3	10.2	7	0.0	0.75	80	8.2	51.3	SW	2.6	1.8	6
7	13.5	18.5	8.7	12.1	4	0.0	0.08	78	9.3	51.0	SW	2.6	1.8	7
8	15.3	19.7	11.2	13.3	3			72	9.8	53.1	SW	2.3	2.8	8
9	15.1	21.1	9.8	13.4	3			79	10.4	53.0	SW	1.8	2.1	9
10	17.0	21.3	13.5	13.3	1			64	8.7	48.9	W	4.2	4.7	10
11	16.6	21.3	12.3	12.4	1			60	7.8	49.9	S	3.1	4.5	11
12	17.2	22.7	12.0	12.8	1			60	7.7	52.2	SSW	3.0	4.6	12
13	17.7	22.3	12.7	13.7	0			59	8.8	54.5	SW	1.9	3.6	13
14	18.9	24.2	13.1	13.1	0			43	6.9	55.9	NE	5.8	5.9	14
15	18.5	24.3	13.2	13.2	0			47	7.7	54.8	ENE	5.8	6.4	15
16	17.2	22.8	13.1	12.4	1			55	7.8	54.2	NE	6.5	4.0	16
17	15.2	20.0	13.2	10.4	3			48	6.3	52.9	NE	7.3	5.3	17
18	16.3	22.4	11.3	10.6	2			42	5.7	53.7	NE	4.6	5.6	18
19	16.8	22.6	12.0	12.7	1			53	8.0	55.2	SW	1.9	4.4	19
20	18.5	24.8	13.1	14.6	0			58	9.6	55.4	SW	1.6	4.5	20
21	20.2	26.3	15.4	15.5	0			53	9.6	54.1	SW	1.3	5.6	21
22	20.8	26.4	16.2	15.0	0			48	8.9	52.8	SW	1.5	4.8	22
23	19.1	26.0	13.5	15.2	0			60	10.2	51.6	S	2.1	4.5	23
24	19.9	25.9	14.4	14.8	0			52	8.5	51.3	SSW	2.1	5.5	24
25	21.2	25.7	17.5	15.9	0			51	9.7	51.2	WSW	1.1	5.3	25
26	21.7	27.3	15.2	14.9	0			44	8.2	50.6	SSW	2.3	6.7	26
27	20.6	26.5	16.3	15.0	0			50	9.1	49.0	SW	2.1	5.4	27
28	19.9	25.2	15.2	16.4	0			64	11.2	48.6	SSW	1.6	4.1	28
29	21.3	27.5	17.1	13.6	0			39	6.3	50.0	NNW	3.9	7.7	29
30	18.9	24.0	13.5	14.4	0			56	8.9	51.0	SW	2.0	5.6	30
Sum					64	4.3	20.17				NE		128.3	Sum
Avg.	16.8	22.0	12.4	12.8				59	8.3	751.6	(6)	3.5	4.3	Avg.

Year: 1934 Month: April

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)
1	0.0	8.7	6	6	11.3	11.4	13.9	13.6	13.0	13.2	◍ 0-1
2	5.2	7.7	6	7	10.1	11.6	13.2	13.1	13.0	13.1	◍ 0
3	0.0	10.0	8	7	8.8	10.8	13.1	12.8	12.9	13.1	◍ 0
4	0.0	7.7	8	8	8.8	9.4	12.6	12.7	12.9	13.1	◍ 1
5	4.4	6.0	8	8	11.1	13.4	12.3	12.5	12.8	13.1	
6	6.0	5.7	6	7	11.8	15.0	12.5	12.4	12.8	13.2	◍ 0
7	5.5	7.3	7	6	13.0	14.3	12.8	12.7	12.8	13.2	◍ 0 ⌓ 1
8	11.3	3.7	7	7	15.0	19.6	13.5	13.0	13.2	13.3	⌓ 0
9	10.7	4.7	7	7	16.0	20.1	14.2	13.5	13.2	13.3	⌓ 2
10	6.8	5.7	7	8	14.3	17.2	14.9	14.1	13.4	13.4	
11	11.2	4.3	8	8	16.1	21.6	15.1	14.3	13.7	13.5	
12	11.3	1.7	7	8	16.9	21.7	15.4	14.6	13.9	13.7	⌓ 0
13	11.0	2.0	8	8	17.7	23.0	15.9	15.0	14.2	13.8	
14	10.3	6.3	5	6	20.1	24.9	16.5	15.7	14.4	14.0	
15	11.1	3.3	7	8	18.8	24.3	16.9	15.8	14.7	14.2	
16	8.8	3.7	6	6	18.1	22.9	17.2	16.1	15.0	14.4	
17	9.9	3.7	8	9	15.4	19.1	17.0	16.2	15.2	14.6	
18	11.7	0.7	6	7	16.2	25.1	16.6	16.0	15.4	14.8	
19	11.4	0.0	8	7	16.9	23.0	16.8	16.2	15.4	14.9	
20	11.5	0.0	7	7	18.1	24.6	17.2	16.4	15.5	15.0	
21	12.0	2.7	7	7	21.2	27.0	17.3	16.7	15.8	15.2	
22	11.5	2.0	8	8	20.1	26.9	18.3	17.2	16.1	15.3	
23	4.4	8.3	7	6	20.3	22.9	18.5	17.5	16.3	15.5	
24	5.8	7.7	7	8	19.4	23.8	18.5	18.0	16.5	15.7	
25	3.6	8.7	7	6	19.9	25.4	18.9	17.8	16.7	15.8	
26	11.1	4.3	8	7	20.7	28.2	19.1	18.1	16.9	16.0	
27	8.2	4.3	5	8	21.1	26.4	19.5	18.5	17.1	16.2	
28	10.5	1.3	6	6	18.0	25.1	19.4	18.6	17.4	16.3	
29	11.2	3.3	7	8	20.7	29.4	19.7	18.8	17.6	16.9	
30	11.1	3.3	8	8	17.8	25.6	19.6	18.8	17.7	17.0	
m	247.5										◍ 6, ⌓ 4,
g.		4.6	7.0	7.2	16.5	21.1	16.2	15.6	14.8	14.5	

Year: 1934 Month: May

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction (1) (5)	Avg. speed (met.p.s.) (1) (5)	(4)(7)
1	20.3	25.4	15.6	14.8	0			49	8.6	751.8	SW	2.2	5.8
2	21.2	25.8	16.9	15.2	0			49	9.3	53.7	WSW	1.7	6.3
3	21.0	27.4	17.2	16.1	0			53	10.2	51.8	SW	1.5	6.2
4	20.7	24.2	18.3	16.0	0	0.0	0.08	55	10.4	46.6	E	2.3	5.5
5	19.3	26.9	16.5	17.0	0	2.2	3.45	74	12.6	46.3	NW	2.4	4.1
6	18.6	22.1	14.1	15.6	0	0.5	1.00	69	10.9	49.4	SSW	2.3	4.0
7	18.0	21.8	14.7	15.4	0			72	10.9	51.6	SSW	2.5	3.8
8	17.5	22.1	14.1	15.8	0	8.2	1.83	77	11.9	53.4	NE	1.8	2.3
9	17.9	22.6	14.5	13.9	0			60	8.8	54.3	NE	6.0	4.7
10	19.2	26.0	13.8	14.1	0			47	8.2	53.1	NE	3.4	6.2
11	20.0	26.2	15.5	15.9	0			56	10.5	51.5	NE	2.7	5.2
12	19.7	25.8	17.1	15.7	0	0.3	0.50	64	10.9	50.6	N	4.2	5.1
13	18.2	22.2	15.7	16.0	0	3.5	0.67	72	11.9	51.2	S	2.3	3.1
14	19.3	26.0	14.1	16.8	0	0.0	0.08	69	12.1	49.3	SW	2.1	4.3
15	19.2	23.2	14.9	16.6	0	0.0	0.17	72	12.0	47.9	SW	1.8	3.2
16	20.3	24.5	15.5	17.1	0			68	12.0	49.0	SSW	3.1	4.7
17	20.0	24.6	16.5	17.8	0			73	13.2	50.5	SSW	2.4	4.0
18	22.2	27.9	18.4	19.1	0	0.2	0.25	72	14.0	51.2	S	4.5	6.0
19	20.8	25.8	18.4	17.3	0	0.0	0.25	67	12.4	53.6	SSW	1.5	2.5
20	22.6	27.7	18.0	18.1	0			60	12.3	53.6	SW	2.0	5.4
21	23.6	31.0	19.1	19.0	0	0.0	0.05	61	13.7	53.2	NE	2.6	4.8
22	22.4	26.8	19.0	18.5	0	0.0	0.67	63	13.0	53.4	NE	5.7	4.8
23	23.2	29.7	16.7	17.0	0			54	11.3	52.8	NE	3.6	5.2
24	23.5	30.2	18.6	17.4	0			50	10.2	50.3	NE	3.2	6.6
25	21.6	25.5	18.9	17.4	0	2.5	4.18	63	12.1	50.8	NE	3.9	4.8
26	23.1	31.2	17.8	18.6	0			56	12.5	52.8	N	2.4	5.4
27	23.0	27.5	18.3	18.6	0			64	13.5	52.0	SSW	2.6	5.5
28	24.3	29.7	19.6	17.2	0			47	10.8	48.6	W	3.0	8.5
29	19.6	22.7	17.3	16.1	0			68	11.4	50.2	NE	9.2	4.6
30	19.5	25.0	15.5	14.6	0			56	9.0	53.3	NE	4.5	4.7
31	19.8	24.7	14.2	15.4	0			56	9.6	56.3	SW	3.0	6.2
Sum					0	17.4	13.18				NE		153.5
Avg.	20.6	25.9	16.6	16.6				62	11.3	751.4	(6)	3.1	5.0

Year: 1934 Month: May

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°0) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)
1	11.4	0.0	8	8	19.6	26.6	19.6	18.8	17.5	16.8	
2	11.0	5.0	8	8	19.0	26.8	19.9	19.1	18.0	17.0	
3	3.1	8.7	8	6	19.3	24.0	20.1	19.3	18.1	17.1	
4	0.1	9.3	6	5	17.3	20.6	20.1	19.4	18.2	17.2	◍°
5	4.1	7.3	6	7	18.9	24.0	19.8	19.2	18.3	17.3	◍°⁻¹ ⊼
6	10.6	3.7	8	8	19.3	22.1	19.1	18.8	18.2	17.4	◍°⁻¹
7	10.6	2.0	7	7	19.9	24.5	19.2	18.7	18.4	17.4	
8	3.3	6.7	7	7	15.3	18.6	18.9	18.6	18.1	17.5	◍¹⁻² ⊼°
9	11.4	3.0	7	7	23.9	23.6	18.7	18.8	18.1	17.5	
10	8.3	5.3	9	9	21.3	25.6	18.7	18.4	18.0	17.5	
11	4.7	7.0	7	7	23.3	27.4	19.5	18.7	18.1	17.6	
12	6.3	6.0	7	9	20.3	24.3	19.9	19.1	18.2	17.6	◍°⁻¹ ⊼°⁻¹
13	6.3	5.7	8	8	19.3	22.0	19.7	19.1	18.3	17.7	◍°⁻¹ ⊼¹
14	3.1	8.7	7	8	19.2	20.9	19.1	18.7	18.3	17.7	◍° ⊼°
15	7.2	6.3	8	7	21.4	24.0	19.3	18.7	18.3	17.7	◍° ⊼¹
16	11.1	4.3	7	8	22.4	24.5	19.8	19.1	18.3	17.7	
17	3.2	9.7	7	7	20.5	23.2	20.2	19.4	18.4	17.8	
18	8.3	6.0	6	6	21.2	26.0	20.5	19.5	18.6	17.9	◍°
19	1.1	9.0	5	5	18.0	21.1	20.7	19.9	18.8	18.0	◍°
20	6.6	6.7	8	8	23.8	27.8	21.2	20.0	19.0	18.1	
21	3.5	10.0	8	8	21.2	24.8	21.7	20.4	19.2	18.2	◍°
22	5.4	6.3	7	8	22.0	26.2	21.9	20.8	19.4	18.4	◍°
23	11.3	1.3	7	8	21.4	26.7	21.9	21.2	19.7	18.5	
24	8.0	6.3	8	9	23.5	29.3	22.4	21.2	19.8	18.6	
25	1.4	7.7	4	5	18.1	21.7	22.1	21.3	20.0	18.8	◍¹ ⊼¹
26	11.0	3.0	7	8	26.3	31.3	21.9	21.0	20.0	18.9	
27	11.9	1.7	7	7	22.2	27.6	22.4	21.3	20.1	19.0	
28	11.8	2.3	8	8	24.6	28.4	22.9	21.7	20.3	19.1	
29	8.4	4.7	5	8	27.5	28.0	23.0	21.9	20.5	19.3	⊼°
30	6.6	6.0	8	9	18.5	23.5	22.3	21.7	20.6	19.3	
31	11.4	2.3	8	8	22.9	24.9	21.9	21.3	20.5	19.4	
Sum	222.5										◍13, ⊼ 8,
Avg.		5.6	7.1	7.5	21.0	24.8	20.6	19.8	18.9	18.0	

Year: 1934 Month: June

Date	Air Temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	20.8	25.5	16.2	17.0	0			64	11.5	757.3	SW	2.1	5.6
2	22.1	29.1	17.4	18.9	0	0.0	0.03	62	12.5	56.8	WSW	1.4	5.1
3	22.2	27.1	17.6	18.3	0			61	12.3	54.7	SW	2.8	4.8
4	23.2	27.9	17.7	19.3	0			63	13.7	50.0	SW	2.7	5.3
5	24.0	28.9	20.1	20.9	0			74	16.2	51.0	SW	2.0	5.6
6	27.2	34.7	20.4	22.6	0			63	17.6	53.3	S	1.7	5.2
7	29.2	35.2	23.6	22.3	0			49	15.4	53.2	SSW	2.3	10.3
8	28.8	34.8	23.9	21.6	0			50	15.0	50.9	SSW	3.0	10.9
9	28.0	34.6	22.3	21.2	0			52	13.5	49.1	NW	3.5	9.1
10	24.9	28.7	22.0	19.6	0			53	12.0	49.2	SW	3.2	6.4
11	23.6	27.3	21.0	19.8	0	0.0	1.00	68	14.6	47.2	SW	2.5	5.1
12	23.9	30.1	19.6	16.6	0			55	11.1	46.8	WSW	3.7	7.1
13	23.2	28.4	19.4	18.3	0			59	12.0	48.5	S	2.9	7.6
14	23.0	26.4	19.2	18.3	0			59	12.3	46.8	SSW	2.9	5.6
15	22.2	28.7	18.1	18.6	0	0.3	0.67	66	12.8	46.3	NNW	3.1	4.7
16	22.2	26.8	17.7	19.6	0			74	14.7	49.9	SSW	2.8	4.3
17	22.6	26.2	18.9	20.1	0			76	15.5	53.7	SW	2.7	3.8
18	21.8	27.6	19.0	18.7	0	7.2	2.50	72	13.9	53.8	NE	8.0	4.6
19	20.6	25.2	17.0	15.8	0	1.3	1.33	59	10.0	51.3	NNE	5.8	4.4
20	22.6	26.5	17.0	18.1	0			55	11.6	48.5	SW	3.5	6.2
21	23.5	27.3	19.8	19.5	0			64	14.0	47.1	SSW	2.3	5.0
22	22.8	28.2	20.0	19.3	0	5.0	1.00	70	13.1	47.5	SW	2.8	4.8
23	23.1	31.2	18.7	19.5	0			65	14.2	51.5	NW	2.5	5.0
24	24.9	29.9	19.1	19.1	0			54	12.2	53.3	NE	5.2	6.2
25	26.3	32.2	21.3	20.0	0			48	12.5	52.7	NNE	7.2	8.4
26	27.6	33.0	22.9	20.4	0			46	13.4	51.9	NNE	6.5	9.7
27	28.8	36.5	22.1	20.9	0			42	12.3	49.3	NE	4.5	10.6
28	26.8	33.0	22.3	20.8	0			54	13.8	47.1	SW	2.3	8.8
29	26.1	31.5	21.7	21.0	0			59	14.8	46.2	SW	1.9	7.4
30	26.3	31.0	21.7	21.6	0			59	15.5	48.3	SW	2.4	6.3
Sum					0	13.8	6.53				SW		193.9
Avg.	24.4	29.8	19.9	19.6				60	13.5	750.4	(6)	3.3	6.5

Year: 1934 Month: June

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	10.8	3.7	8	8	22.6	25.4	21.9	21.3	20.5	19.4		1
2	5.0	6.0	8	8	24.2	28.0	22.1	21.4	20.5	19.5	◍°	2
3	10.3	4.3	7	8	22.8	27.2	22.2	21.5	20.6	19.5		3
4	9.5	6.3	8	8	24.5	27.3	22.6	21.7	20.7	19.6		4
5	11.0	3.0	8	8	24.7	29.2	23.2	22.1	20.8	19.6		5
6	5.4	6.0	6	6	25.1	30.0	24.0	22.6	21.1	19.8		6
7	8.0	6.7	8	8	22.7	30.6	24.7	23.3	21.4	19.9		7
8	11.7	3.3	7	7	27.4	33.2	25.3	23.6	21.7	20.1		8
9	11.2	3.0	8	9	30.3	35.2	25.8	24.1	22.1	20.4		9
10	11.1	6.7	7	7	26.0	31.5	25.9	24.4	22.4	20.5		10
11	8.2	5.3	8	8	24.4	27.4	25.3	24.3	22.5	20.7	◍°	11
12	6.9	5.3	6	8	23.7	29.9	24.8	24.1	22.5	20.8		12
13	10.6	4.3	7	7	21.8	29.2	24.7	23.8	22.5	20.9		13
14	3.2	6.3	7	7	22.5	28.1	24.4	23.7	22.5	21.0	R° T°	14
15	1.4	6.7	9	9	21.5	27.8	24.4	23.6	22.5	21.0	◍$^{0-1}$ R^{1}	15
16	11.5	4.0	7	6	22.5	28.8	24.2	23.5	22.5	21.1		16
17	11.8	3.7	7	8	22.3	28.2	24.3	23.6	22.4	21.1		17
18	9.0	6.3	5	7	23.0	30.5	24.3	23.6	22.5	21.3	◍$^{1-2}$ R$^{0-1}$	18
19	9.0	4.0	9	9	20.0	21.8	23.1	22.9	22.3	21.3	◍^{1} R^{1}	19
20	12.1	1.7	8	8	18.1	26.5	22.8	22.3	22.0	21.2		20
21	11.3	3.3	9	8	22.4	28.9	23.5	22.5	22.0	21.2		21
22	9.1	5.3	7	8	23.0	26.6	24.3	23.1	22.1	21.1	◍$^{1-2}$ R^{1}	22
23	9.0	2.7	9	9	22.3	24.9	23.6	22.9	22.1	21.2		23
24	12.2	1.7	8	9	22.4	32.3	24.0	23.1	22.2	21.3		24
25	11.7	2.3	8	8	27.8	33.5	24.7	23.5	22.3	21.3		25
26	12.2	0.0	8	8	23.5	35.2	25.2	24.1	22.6	21.5		26
27	12.2	0.0	8	8	24.1	35.1	25.9	24.5	22.9	21.6		27
28	12.0	0.7	8	7	25.7	31.5	26.3	25.0	23.2	21.6		28
29	11.7	1.7	7	7	25.1	30.8	26.2	25.1	23.6	21.8		29
30	11.8	2.0	7	7	26.7	31.1	25.8	25.0	23.5	21.9		30
Sum	290.9										◍6, R5,	-
Avg.		3.9	7.6	7.8	23.8	29.5	24.3	23.3	22.1	20.8		

Year: 1934 Month: July

Date	Air temperature (°C)					Precipit.		Average of		Avg Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm) (4)(7)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met. p.s.)		
1	26.1	30.6	21.5	21.1	0			59	15.5	746.9	SW	3.8	6.8	
2	25.5	29.6	20.8	20.6	0			58	14.3	46.5	WNW	4.4	7.7	
3	24.2	30.6	21.7	19.8	0	0.0	0.03	64	14.2	46.8	NW	3.4	6.2	
4	24.4	30.3	19.9	20.5	0			67	15.1	47.4	SSW	3.2	6.2	
5	25.7	31.6	20.7	20.6	0			62	14.4	49.9	NNE	2.4	6.5	
6	25.9	32.0	20.3	20.5	0			56	14.2	52.1	NE	4.8	6.8	
7	26.9	33.3	19.1	21.0	0			51	14.0	51.6	NE	4.9	7.4	
8	27.3	33.4	20.9	20.3	0			47	12.7	50.0	N	5.0	7.9	
9	26.6	31.7	23.3	18.4	0			39	10.4	49.5	N	6.8	8.9	
10	25.3	32.6	19.9	19.5	0			52	12.7	50.5	SSW	2.5	7.0	1
11	26.7	34.0	21.9	19.1	0			46	11.4	51.0	SSW	4.1	7.3	1
12	26.9	31.5	21.7	21.2	0			53	14.9	48.4	SSW	2.2	7.1	1
13	24.5	32.2	23.5	21.5	0			54	14.7	50.2	SW	2.3	7.0	1
14	28.9	33.4	23.2	21.9	0			47	14.4	50.7	SW	2.2	7.8	1
15	31.2	38.2	25.4	21.3	0			36	11.9	48.8	WNW	3.8	13.2	1
16	30.3	36.8	24.9	20.9	0			38	11.8	47.1	SSW	3.8	12.1	1
17	26.5	31.4	23.1	21.7	0			50	13.2	46.7	W	4.1	8.6	1
18	23.3	30.5	22.5	19.8	0	4.3	2.60	70	15.0	46.4	ENE	1.9	4.9	1
19	23.5	28.2	19.3	21.3	0	0.1	0.17	76	17.0	46.1	SW	2.0	3.4	1
20	25.4	30.1	21.8	21.6	0			68	16.3	48.5	SW	2.2	5.4	2
21	26.8	31.8	22.3	22.5	0			67	17.3	50.5	SW	1.9	6.0	2
22	29.1	38.2	23.2	23.6	0			59	17.2	51.1	SW	2.1	7.3	2
23	30.6	35.8	24.8	23.2	0			50	16.1	49.9	SSW	1.6	7.7	2
24	34.9	42.3	28.7	22.2	0			28	11.2	49.3	WNW	3.2	16.0	2
25	32.8	39.2	28.4	22.6	0			34	13.4	49.1	NW	3.8	12.5	2
26	29.2	34.5	26.0	20.4	0			42	12.5	44.1	[illegible]	6.2	13.3	2
27	26.2	31.1	22.0	20.0	0			51	13.3	46.1	NNE	6.7	7.6	2
28	27.1	32.2	22.3	20.4	0			52	13.4	49.6	NE	2.7	6.9	2
29	27.8	33.8	21.3	20.0	0			43	11.8	49.9	NE	5.2	7.7	2
30	28.7	34.1	24.1	20.2	0			39	11.8	50.2	NE	5.8	8.6	3
31	29.2	35.1	23.7	20.2	0			37	11.4	50.2	ENE	4.4	9.2	3
Sum					0	4.4	2.80				SW		251.0	S
Avg.	27.4	33.2	22.7	20.9				52	13.8	748.9	(6)	3.5	8.0	A

Year: 1934 Month: July

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	12.0	1.0	8	6	25.5	30.5	26.1	25.0	23.6	22.0		1
2	12.3	3.7	9	9	26.7	33.6	26.1	25.1	23.7	22.0		2
3	5.7	4.7	9	9	21.8	26.5	26.2	25.2	23.7	22.5	◍°	3
4	9.7	3.7	7	6	22.9	27.7	25.5	24.6	23.8	22.3		4
5	9.8	3.3	7	7	23.6	29.7	25.5	24.8	23.8	22.3		5
6	11.3	3.3	7	8	23.0	30.6	25.8	25.0	23.7	22.5		6
7	11.8	2.3	7	9	26.5	34.7	26.2	25.1	23.9	22.6		7
8	11.7	1.0	7	9	25.0	35.5	26.5	25.3	24.1	22.6		8
9	11.7	1.3	8	9	26.8	34.0	26.8	25.6	24.2	22.7		9
10	10.7	1.7	8	9	26.7	33.0	26.6	25.7	24.4	22.8		10
11	11.5	0.7	7	9	25.5	31.9	26.4	25.5	24.5	22.9		11
12	10.4	3.0	6	7	24.4	31.3	26.3	25.6	24.5	23.0		12
13	11.2	1.3	8	8	26.3	32.4	26.7	25.8	24.6	23.1		13
14	11.6	0.3	7	7	29.0	33.7	26.9	26.0	24.7	23.2		14
15	11.3	0.3	8	8	27.7	35.1	27.5	26.3	24.8	23.2		15
16	11.5	0.0	8	7	30.9	35.1	27.9	26.6	25.0	23.3		16
17	10.8	1.7	9	9	26.9	31.4	27.6	26.6	25.1	23,3		17
18	4.8	6.0	9	8	21.3	24.5	26.9	26.3	25.0	23.5	◍² R²	18
19	8.3	4.7	8	9	20.5	22.3	25.1	25.1	24.7	23.5	◍⁰⁻¹ R¹	19
20	9.2	3.3	9	9	24.1	27.7	25.1	24.8	24.5	23.5	R⁰	20
21	11.4	3.0	9	8	24.6	28.2	24.7	25.0	24.4	23.4		21
22	9.6	0.0	8	9	28.6	34.5	26.4	25.3	24.5	23.4		22
23	11.3	0.3	8	7	27.9	34.1	27.1	25.9	24.6	23.4		23
24	10.6	0.3	3	4	30.8	37.2	28.0	26.5	25.0	23.5		24
25	11.6	0.0	7	8	31.1	37.2	28.9	27.3	25.3	23.6		25
26	11.3	4.3	7	7	27.5	33.4	28.8	27.5	25.6	23.8		26
27	6.3	5.0	9	8	23.4	29.2	28.2	27.2	25.6	23.8		27
28	6.3	4.0	9	8	24.3	29.7	27.3	26.7	25.6	24.0		28
29	11.5	1.0	8	8	27.0	33.8	27.2	26.5	25.5	24.1		29
30	11.5	1.0	7	8	29.9	35.4	27.6	26.7	25.5	24.1		30
31	11.5	0.7	7	8	26.7	35.9	27.7	26.9	25.5	24.2		31
Sum	320.2										◍3, R3,	
Avg.		2.2	7.7	7.7	26.0	31.9	26.8	25.9	24.6	23.2		

Year : 1934 Month: August

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind. (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	29.4	36.8	23.9	20.8	0			37	12.2	749.0	NE	2.6	9.7
2	27.7	34.9	23.1	20.5	0			50	13.3	47.4	SW	2.2	7.4
3	27.4	31.9	23.8	22.4	0			58	16.7	48.5	WSW	1.7	6.5
4	28.7	34.2	24.0	22.2	0			55	15.7	49.0	SW	1.8	6.4
5	29.1	35.4	24.0	22.4	0			52	15.3	47.5	SW	2.4	7.4
6	30.5	38.0	25.0	22.6	0			47	13.7	46.2	E	3.4	6.9
7	27.9	32.3	24.1	21.8	0			55	15.2	47.3	SW	2.6	7.1
8	27.5	31.7	22.2	21.7	0			58	15.2	48.4	SW	2.5	7.2
9	29.7	37.1	25.0	21.4	0			48	13.7	49.6	S	3.1	8.5
10	30.9	37.1	24.1	21.5	0			41	12.6	49.2	W	3.5	13.6
11	28.8	34.9	24.5	20.9	0			45	13.2	52.3	NE	2.7	8.0
12	27.1	32.9	22.7	20.6	0			54	13.6	50.0	SSW	2.3	7.6
13	27.3	31.8	23.3	21.9	0			59	15.7	49.1	SSW	2.1	6.1
14	27.4	32.6	22.8	21.2	0			55	14.4	49.2	SW	2.3	6.3
15	27.4	33.2	22.9	22.5	0			62	16.9	48.6	SSW	2.4	6.1
16	26.8	31.0	24.1	18.4	0			45	10.4	47.8	WNW	5.2	9.5
17	25.3	30.8	20.7	17.3	0			41	9.4	50.6	NW	6.9	7.9
18	25.0	31.2	20.9	17.7	0			44	10.3	50.8	N	5.4	7.1
19	25.0	29.8	20.4	19.3	0			53	13.3	51.3	WSW	2.5	6.6
20	26.3	33.6	20.7	20.1	0			53	12.9	52.2	N	3.2	6.2
21	26.4	32.9	21.2	20.0	0			56	13.0	53.1	SW	3.2	6.3
22	27.2	33.0	22.1	19.5	0			44	12.4	54.2	NE	6.6	8.6
23	27.1	34.0	21.7	19.5	0			45	11.7	52.4	NE	5.2	8.3
24	27.6	36.6	21.9	19.3	0			40	10.8	50.3	NE	3.9	7.2
25	27.4	35.2	21.8	19.7	0			41	11.7	49.7	NE	4.1	8.2
26	27.7	35.4	22.6	20.6	0			46	13.2	50.1	N	4.9	7.7
27	27.4	35.3	22.3	19.7	0			44	11.6	49.8	ENE	4.2	7.6
28	25.0	29.2	20.6	20.2	0			56	14.1	48.9	SW	3.0	5.4
29	25.4	29.4	21.3	22.1	0			70	17.4	48.8	SSW	1.7	4.4
30	26.5	31.6	22.7	22.4	0			69	17.3	50.4	SW	1.3	4.6
31	28.6	36.8	22.7	22.0	0			54	15.1	51.0	NE	0.7	6.3
Sum					0	0	0				SW		226.7
Avg.	27.5	33.6	22.7	20.7				51	13.6	749.8	(6)	3.3	7.3

Yaer: 1934 Month: August

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.8	0.7	7	9	28.3	36.2	28.0	26.7	25.6	24.2		1
2	10.6	3.0	7	7	28.6	31.2	27.8	27.1	25.8	24.3		2
3	11.1	0.7	8	8	28.9	32.4	27.7	27.0	25.9	24.4		3
4	11.6	0.3	7	8	28.2	33.2	27.7	27.0	25.9	24.4		4
5	11.7	0.0	8	9	29.9	35.0	28.0	27.2	25.9	24.4		5
6	9.6	1.0	7	9	31.4	36.0	28.3	27.4	26.0	24.9		6
7	10.4	0.7	7	8	28.3	32.8	28.2	27.5	26.1	24.6		7
8	11.7	0.0	8	8	28.6	32.9	28.0	27.5	26.2	25.3		8
9	11.4	0.3	7	7	28.4	35.5	27.9	27.2	26.2	24.7		9
10	11.7	0.0	4	6	30.2	37.7	28.2	27.4	26.2	24.7		10
11	11.0	0.7	8	9	27.2	34.8	28.3	27.6	26.3	24.8		11
12	11.2	3.3	8	9	26.6	32.4	27.9	27.3	26.3	24.8		12
13	12.1	2.7	7	8	26.7	32.5	27.7	27.2	26.3	24.8		13
14	12.1	0.3	7	8	28.2	33.2	27.5	27.1	26.2	24.9		14
15	11.7	1.7	7	8	26.0	32.5	27.5	27.0	26.1	24.9	$\leq 1^{\circ}$	15
16	11.7	2.7	3	7	26.6	33.8	27.5	26.9	26.1	24.8		16
17	11.6	2.0	8	8	26.5	33.4	27.2	26.9	26.1	24.8		17
18	11.8	1.0	6	7	28.8	34.5	26.9	26.6	25.9	24.8		18
19	9.6	3.7	6	6	24.3	28.4	26.5	26.4	25.9	24.8		19
20	11.3	1.3	6	6	26.4	34.4	26.4	26.3	25.8	24.8		20
21	11.3	1.0	6	6	26.0	31.1	24.4	26.2	25.6	24.7		21
22	11.6	0.0	6	6	27.0	34.7	26.6	25.6	25.5	24.6		22
23	11.8	0.0	7	7	27.3	35.1	26.7	26.3	25.5	24.6		23
24	11.9	0.0	8	8	29.8	38.0	26.7	26.3	25.6	24.6		24
25	11.8	0.3	7	8	29.5	36.1	26.8	26.4	25.6	24.6		25
26	11.8	0.3	7	8	27.3	36.6	27.0	26.4	25.7	24.7		26
27	11.4	0.0	7	8	27.0	36.3	27.0	26.5	25.6	24.6		27
28	11.2	0.3	6	6	27.1	31.8	26.8	26.4	25.8	24.7		28
29	11.2	1.3	6	6	26.5	32.6	26.5	26.2	25.7	24.7		29
30	11.2	1.3	6	6	26.4	31.7	26.6	26.2	25.6	24.7		30
31	11.3	0.7	6	8	25.8	37.7	26.7	26.3	25.6	24.7		31
Sum	352.2										$\leq 1,$	
Avg.		1.0	6.7	7.5	27.7	34.0	27.3	26.8	25.9	24.7		

Year: 1934 Month: Septemb

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at °C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	avg. speed (met. p.s.)	(4)(7)	
1	27.7	33.6	23.5	20.0	0			51	12.2	748.4	SSW	2.3	7.9	
2	26.0	30.1	22.7	21.9	0			65	16.7	44.2	S	4.6	6.1	
3	24.6	29.2	22.1	18.2	0			51	11.4	45.9	W	6.1	10.8	
4	23.9	28.7	19.3	18.2	0			55	11.9	49.3	W	3.0	7.6	
5	23.0	28.8	18.8	20.3	0	0.0	0.08	72	15.5	52.7	E	1.5	4.0	
6	24.2	31.3	20.1	20.3	0			63	14.6	53.7	ESE	2.5	4.7	
7	25.0	31.3	20.5	20.1	0			60	14.0	53.1	NE	3.1	5.3	
8	25.4	31.7	20.8	20.7	0			57	14.3	50.7	N	2.7	5.4	
9	24.8	29.4	20.6	19.9	0			65	14.1	50.1	S	2.8	6.0	
10	25.1	31.0	20.3	20.6	0			65	15.3	50.3	S	2.4	5.7	1
11	25.1	30.1	20.8	20.8	0			64	15.1	50.4	SW	2.2	4.4	1
12	25.1	31.0	20.9	20.2	0			60	14.1	54.1	NE	5.9	5.6	1
13	23.2	29.0	20.3	17.5	0	0.0	0.05	55	11.2	55.9	NE	8.1	6.3	1
14	22.4	28.1	18.5	17.9	0			56	12.0	54.6	NE	4.1	4.8	1
15	22.0	26.6	18.5	17.2	0			59	11.5	52.9	NNE	7.2	4.9	1
16	21.9	25.9	19.1	16.1	0			54	11.0	54.6	NE	2.2	7.2	1
17	21.4	25.8	18.0	16.2	0			55	11.2	56.9	NE	9.4	6.1	1
18	21.8	26.7	18.0	16.8	0			52	10.0	56.6	NE	7.0	5.7	1
19	21.3	26.6	17.0	15.9	0			52	9.4	54.4	NE	5.2	5.3	1
20	20.9	27.9	16.8	15.7	0			55	11.1	53.7	NNE	4.5	5.1	2
21	21.1	29.1	15.7	16.5	0			60	11.1	55.3	SW	1.5	4.9	2
22	23.3	26.8	17.5	19.1	0			70	14.2	54.1	SSW	1.4	4.3	2
23	24.7	30.8	20.0	20.4	0			66	14.7	51.3	W	3.0	6.2	2
24	23.7	28.8	20.5	19.7	0	0.0	0.10	70	14.9	51.1	SSW	3.1	4.6	2
25	22.2	27.5	18.7	19.1	0	4.2	6.63	75	14.2	53.1	E	2.3	3.0	2
26	22.2	28.4	16.8	18.1	0			65	12.6	55.0	NE	4.4	4.4	2
27	22.6	27.0	18.3	19.1	0			55	11.1	57.2	NE	7.7	6.7	2
28	21.9	25.9	18.9	17.4	0			60	11.8	57.9	NE	8.5	6.1	2
29	21.7	26.8	17.4	17.0	0			57	11.0	56.7	NE	7.2	5.2	2
30	23.1	29.2	17.1	17.9	0			56	9.9	56.3	ENE	5.1	5.8	3
Sum					0	4.2	6.86				NE		170.1	Su
Avg.	23.4	28.8	19.3	18.6				60	112.7	753.0	(6)	4.7	5.7	A

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.8	0.0	7	7	26.8	33.8	26.9	26.4	25.7	24.7		1
2	10.3	2.7	3	3	26.4	30.7	26.7	26.5	25.7	24.8		2
3	11.0	4.0	7	8	27.5	32.8	26.3	26.0	25.6	24.6		3
4	11.0	2.3	8	5	25.0	30.7	25.8	25.7	25.4	24.6		4
5	5.5	4.3	8	8	22.3	25.7	25.5	25.3	25.1	24.5	◍°	5
6	9.5	3.3	8	9	22.9	27.7	24.9	24.9	24.8	25.2		6
7	10.0	3.3	8	8	24.3	31.3	25.0	24.9	24.7	24.3		7
8	8.3	4.3	6	7	26.1	32.4	25.1	24.9	25.0	24.2		8
9	10.7	1.7	6	6	26.2	29.8	25.2	24.9	24.6	24.2		9
10	10.7	0.7	7	6	26.1	30.2	25.2	25.0	24.7	24.2		10
11	10.3	3.7	6	6	26.0	30.0	25.3	25.0	24.6	24.0		11
12	9.0	5.0	7	8	24.9	32.0	25.4	24.7	24.5	24.1		12
13	8.6	2.7	7	7	23.8	31.0	25.2	24.9	24.3	23.9	◍°	13
14	9.2	4.0	7	8	24.3	30.8	24.8	24.7	24.5	24.0		14
15	7.3	6.3	8	8	20.9	25.8	24.5	24.4	24.3	24.0		15
16	10.7	2.3	4	6	21.7	28.2	24.1	24.0	23.8	23.7		16
17	10.8	1.3	7	7	21.6	29.3	23.8	23.7	23.5	23.5		17
18	10.5	1.0	7	7	22.0	28.1	23.6	23.6	23.5	23.6		18
19	10.4	2.0	7	8	21.4	29.0	23.4	23.4	23.4	23.5		19
20	10.3	3.7	7	8	20.6	27.0	22.9	22.9	23.4	23.5		20
21	9.1	4.3	5	8	18.9	24.8	23.0	23.1	23.3	23.4		21
22	9.0	3.3	7	6	21.4	26.5	23.1	23.1	23.3	23.3		22
23	9.7	4.0	7	8	24.8	30.3	23.4	23.3	23.4	23.3		23
24	7.2	4.0	8	8	20.6	25.0	23.7	23.5	23.4	23.2	◍$^{0-1}$	24
25	7.4	4.0	9	8	22.0	28.1	23.3	23.2	23.2	23.1	◍$^{1-2}$ R$^{1-2}$ ≺^{1}	25
26	10.4	2.0	7	9	21.4	26.8	22.7	22.7	22.9	22.9		26
27	10.5	1.0	7	8	22.2	27.6	22.8	22.7	22.6	22.7		27
28	9.7	3.3	6	8	21.6	27.1	22.9	22.6	22.4	22.5		28
29	10.4	0.7	7	7	20.9	27.8	22.7	22.5	22.5	22.6		29
30	10.4	0.3	6	9	20.6	27.8	22.6	22.5	22.4	22.5		30
Sum	289.7										◍4, R1,	
Avg.		2.9	6.6	7.3	23.2	28.9	24.3	24.2	24.0	23.7		

Year: 1934 Month: October

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	22.4	28.8	19.2	17.2	0			59	11.1	756,6	NE	5.8	5.4	
2	21.3	27.3	17.1	17.2	0			64	12.0	55.1	SW	1.4	4.2	
3	21.5	26.7	16.9	17.9	0			66	12.5	54.7	SW	1.2	3.8	
4	21.3	25.9	17.2	18.5	0			72	13.4	55.5	SSW	1.8	3.3	
5	22.1	26.5	17.3	18.4	0			71	13.5	54.5	SSW	1.9	3.4	
6	23.0	28.2	19.3	19.3	0			70	13.8	54.0	SW	1.5	3.8	
7	22.5	27.0	19.2	18.8	0			72	13.7	53.0	SSW	2.0	3.5	
8	22.1	25.4	20.1	19.2	0			74	14.5	54.2	S	4.3	3.5	
9	20.9	23.7	18.3	18.7	0	0.3	0.42	77	14.3	53.3	S	3.4	3.2	
10	19.6	23.4	17.3	18.4	0	3.6	3.10	85	14.5	50.8	SSW	1.2	1.6	1
11	20.2	25.1	15.5	17.2	0			71	12.2	51.4	E	1.5	2.9	1
12	18.0	21.7	16.3	16.1	0	5.8	2.08	81	12.2	54.6	NW	2.4	1.9	1
13	18.7	23.6	14.3	15.4	0			68	10.6	56.7	SSW	1.6	3.1	1
14	19.4	25.3	15.1	16.4	0			71	11.8	54.4	NE	1.9	3.0	1
15	20.0	23.9	15.7	17.3	0			70	12.3	50.1	W	2.8	3.5	1
16	21.3	25.3	16.9	17.7	0			70	12.7	50.0	S	4.7	5.2	1
17	22.2	25.5	18.2	19.6	0			75	14.9	51.4	S	7.4	4.8	1
18	23.0	26.3	22.0	19.7	0			72	15.0	49.3	S	5.7	5.3	1
19	18.2	21.7	16.3	13.6	0			60	8.8	50.5	WNW	4.9	5.1	1
20	15.2	18.2	13.1	11.7	3			62	8.0	55.7	NE	7.5	3.9	2
21	15.8	20.5	11.8	11.9	2			57	7.6	55.5	NE	8.1	4.4	2
22	17.3	22.9	14.7	14.4	1	0.0	0.25	71	10.3	53.4	NE	8.0	3.2	2
23	17.7	20.5	15.7	15.7	0	0.0	0,25	77	11.7	52.3	NE	8.2	2.9	2
24	17.5	21.9	15.5	14.6	0			72	10.4	54.6	NNE	3.8	2.8	2
25	16.5	20.3	13.8	13.6	1			70	9.6	57.0	ENE	4.5	3.2	2
26	16.0	21.1	12.9	13.3	2			70	9.6	57.4	NNE	3.2	3.1	2
27	15.8	21.2	12.0	13.1	2			68	9.1	56.7	N	2.6	3.3	2
28	16.1	22.6	12.3	13.5	2			69	9.5	55.9	NE	1.9	3.4	2
29	15.7	23.0	11.0	12.1	2			62	8.1	54.8	SSW	1.2	3.0	2
30	17.0	22.3	13.0	14.4	1			70	9.8	54.5	SSW	1.3	2.7	3
31	17.5	22.0	13.9	15.4	0			75	11.4	54.7	SSW	1.4	2.7	3
Sum					16	9.7	6.10				NE		109.1	S
Avg.	19.2	23.8	15.9	16.1				70	11.6	753.9	(6)	3.5	3.5	A

Year : 1934 Month : October

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	9.3	1.7	6	8	21.4	27.7	22.9	22.6	22.5	22.5		1
2	10.1	0.0	6	8	20.4	25.0	22.7	22.5	22.6	22.7		2
3	10.1	0.3	6	7	21.7	25.9	22.5	22.4	22.6	22.6	Ω¹	3
4	9.2	2.3	6	8	21.6	25.1	22.5	21.6	22.5	22.5	Ω¹	4
5	10.2	0.7	6	7	22.5	26.7	22.5	22.2	22.4	22.5	Ω²	5
6	9.7	0.3	6	7	23.0	27.3	22.7	22.4	22.5	22.5	Ω⁰⁻¹	6
7	9.2	1.3	7	6	21.8	26.1	23.0	22.6	22.5	22.5		7
8	2.8	7.3	7	6	20.7	22.6	22.9	22.6	22.5	22.5	Ω¹	8
9	0.5	8.3	7	8	18.5	21.4	22.5	22.4	22.4	22.3	◍⁰⁻¹	9
10	4.6	6.3	9	9	19.7	21.4	22.0	21.3	22.2	22.3	◍⁰⁻¹ R⁰⁻¹	10
11	8.3	5.3	8	7	19.8	22.3	21.3	21.5	21.5	21.7	<⁰ Ω⁰⁻¹	11
12	2.2	7.0	9	9	17.7	18.0	21.1	21.2	21.6	22.0	◍¹ <⁰	12
13	10.1	1.7	7	7	17.1	20.1	20.4	20.6	21.3	21.6	Ω⁰	13
14	9.0	2.7	7	9	17.9	21.4	23.7	20.4	21.1	21.7	Ω⁰⁻¹	14
15	10.1	1.3	7	6	18.7	22.6	20.5	20.5	21.0	21.6	Ω⁰⁻¹	15
16	9.9	2.7	7	8	20.1	23.7	20.9	20.7	21.1	21.6		16
17	1.3	7.7	7	8	20.7	22.1	21.3	21.1	21.3	21.6		17
18	5.8	6.0	6	8	21.1	22.4	22.0	21.5	21.5	21.3	Ω⁰	18
19	7.2	3.0	4	7	17.4	19.8	21.4	21.1	21.2	21.4		19
20	1.0	8.3	8	9	12.7	16.1	16.7	20.2	20.4	20.9		20
21	7.5	8.7	7	9	14.3	17.4	19.2	19.6	20.1	20.8		21
22	2.5	9.3	8	8	14.9	18.0	19.3	19.5	20.0	20.7	◍⁰	22
23	0.2	10.0	7	7	16.2	17.4	19.5	19.5	19.9	20.5	◍⁰	23
24	4.2	8.7	7	8	17.3	19.6	19.6	19.6	20.1	20.7		24
25	4.4	5.3	8	8	13.1	16.3	19.3	19.2	19.8	20.5	Ω⁰	25
26	6.8	5.3	8	9	13.1	17.2	19.0	19.1	19.7	20.4	Ω⁰	26
27	9.3	2.0	6	8	13.6	16.8	18.7	18.9	19.4	20.3		27
28	8.8	2.0	7	8	13.4	17.3	18.5	18.7	19.3	20.1		28
29	9.6	1.3	6	8	12.9	15.6	18.3	18.4	19.1	20.0	Ω⁰⁻¹	29
30	9.2	1.7	7	8	15.2	16.3	18.4	18.6	19.2	20.0	Ω¹⁻²	30
31	8.8	4.3	6	7	15.7	17.2	18.7	18.6	19.2	19.9	Ω²	31
Sum	211.9										◍5, R1, <2, Ω15,	
Avg.		4.3	6.9	7.7	17.9	20.9	20.8	20.7	21.0	21.4		

Year: 1934 Month : November

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet- bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	17.6	22.8	14.5	15.3	0	0.9	6.28	80	11.4	752.9	W	1.1	1.8	1
2	18.9	23.1	15.5	16.2	0			74	11.8	54.1	S	1.5	2.9	2
3	19.0	24.1	15.5	16.3	0			73	11.8	57.6	SSW	0.9	2.7	3
4	18.5	25.8	13.9	15.5	0			70	10.8	60.0	ENE	3.0	2.7	4
5	17.1	21.7	15.1	13.6	1			65	9.3	59.5	NE	5.3	3.9	5
6	15.9	21.2	11.7	13.7	2			71	9.7	55.2	NE	1.2	2.3	6
7	16.3	21.9	11.5	14.0	2			75	10.3	53.1	SW	1.0	2.4	7
8	17.0	21.6	13.4	15.2	1			81	11.5	52.5	S	1.7	1.8	8
9	15.4	20.4	14.3	15.1	3	13.0	0.98	83	11.7	51.4	S	2.6	1.7	9
10	15.9	21.1	12.9	12.0	2	0.6	0.10	63	8.1	51.8	NW	2.3	3.2	10
11	15.7	20.8	12.3	12.3	2			66	8.5	52.5	WSW	1.2	3.2	11
12	16.4	18.3	13.4	15.5	2	1.5	7.37	85	12.8	51.7	S	1.5	1.5	12
13	20.2	23.3	17.4	18.3	0	0.0	1.33	78	13.7	50.1	S	4.7	3.2	13
14	18.9	22.3	16.0	18.5	0	0.0	0.07	77	12.5	56.8	SW	1.1	2.9	14
15	19.3	23.8	16.6	17.8	0			86	14.1	58.4	SSW	1.4	2.3	15
16	19.4	25.2	16.4	18.0	0			83	14.0	58.8	SW	0.9	1.7	16
17	19.1	25.7	15.2	17.2	0			76	12.2	58.8	SSW	1.0	2.1	17
18	18.8	25.3	14.9	17.1	0			79	12.9	57.7	S	0.8	2.1	18
19	17.8	22.4	14.3	16.1	0			83	12.5	55.9	SSW	1.1	1.5	19
20	18.0	22.2	16.1	16.1	0			82	11.5	54.8	C	0.3	1.8	20
21	17.4	22.3	14.5	15.3	1			80	13.6	53.6	NE	1.0	1.9	21
22	15.3	19.4	15.5	14.2	3	39.2	5.53	91	11.7	59.3	S	3.9	1.3	22
23	10.7	13.5	7.9	8.9	7	0.8	1.07	77	7.2	53.1	ENE	2.8	1.3	23
24	11.4	15.9	9.7	9.5	7			76	7.5	57.7	ENE	3.9	1.4	24
25	10.7	14.0	9.0	8.2	7			72	6.7	59.7	NE	5.2	2.2	25
26	9.4	13.0	7.4	7.6	9			77	6.7	59.2	N	3.1	1.5	26
27	9.7	12.7	6.4	7.4	8			68	6.0	58.7	NNE	3.3	1.8	27
28	10.0	14.6	7.3	7.6	8			67	6.1	60.8	NE	4.5	2.2	28
29	12.1	18.4	8.1	9.7	6			71	7.3	61.7	N	0.5	2.0	29
30	12.9	19.3	8.3	9.7	5			65	6.7	59.9	SSW	1.0	2.5	30
Sum					76	56.0	22.73				NE		65.8	Su
Avg.	15.9	20.5	12.8	13.7				76	10.4	55.9	(6)	2.1	2.2	Av

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	5.4	5.0	7	6	15.2	16.8	18.9	18.8	19.2	19.5	●° ⊤° ≺° Ω²	1
2	7.8	4.0	8	9	16.6	17.1	18.9	18.9	19.3	19.8		2
3	9.4	2.3	6	7	16.3	17.4	18.9	19.0	19.2	19.8	Ω²	3
4	8.7	2.0	6	9	16.0	19.0	19.2	19.0	19.4	19.6	Ω²	4
5	9.3	1.0	6	9	15.2	20.1	19.2	19.0	19.0	19.5		5
6	6.8	4.3	6	8	13.9	17.3	18.6	18.8	19.1	19.6	Ω⁰⁻¹	6
7	8.2	1.3	4	6	14.3	17.5	18.5	18.7	19.0	19.5	Ω⁰⁻¹	7
8	2.0	8.0	6	6	14.0	17.7	18.5	18.6	18.9	19.5	Ω¹⁻²	8
9	4.4	9.0	7	8	14.6	16.3	18.4	18.5	18.9	19.4	●² ≷° ⊂° Ω°	9
10	8.9	1.3	7	9	11.8	15.7	17.6	18.0	18.6	19.5	●° ≷°	10
11	6.0	3.7	8	9	12.1	12.9	16.8	17.4	18.4	19.1	Ω⁰⁻¹	11
12	0.0	9.0	7	5	14.5	15.1	16.7	17.5	18.2	19.0	●⁰⁻¹	12
13	0.0	9.7	6	6	18.5	18.5	17.5	17.8	18.4	19.1	●°	13
14	0.7	9.3	8	6	16.2	17.6	17.7	18.0	18.3	19.0	●°	14
15	0.8	4.0	6	8	17.2	18.7	18.1	18.2	18.5	19.0	Ω²	15
16	7.6	6.0	5	6	17.1	19.8	18.4	18.4	18.5	19.0	Ω²	16
17	6.6	7.7	4	5	16.6	18.8	18.4	18.4	18.5	19.0	Ω¹⁻²	17
18	3.5	9.0	4	5	17.2	19.2	18.3	18.4	18.6	18.9	Ω¹⁻²	18
19	2.6	9.3	6	5	15.7	17.4	18.3	18.3	18.6	18.9	⊖° Ω¹⁻²	19
20	0.0	9.3	5	6	15.7	17.9	18.2	18.4	18.6	18.9		20
21	0.7	9.0	8	7	14.5	17.0	18.0	18.2	18.4	18.9	Ω⁰⁻¹	21
22	0.0	9.7	9	7	14.0	14.6	18.0	18.1	17.9	18.9	●² ≷²	22
23	2.2	7.7	7	8	9.3	10.5	16.2	16.8	17.1	18.5	●° ≷⁰⁻¹	23
24	5.6	9.0	8	7	9.7	10.8	15.4	16.2	17.0	18.3		24
25	0.2	7.3	6	9	8.5	10.5	14.6	15.6	16.6	18.0		25
26	0.6	7.3	8	7	7.2	7.7	13.8	14.9	16.2	17.8	Ω°	26
27	2.0	8.0	5	8	8.4	11.4	13.4	14.5	16.8	17.6		27
28	2.9	6.0	7	7	7.5	8.3	13.0	14.0	15.8	17.4		28
29	8.4	0.3	6	9	9.4	11.7	12.8	13.8	15.3	17.2	Ω¹	29
30	7.7	2.0	4	5	11.7	13.0	13.0	13.9	15.1	17.0		30
m	129.0										●8, ≷5, ⊂1, ⊖1, Ω16,	
		6.1	6.3	6.8	13.6	15.5	17.1	17.5	18.0	18.9		

Year: 1934 Month: December

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)	(4)	Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)	
1	11.9	15.1	9.3	10.0	6			71	7.6	760.6	NE	7.8	2.2	
2	11.7	17.5	8.7	9.0	6			67	6.9	60.6	NE	3.4	2.5	
3	12.8	16.8	8.2	10.7	5			71	8.1	55.9	SSW	1.4	2.2	
4	14.3	19.8	8.2	10.6	4			61	7.4	53.5	W	0.6	3.1	
5	14.4	19.5	11.5	11.9	4			69	8.6	53.0	WSW	0.4	2.6	
6	12.9	14.4	11.2	11.7	5	0.7	2.00	84	9.3	53.5	NNE	1.6	1.3	
7	13.5	17.8	10.5	11.3	4	0.0	0.08	75	8.6	56.3	SW	0.8	1.9	
8	13.2	16.5	11.1	12.0	5			81	9.3	56.2	ENE	3.3	1.5	
9	11.7	13.6	10.6	8.7	6			69	6.4	57.5	NE	6.8	2.6	
10	10.2	13.5	8.6	8.1	8	0.0	0.03	73	6.8	57.9	NE	1.9	1.9	
11	10.2	14.1	6.3	8.5	8			75	6.9	56.5	NE	0.8	1.5	
12	12.1	16.5	9.2	11.8	6	25.4	7.00	87	9.5	52.4	NE	1.1	1.1	
13	13.2	17.8	9.5	11.4	5			78	8.8	54.9	NNW	0.9	1.4	
14	14.7	17.8	9.8	13.1	3			82	10.2	53.7	S	2.2	1.5	
15	16.0	18.4	12.3	13.6	2	0.6	1.75	78	10.5	48.3	S	3.4	3.2	
16	16.0	17.7	13.5	14.6	2	2.0	0.53	83	11.5	47.0	S	4.6	2.1	
17	15.0	17.6	12.5	12.6	3	8.0	7.08	80	9.4	42.7	S	4.7	3.3	
18	12.8	17.2	9.6	11.3	5	10.3	3.67	84	9.0	43.4	S	1.0	1.7	
19	12.9	15.1	11.3	12.0	5	3.2	2.00	88	9.9	43.8	NE	3.7	0.9	
20	13.2	15.5	11.9	11.3	5			79	8.8	44.1	ENE	5.9	1.7	
21	11.5	13.2	11.7	10.6	6	13.6	13.17	90	9.1	44.9	NE	4.1	1.2	
22	10.4	12.1	10.0	9.0	8	1.5	3.00	83	7.6	46.6	ENE	3.8	1.2	
23	10.3	14.6	7.6	9.3	8	0.0	1.00	82	7.9	50.6	NE	1.1	1.1	
24	10.3	11.0	9.7	10.0	8	14.5	12.67	92	9.0	50.3	NE	4.1	0.7	
25	11.2	13.8	8.7	9.6	7			81	7.6	52.5	ENE	4.1	1.3	
26	10.5	12.1	8.6	9.2	7	17.4	9.83	84	8.0	50.8	NE	7.8	1.2	
27	10.1	14.5	8.4	8.4	8	0.0	0.17	75	7.0	52.0	NE	3.6	1.7	
28	8.3	10.9	6.8	6.1	10			71	5.7	55.0	NE	6.3	1.8	
29	7.4	10.4	6.0	5.1	11			69	5.2	56.4	NE	5.9	2.4	
30	7.0	11.0	5.2	5.6	11	0.0	0.08	77	5.6	57.1	NE	2.8	1.2	
31	7.4	9.7	6.2	5.1	11	0.0	0.08	72	5.1	56.5	NE	4.9	1.5	
Sum					192	97.2	64.14				NE		55.5	
Avg.	11.8	15.0	9.4	10.1				78	8.1	752.4	(6)	3.4	1.8	

Year: 1934 Month: December

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	3.0	7.3	5	6	10.4	11.8	13.3	13.8	15.0	16.8		1
2	7.6	4.0	5	8	8.8	12.3	13.2	13.8	14.9	16.7		2
3	8.3	2.0	5	8	10.4	12.1	13.1	13.8	14.8	16.5		3
4	7.4	3.0	6	7	11.3	13.8	13.5	14.1	14.9	16.4		4
5	8.3	1.7	5	7	10.3	14.4	14.1	14.3	14.9	16.3		5
6	0.0	8.7	6	5	10.8	11.6	14.1	14.4	15.0	16.2	●0-1 ∩0	6
7	8.2	1.7	6	7	11.1	12.6	13.9	14.3	14.9	16.2	●0 ∩1	7
8	0.6	7.7	5	6	11.5	11.9	14.0	14.3	14.9	16.1	∩0-1	8
9	7.1	6.7	8	8	12.6	13.2	13.9	14.3	15.2	16.1		9
10	3.1	6.3	8	8	7.8	9.9	13.6	14.0	14.7	16.0	●0	10
11	1.0	9.3	8	8	8.4	10.3	12.9	13.5	14.5	15.8		11
12	2.4	6.3	8	9	10.2	12.1	13.2	13.6	14.5	15.8	●1 ≡1 ∩1	12
13	6.8	3.0	5	7	10.2	11.5	13.1	13.5	14.4	15.6	∩2	13
14	1.8	8.3	8	8	12.0	12.2	13.4	13.7	14.4	15.6	∩1	14
15	1.0	9.7	7	7	13.1	13.3	14.0	14.1	14.6	15.5	●0-1 ∩0	15
16	2.7	10.0	9	9	13.9	14.2	14.3	14.3	14.7	15.5	●0-1	16
17	3.9	7.7	7	9	12.7	12.8	14.5	14.5	14.9	15.6	●1-2 ⊕1	17
18	2.7	9.0	9	9	10.3	11.3	13.8	14.0	14.7	15.5	●1-2	18
19	0.2	9.7	5	7	10.6	11.6	13.8	14.0	14.6	15.5	●1 ∩1	19
20	0.7	9.3	9	7	10.9	11.4	13.8	14.0	14.6	15.5		20
21	0.0	10.0	5	4	10.0	10.4	13.4	13.7	14.4	15.4	●0-1	21
22	1.4	9.7	7	8	8.8	9.7	13.0	13.4	14.3	15.3	●0-1	22
23	2.6	7.0	7	9	8.7	10.1	12.5	13.1	14.1	15.2	●0 ∩1	23
24	0.0	9.7	6	6	8.7	9.3	12.5	12.9	13.9	15.1	●1	24
25	0.0	9.7	8	8	9.0	9.6	12.2	12.7	13.7	15.0	∩0	25
26	0.0	10.0	8	6	8.5	9.1	12.3	12.6	13.7	14.8	●1	26
27	5.6	6.3	6	8	8.7	11.4	12.0	12.4	13.4	14.8	●0	27
28	4.0	6.7	6	8	6.3	7.3	11.5	12.0	13.2	14.5		28
29	6.2	8.0	6	8	4.9	6.1	10.6	11.4	13.0	14.4		29
30	2.3	9.3	8	8	6.3	8.5	10.4	11.1	12.6	14.2	●0	30
31	1.0	8.3	7	8	6.8	8.1	10.2	11.0	12.4	14.0	●0	31
Sum	99.9										●17, ⊕1, ≡1, ∩10,	
Avg.		7.3	6.7	7.3	9.8	11.1	13.0	13.4	14.3	15.5		

YEAR : 1934

Month	Air temperature (°C)							Degree days (base 18 °C)	Average of			Sumshine hr (8)	
	Average			Absolute									
	24 hours	Maximum (4)	Minimum (4)	Maximum (4)	Date	Minimum (4)	Date		Wet bulb tempr. (3)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Total	Possible (9)
JAN.	9.1	12.6	6.5	17.7	2	0.5	12	275	7.2	73	6.4	97.7	303.
FEB.	7.2	11.5	4.0	16.8	9	-5.7	16	304	5.3	71	5.5	147.2	300.
MAR.	13.3	17.5	9.7	20.8	25	4.3	6	143	10.8	69	7.[illegible]	182.4	368.
APR.	16.8	22.0	12.4	27.5	29	7.1	5	64	12.8	59	8.3	247.5	393.
MAY	20.6	25.9	16.6	31.2	26	13.8	10	0	16.6	62	11.3	222.5	438.
JUNE	24.4	29.8	19.9	36.5	27	16.2	1	0	19.6	60	13.5	290.9	439.
JULY	27.4	33.2	22.7	42.3	24	19.1	7	0	20.9	52	13.8	320.2	446.
AUG.	27.5	33.6	22.7	38.0	6	20.4	19	0	20.7	51	13.6	352.2	418.
SEPT.	23.4	28.8	19.3	33.6	1	15.7	21	0	18.6	60	12.7	289.7	370.
OCT.	19.2	23.8	15.9	28.8	1	11.0	29	16	16.1	70	11.6	211.9	344.
NOV.	15.9	20.5	12.8	25.8	4	6.4	27	76	13.7	76	10.4	129.0	301.
DEC.	11.8	15.0	9.4	19.8	4	5.2	30	192	10.1	78	8.1	99.9	294.
YEAR	18.1	22.9	14.3	42.3	July 24	-5.7	Febr. 16	1070	14.4	65	10.3	2.591.1	4.421

Moth	Avg.cloudiness (tenths) (3)	Avg.Visibility (10).		Average soil temperature(°C)(3)						Number of days (				
		Toward sea	Toward Land	Surface		In cm depth as indicated below (in cups)				Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25.0°C (Summer days)	Maximum ≥ 30.0°C (Tropical days)	Maximum ≥ 20.0°C (Tropical nights)
				Green	Bare	30	60	90	120					
JAN.	6.3	6.5	6.9	7.6	8.2	10.0	10.3	11.1	12.2	0	0	0	0	0
FEB.	5.1	6.9	8.0	6.9	7.6	8.3	8.5	9.2	10.3	5	0	0	0	0
MAR.	5.7	7.0	6.8	12.3	14.8	12.5	12.0	11.8	11.9	0	0	0	0	0
APR.	4.6	7.0	7.2	16.5	21.1	16.2	15.6	14.8	14.5	0	0	9	0	0
MAY	5.6	7.1	7.5	21.0	24.8	20.6	19.8	18.9	18.0	0	0	20	3	0
JUNE	3.9	7.6	7.8	23.8	29.5	24.3	23.3	22.1	20.8	0	0	30	12	14
LULY	2.2	7.7	7.7	26.0	31.9	26.8	25.9	24.6	23.2	0	0	31	29	27
AUG.	1.0	6.7	7.5	27.7	34.0	27.3	26.8	25.9	24.7	0	0	31	28	31
SEPT.	2.9	6.6	7.3	23.2	28.9	24.3	24.2	24.0	23.7	0	0	30	9	13
OCT.	4.3	6.9	7.7	17.9	20.9	20.8	20.7	21.0	21.4	0	0	13	0	2
NOV.	6.1	6.3	6.8	13.6	15.5	17.1	17.5	18.0	18.9	0	0	4	0	0
DEC.	7.3	6.7	7.3	9.8	11.1	13.0	13.4	14.3	15.5	0	0	0	0	0
YEAR	4.6	6.9	7.4	17.2	20.7	18.4	18.2	18.0	17.9	5	0	168	81	87

Y E A R : 1934

	Average Pressure at 0°C (mm) (1)	Wind (1) (5)		Precipitation			Total evaporation (mm) (4)(7)	Number of days							
		Avg. Speed (m.p.s.)	Prevailing direction	Total (mm) (4)	Maximum in 24 hrs	Date		Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)
N.	756.3	4.0	NE	53.4	23.7	18	60.0	16	0	0	3	0	16	12	0
B.	55.6	3.5	NE	103.9	60.6	6	51.5	9	0	6	1	0	14	11	4
R.	50.9	2.7	SW	45.2	20.0	31	89.2	11	0	0	0	2	11	14	0
R.	51.6	3.5	NE	4.3	3.2	4	128.3	6	0	0	0	0	6	4	0
Y	51.4	3.1	NE	17.4	8.2	8	153.5	13	0	0	0	0	13	0	0
NE	50.4	3.3	SW	13.8	7.2	18	193.9	6	0	0	0	0	6	0	0
LY	48.9	3.5	SW	4.4	4.3	18	251.0	3	0	0	0	0	3	0	0
G.	49.8	3.3	SW	0	0	0	226.7	0	0	0	0	0	0	0	0
P.	53.0	4.7	NE	4.2	4.2	25	170.1	4	0	0	0	0	4	0	0
T.	53.9	3.5	NE	9.7	5.8	12	109.1	5	0	0	0	0	5	15	0
V.	55.9	2.1	NE	56.0	39.2	22	65.8	8	0	0	0	0	8	16	0
C.	52.4	3.4	NE	97.2	25.4	12	55.5	17	0	0	0	0	17	10	0
AR	752.5	3.4	NE	409.5	60.6	Febr. 6	1.554.6	98	0	6	4	2	103	82	4

Month	Number of days													
	Snow cover	Clear (0.0–1.9) tenths (3)	Partly cloudy (2.0–8.0 tenths (3)	Cloudy 8.1–10.0 tenths (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)
AN.	0	1	19	11	1	5	3	2	0	0	1	0	0	0
EB.	6	6	15	7	9	3	3	2	0	0	0	0	0	0
AR.	0	4	19	8	3	2	2	1	0	0	0	0	0	0
PR.	0	5	21	4	10	3	0	0	0	0	0	0	0	0
AY	0	3	22	6	4	0	8	0	0	0	0	0	0	0
JNE	0	6	24	0	7	0	5	0	0	0	0	0	0	0
JLY	0	17	14	0	11	0	3	0	0	0	0	0	0	0
JG.	0	25	6	0	25	0	0	1	0	0	0	0	0	0
EP.	0	8	22	0	10	0	1	0	0	0	0	0	0	0
CT.	0	10	15	6	9	0	1	2	0	0	0	0	0	0
OV.	0	4	16	10	4	4	5	0	0	0	0	1	1	0
EC.	0	2	14	15	2	5	0	0	0	0	0	1	0	1
EAR	6	91	207	67	95	22	31	8	0	0	1	2	1	1

Y E A R : 1934

Month	Frequency (%) of the wind direction (24 hourly observations) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW
JAN.	0.8	4.6	30.8	4.2	3.2	1.1	2.5	1.6	2.6	3.0	2.2	1.2	1.5	1.7	2.5	1.7
FEB.	9.1	9.2	16.3	5.8	1.8	1.0	0.1	0.3	1.3	3.7	5.4	1.2	2.1	2.1	1.9	3.4
MAR.	2.5	2.8	7.0	4.9	4.2	0.8	0.8	6.3	5.6	9.2	10.5	4.9	4.5	2.5	1.5	1.9
APR.	4.0	4.2	17.4	4.9	2.2	0.7	1.1	1.1	4.7	8.7	12.5	4.3	2.4	0.7	3.6	3.2
MAY	2.8	4.5	15.4	4.5	4.0	0.9	3.0	1.4	6.2	9.8	10.5	3.6	3.4	2.3	2.6	2.8
JUNE	4.0	5.3	10.0	1.9	1.4	1.1	1.0	1.1	5.9	10.9	14.5	6.5	3.8	0.8	3.5	3.2
JULY	4.8	5.6	8.1	3.6	1.9	0.4	0.1	0.4	4.0	9.5	9.6	3.0	3.8	5.4	4.6	2.6
AUG.	4.4	3.4	8.4	3.9	2.2	0.4	0.1	0.1	2.6	8.9	11.6	4.4	2.0	2.5	3.5	3.2
SEP.	4.0	8.9	22.9	6.9	3.2	0.7	0.3	0.1	3.9	3.9	3.1	1.3	4.9	1.8	1.2	1.8
OCT.	2.4	2.8	14.2	7.4	3.2	1.2	0.3	0.3	10.7	6.7	6.0	1.6	3.2	1.1	1.4	2.2
NOV.	3.8	3.3	9.7	6.8	1.3	1.1	1.9	0.3	7.9	4.6	4.5	2.5	1.9	1.2	3.2	3.1
DEC.	2.8	2.3	28.4	15.2	3.1	0.7	0.7	0.5	8.4	1.3	1.1	1.4	0.7	0.3	0.4	1.7
YEAR	3.7	4.7	15.8	5.8	2.7	0.8	1.0	1.1	5.3	6.7	7.6	3.0	2.8	1.9	2.5	2.6

REFERENCE NOTES

1) Average of 24 hourly values.
2) Day ending at 24 h.
3) Average of 8,14 and 20 h. observations.
4) Day ending at 20 h.
5) From Steffens - Hedde anemograph (mean instantaneons readings).
6) Monthly prevailing direction.
7) From Piche evaporimeter.
8) From Campbell - Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography.
10) At 14 h. observation.

YEAR 1935

Year : 1935 Month: January

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)	(5)	Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Dergee days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(4)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	6.3	7.8	4.5	4.2	12			66	4.7	753.3	NE	6.0	2.1	1
2	5.6	7.9	3.2	4.1	12			72	4.9	52.9	NE	3.5	1.5	2
3	5.8	9.4	3.3	3.4	12			65	4.4	51.6	NE	5.6	2.2	3
4	4.8	8.4	2.1	3.7	13			74	4.9	46.6	NNE	4.3	1.8	4
5	5.4	9.7	2.3	4.5	13	0.0	1.00	80	5.4	43.9	NW	2.8	1.2	5
6	5.9	8.5	5.4	5.2	12	4.6	7.58	87	6.1	43.9	NE	4.2	0.8	6
7	6.9	10.8	4.2	5.7	11			78	6.3	54.7	E	4.2	1.2	7
8	6.4	7.4	5.5	5.1	12	0.4	4.67	81	5.8	56.6	NE	7.2	1.6	8
9	7.2	8.7	5.4	6.2	11	1.0	6.70	89	6.8	56.5	S	3.4	0.8	9
10	10.0	14.0	6.3	9.7	8			83	8.0	59.6	S	1.6	1.1	10
11	12.9	14.0	10.1	11.5	5	11.4	3.75	82	9.0	58.1	S	6.5	2.7	11
12	11.6	14.2	10.2	9.5	6	2.3	1.25	78	7.6	53.9	S	2.8	2.4	12
13	10.0	14.0	6.9	8.5	8	2.8	1.67	78	7.2	51.3	S	1.8	1.9	13
14	12.1	12.9	9.5	10.1	6	4.7	4.47	76	8.2	50.0	S	9.0	4.4	14
15	9.7	13.3	8.8	9.0	8	18.0	11.67	92	8.1	43.7	S	3.7	1.4	15
16	7.6	9.7	6.2	6.7	10	4.0	2.58	85	7.0	43.9	NNW	4.8	0.8	16
17	5.7	8.8	4.9	4.5	12	0.0	0.17	80	5.5	50.0	NNE	4.5	1.5	17
18	5.1	8.7	2.2	3.3	13			73	4.6	52.5	NE	3.8	1.5	18
19	6.1	11.4	3.5	5.9	12	0.3	0.83	83	6.0	54.5	NE	1.7	1.4	19
20	7.2	8.8	5.8	7.0	11	11.5	6.17	91	7.1	57.4	ENE	4.2	0.6	20
21	11.5	14.8	7.7	11.3	6	4.2	2.95	87	9.4	56.3	S	4.4	2.3	21
22	10.2	14.0	9.2	9.1	8	3.9	4.40	85	7.8	55.3	NE	2.5	1.3	22
23	8.1	13.6	5.0	6.4	10			77	6.0	58.1	ENE	1.4	1.5	23
24	8.2	13.0	3.1	7.1	10			77	6.5	56.6	SSW	0.7	1.4	24
25	8.9	14.6	3.1	7.5	9			73	6.8	56.3	SW	0.4	1.4	25
26	12.7	15.9	8.1	11.6	5	0.0	1.83	82	9.1	50.3	SSE	5.0	1.6	26
27	13.8	16.4	11.8	11.5	4	8.5	3.17	77	8.7	41.9	SSE	7.5	4.2	27
28	12.5	15.9	11.7	10.5	5	1.8	2.83	74	7.9	44.4	SSW	4.9	3.4	28
29	12.1	16.3	8.3	11.0	6	1.2	1.00	77	8.6	44.3	S	6.0	3.7	29
30	8.8	13.9	6.5	7.0	9	4.4	2.75	75	6.2	41.1	W	1.6	2.1	30
31	7.0	10.1	6.1	4.1	11	0.0	0.67	62	4.4	46.2	NW	3.7	2.6	31
Sum					290	85.0	72.11				NE		58.4	Su
Avg.	8.6	11.8	6.2	7.3				79	6.7	751.1	(6)	4.0	1.9	Av

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
			Toward sea	Toward land	Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120		
1	0.8	8.7	6	6	4.9	5.2	9.6	10.4	12.2	13.8		1
2	0.2	9.3	7	6	4.0	5.2	9.0	9.7	11.8	13.6		2
3	7.4	5.7	6	9	3.2	5.4	8.4	9.5	11.5	13.3		3
4	2.3	7.7	7	7	3.3	4.1	8.2	9.0	11.2	13.1		4
5	4.4	7.7	8	8	4.6	6.3	8.2	8.9	11.1	13.0	⚹° Ω°	5
6	2.6	9.3	7	7	5.0	6.7	8.5	9.2	11.1	12.9	◍$^{0-1}$ ⚹°	6
7	5.6	2.7	7	7	5.3	6.7	8.9	9.4	11.1	12.7		7
8	0.0	10.0	7	6	4.6	5.0	8.9	9.2	11.0	12.4	⚹°	8
9	0.0	9.7	6	8	5.6	6.3	8.9	9.2	10.9	12.4	◍$^{0-1}$ ⚹°	9
10	0.0	9.7	5	7	8.8	9.0	9.1	9.4	11.0	12.4		10
11	0.9	8.7	7	6	10.9	10.5	10.2	10.3	11.2	12.5	◍^{2} ⚑$^{0-1}$	11
12	4.9	8.7	6	9	10.0	10.7	10.8	10.8	11.4	12.6	◍$^{1-2}$ Ω^{1}	12
13	7.2	7.0	8	9	8.0	9.2	10.7	10.7	11.5	12.5	◍$^{1-2}$ ⌀^{1}	13
14	0.0	9.7	7	5	9.7	9.2	10.8	10.9	11.6	12.6	◍$^{1-2}$	14
15	0.0	9.3	8	6	8.0	9.1	10.8	10.9	11.6	12.5	◍^{2} ⚑^{2}	15
16	0.0	9.7	6	5	5.9	6.8	10.2	10.3	11.4	12.5	◍$^{0-1}$	16
17	2.0	5.3	5	8	3.6	5.0	9.6	9.8	11.1	12.3	◍° Ω^{1}	17
18	5.1	7.0	7	7	2.7	4.5	8.6	9.0	10.9	12.2	⌊°	18
19	3.5	9.3	5	6	5.1	7.6	8.6	9.0	10.7	12.1	◍° ⚹° ⚑°	19
20	0.0	10.0	6	6	6.1	6.6	9.0	9.2	10.6	12.0	◍^{2}	20
21	0.5	8.3	8	9	9.8	10.3	9.5	9.7	10.7	11.9	◍^{1}	21
22	2.9	7.0	6	9	8.2	9.4	10.2	10.2	10.8	12.0	◍^{1}	22
23	6.9	4.0	7	9	6.6	8.6	10.1	10.2	10.9	12.0		23
24	5.7	4.3	7	8	7.0	9.0	9.7	10.0	10.9	12.0	Ω°	24
25	7.1	2.7	6	6	7.1	8.8	9.6	9.9	10.8	12.0	Ω^{2} ⌊^{c}	25
26	0.4	9.0	8	8	11.8	11.9	10.1	10.3	10.9	11.9	◍° Ω^{2}	26
27	5.1	6.0	9	9	11.2	12.2	11.2	10.9	11.2	12.0	◍^{1}	27
28	1.0	4.3	6	6	12.0	10.4	11.3	11.2	11.4	12.2	◍$^{1-2}$	28
29	2.1	6.0	5	6	10.4	10.8	11.0	11.1	11.4	12.1	◍$^{1-2}$ Ω^{1}	29
30	1.6	6.0	6	8	6.9	7.4	10.8	10.8	11.4	12.2	◍$^{1-2}$ ⚑°	30
31	6.1	3.0	7	9	6.8	7.4	10.1	10.3	11.1	12.1	◍°	31
Sum	86.3										◍19, ⚹5, ⚑4, ⌀1,	
Avg.		7.3	6.6	7.0	7.0	7.9	9.7	10.0	11.2	12.4	Ω7, ⌊2,	

Date	Air Temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	6.2	11.5	2.7	4.7	12			61	4.1	750.0	NW	1.3	1.9	1
2	6.6	9.7	4.3	4.1	11			65	4.8	45.9	NNW	0.7	1.8	2
3	8.2	13.8	4.3	6.2	10			66	5.8	43.1	WSW	3.3	2.6	3
4	7.5	12.1	3.9	4.8	10			67	4.8	48.3	S	4.2	3.1	4
5	11.0	17.1	6.3	10.2	7			79	8.2	48.3	S	1.2	2.1	5
6	12.1	15.5	8.0	11.6	6	0.0	0.05	88	9.5	47.1	S	4.2	1.6	6
7	12.9	16.8	10.5	11.1	5			79	8.6	48.7	WSW	1.9	2.2	7
8	12.2	15.4	9.3	10.8	6	0.2	0.42	81	8.6	51.3	S	3.2	2.0	8
9	14.2	16.5	11.7	13.0	4	5.0	7.00	86	10.7	47.1	S	6.0	2.2	9
10	13.7	18.4	10.9	13.0	4	4.6	2.12	90	10.7	45.7	S	2.4	1.2	10
11	12.6	18.4	9.3	11.3	5	3.4	2.92	83	9.0	46.7	ENE	3.0	1.4	11
12	7.3	12.1	5.7	5.2	11	21.9	12.33	84	5.9	45.3	NE	7.9	1.2	12
13	4.5	7.1	3.7	3.0	13	0.2	9.08	75	4.7	50.4	NE	8.0	1.7	13
14	5.3	9.8	3.3	3.6	13			73	4.8	52.8	NNW	2.1	1.2	14
15	7.9	11.5	3.2	6.7	10	0.2	0.67	74	6.0	51.1	WSW	1.6	1.9	15
16	7.4	11.0	5.5	4.8	11	0.5	6.33	64	4.6	51.0	NNW	4.3	2.2	16
17	10.5	16.4	3.9	7.4	7			55	5.4	51.5	W	2.1	3.7	17
18	11.9	16.8	7.8	8.3	6			59	5.9	53.2	ENE	2.4	3.1	18
19	8.1	10.7	7.5	5.4	10	0.1	2.00	66	5.4	57.5	NNE	8.0	2.6	19
20	8.0	11.9	5.1	4.7	10			57	4.0	57.8	NNW	5.9	3.1	20
21	10.4	18.8	5.0	7.1	8			51	5.1	56.4	SSW	1.4	4.5	21
22	11.8	16.7	6.9	9.4	6			67	6.9	54.6	SW	1.0	3.2	22
23	13.0	16.3	9.3	10.5	5			70	7.7	52.0	WSW	3.8	3.1	23
24	15.1	19.8	11.9	13.3	3			71	10.1	45.4	S	7.3	4.6	24
25	14.0	19.2	10.1	10.9	4	1.7	0.67	65	7.5	47.2	WNW	5.1	4.8	25
26	13.6	19.1	10.0	11.9	4			76	9.0	50.7	S	3.8	3.3	26
27	13.3	17.1	10.7	10.1	5	0.0	0.33	68	7.2	49.7	W	4.4	4.6	27
28	12.2	16.2	8.7	9.8	6			66	7.1	54.2	W	3.6	3.8	28
Sum					212	37.8	43.92				S		74.7	Sum
Avg.	10.4	14.9	7.1	8.3				71	6.9	750.1	(6)	3.7	2.7	Avg

Year: 1935 Month: February

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	6.1	2.3	7	9	6.6	7.4	9.2	9.6	10.9	11.9	D°	1
2	4.4	5.7	8	7	4.6	4.8	8.9	9.1	10.6	11.8	L°	2
3	0.8	6.7	8	7	4.6	5.6	8.5	8.7	10.5	11.8		3
4	9.2	1.0	7	9	6.9	8.7	8.5	8.9	10.4	11.7		4
5	7.8	3.0	5	6	10.1	10.7	9.1	9.2	10.4	11.6	D¹	5
6	4.0	8.0	6	5	10.6	8.1	10.0	10.0	10.6	11.6	◍° D°	6
7	9.0	4.3	7	8	9.5	13.2	10.9	10.6	10.9	11.8	D¹	7
8	0.5	10.0	8	7	10.3	11.9	11.3	11.0	11.1	11.8	◍° D°	8
9	6.8	9.0	6	6	12.8	14.3	11.7	11.4	11.4	11.9	◍¹ Θ²	9
10	3.9	6.7	6	6	11.8	12.5	12.1	11.7	11.6	12.0	◍¹ D¹	10
11	3.8	6.7	7	8	10.9	12.0	12.1	11.9	11.8	12.2	◍¹ D¹	11
12	0.3	9.3	7	8	7.6	9.5	11.8	11.6	11.8	12.2	◍² ⁂°	12
13	4.2	8.7	7	7	5.1	5.3	10.3	10.5	11.4	12.0	⁂°	13
14	0.6	7.3	7	7	4.7	6.0	9.5	9.9	11.2	12.1	D°	14
15	5.2	7.7	7	7	6.3	7.0	9.2	9.6	11.0	12.0	⁂° D¹	15
16	4.5	4.3	7	9	8.3	9.5	9.5	9.8	10.9	12.0	⁂°	16
17	9.9	0.3	7	9	8.8	11.0	9.2	9.5	10.8	11.9		17
18	7.9	4.3	7	9	11.6	15.6	10.1	10.1	10.9	11.9	D¹⁻²	18
19	2.6	8.3	7	7	5.2	6.7	10.6	10.4	11.0	11.9	◍⁰⁻¹ ☾°	19
20	9.8	1.3	5	8	6.8	10.4	9.9	9.9	10.9	11.8		20
21	10.1	0.0	8	9	10.1	13.0	9.7	9.9	10.7	11.8		21
22	10.2	1.7	7	7	9.9	12.1	10.4	10.2	11.0	11.8	D⁰⁻¹	22
23	7.4	5.3	7	8	12.2	13.1	11.0	10.7	11.2	12.0		23
24	9.0	2.0	7	6	14.9	16.7	12.0	11.5	11.8	12.1		24
25	9.8	2.7	8	9	12.8	15.7	12.5	12.0	11.7	12.2	◍¹	25
26	6.2	3.7	7	8	13.7	17.4	12.5	12.2	11.9	12.2		26
27	8.1	4.7	7	7	11.2	14.4	12.9	12.4	12.1	12.4	◍°	27
28	9.9	0.3	8	8	10.2	14.5	12.7	12.4	12.3	12.5	D°	28
Sum	172.0										◍9, ⁂4, ☾1, Θ1,	
Avg.		4.8	7.0	7.5	9.2	11.1	10.6	10.5	11.2	12.0	☖12, ⌊⌋1,	

Year: 1935 Month: March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C) (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	12.9	16.9	8.7	11.0	5			75	8.4	749.8	SSW	6.5	3.0	1
2	13.0	16.6	8.5	10.4	5	1.0	2.25	71	7.8	37.3	SW	6.9	3.8	2
3	11.8	14.7	9.0	9.0	6	0.9	2.58	71	7.0	36.8	WNW	5.3	4.5	3
4	11.4	14.9	8.4	8.2	7			64	6.2	46.5	WNW	3.7	4.1	4
5	10.2	15.1	7.8	7.4	8	0.0	0.25	67	5.8	53.0	ENE	3.1	3.5	5
6	8.2	13.0	4.1	6.4	10			75	5.9	58.0	ENE	2.0	1.9	6
7	7.2	9.7	4.8	6.7	11	9.8	16.58	91	6.8	56.2	NE	3.8	0.8	7
8	9.2	12.1	6.2	8.9	9	12.0	11.55	93	8.3	53.3	NE	2.8	0.8	8
9	11.0	16.9	6.1	9.3	7	0.0	0.05	80	7.5	55.6	ENE	2.8	1.7	9
10	7.5	9.8	6.0	5.9	10	0.2	1.20	74	5.6	61.9	NE	7.3	2.1	10
11	6.5	8.6	4.8	4.0	11			67	4.7	60.8	NE	13.8	3.7	11
12	7.3	9.8	5.0	5.1	11			70	5.3	59.7	NE	10.5	3.2	12
13	8.4	11.4	6.4	6.3	10			70	6.8	57.6	NE	13.2	3.3	13
14	6.5	8.0	6.6	5.2	11	1.2	6.33	83	6.0	51.1	NW	8.1	1.8	14
15	6.6	9.1	4.8	3.9	11	0.1	0.62	65	4.5	52.9	NE	8.5	2.7	15
16	5.3	6.8	3.5	3.0	13			66	4.3	57.3	NE	8.0	2.8	16
17	5.9	8.5	3.9	3.9	12			65	4.6	56.3	NE	6.3	2.3	17
18	6.8	10.9	4.3	5.6	11	0.1	2.83	74	5.6	53.0	N	3.8	1.8	18
19	8.8	14.1	6.5	6.3	9			65	5.0	51.2	NNW	4.1	2.5	19
20	10.2	14.9	5.5	7.2	8			60	5.4	56.4	NNE	6.2	3.4	20
21	11.7	17.0	7.5	8.8	6			63	6.5	58.3	NNE	4.1	3.0	21
22	13.6	18.7	7.7	11.0	4			63	7.8	57.1	SW	0.9	3.5	22
23	14.0	19.6	9.1	12.0	4			71	8.8	56.5	SSW	1.6	3.2	23
24	14.4	20.2	9.7	12.8	4			75	9.4	55.2	SSW	1.7	2.9	24
25	14.2	18.0	11.2	13.2	4	0.0	0.08	81	10.5	52.4	SSW	2.8	2.3	25
26	14.3	17.4	13.0	12.1	4	0.2	1.78	74	8.7	54.1	NE	4.2	2.1	26
27	12.7	17.1	10.3	11.3	5	3.6	8.33	80	8.8	54.3	N	1.1	1.3	27
28	13.4	18.3	8.4	10.8	5	0.0	0.15	71	7.8	50.7	SSW	1.8	2.1	28
29	11.4	15.3	9.7	8.8	7	2.6	2.00	71	6.6	48.7	NE	6.6	2.9	29
30	11.2	15.1	6.6	9.3	7			73	7.0	40.4	S	2.1	1.9	30
31	9.3	13.2	4.5	6.3	9	5.2	4.34	66	5.3	37.6	W	5.1	3.9	31
Sum					244	36.9	60.92				NE		82.8	Sum
Avg.	10.2	13.9	7.1	8.1				72	6.7	752.6	(6)	5.1	2.7	Avg

Year: 1935 Month: March

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	4.8	8.3	6	8	13.0	16.3	12.6	12.4	12.1	12.6		1
2	7.8	6.3	7	7	10.7	12.5	12.8	12.6	12.4	12.7	●0-1	2
3	7.6	6.7	8	9	12.8	16.8	12.9	12.6	12.6	12.8	●0	3
4	7.8	4.7	6	9	12.2	16.3	12.9	12.7	12.5	12.8		4
5	8.6	5.3	8	8	9.2	15.5	12.8	12.6	12.6	12.8	●0 D0	5
6	9.2	4.3	7	8	7.1	11.5	12.1	12.1	12.5	12.9	D1	6
7	0.0	10.0	8	8	8.8	9.0	11.6	11.7	12.3	12.8	●1 ✳0	7
8	0.0	10.0	5	6	8.6	8.0	11.1	11.3	12.1	12.8	●0-1	8
9	7.1	8.3	9	9	13.6	14.7	11.6	11.6	12.2	12.8	●0	9
10	2.8	7.0	7	7	7.1	9.7	11.2	11.4	12.1	12.7	●0	10
11	8.2	6.0	6	8	5.9	8.5	10.3	10.6	11.8	12.4		11
12	4.5	7.3	7	7	5.7	8.0	10.0	10.3	11.6	12.5		12
13	9.7	6.7	6	7	8.2	11.2	10.2	10.5	11.5	12.3		13
14	0.0	10.0	7	8	5.0	6.3	10.2	10.4	11.4	12.4	●0 ✳0	14
15	0.7	9.3	7	7	3.8	5.8	9.6	10.0	11.3	12.2	●0	15
16	0.4	9.3	8	8	3.1	5.7	9.2	9.6	11.0	12.0		16
17	2.5	8.0	9	9	4.7	8.7	9.1	9.5	11.0	12.0		17
18	2.1	9.3	6	8	9.0	10.3	9.3	9.6	10.9	11.9	●0	18
19	5.8	8.0	7	7	10.2	12.5	9.9	10.1	10.9	11.9		19
20	10.7	2.0	7	7	9.9	13.1	10.3	10.3	11.0	11.9	D0	20
21	10.1	2.3	5	7	12.0	17.6	11.2	11.3	11.3	12.0		21
22	10.6	0.0	6	6	11.7	18.1	11.9	11.5	11.5	12.1		22
23	10.4	0.0	6	7	12.4	19.5	12.5	12.1	11.8	12.2	D1	23
24	9.7	5.3	7	7	13.7	21.4	13.3	12.7	12.2	12.4	D2	24
25	6.4	7.0	7	7	13.0	17.0	14.0	13.3	12.5	12.5	●0 D0	25
26	0.7	9.7	7	6	13.6	16.3	14.1	13.5	12.8	12.7	●0-1	26
27	0.8	7.3	7	6	12.3	13.9	13.8	13.4	13.0	12.9	●1 R0	27
28	6.8	6.0	7	6	11.6	17.5	13.3	13.1	12.9	13.0	●0 D1-2	28
29	9.3	5.7	7	9	11.6	15.4	13.5	13.2	13.1	13.1	●1	29
30	1.4	9.3	8	7	11.2	13.2	13.1	13.0	12.8	13.2	D1	30
31	8.5	4.7	9	9	10.5	11.5	12.7	12.7	13.1	13.3	●1-2 ▲0 R0	31
um	175.0										●16, ✳2, ▲1, R2, ∩8,	
vg.		6.6	6.8	7.5	9.7	13.0	11.7	11.7	12.0	12.5		

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	8.3	12.7	4.8	6.1	10	0.5	1.33	71	5.4	745.2	NNW	1.7	2.6	1
2	9.8	14.2	4.8	7.3	8			62	5.7	49.9	SSW	2.4	2.7	2
3	11.6	16.0	7.0	9.0	6			60	6.4	52.1	SSW	2.4	3.5	3
4	13.9	18.8	9.7	11.4	4			68	8.1	53.6	SSW	2.0	3.2	4
5	15.8	20.0	11.4	13.2	2			66	8.4	52.7	S	5.1	4.3	5
6	16.3	21.5	11.9	13.3	2			67	9.1	50.5	S	2.2	4.6	6
7	15.0	19.9	10.5	12.5	3			66	8.6	50.3	SW	1.7	3.4	7
8	14.9	20.5	10.0	12.3	3			68	8.7	51.0	SW	1.8	3.4	8
9	15.6	22.5	11.3	12.8	2			69	9.0	51.8	SW	1.6	3.4	9
10	18.0	24.7	12.1	14.2	0			60	8.9	52.8	NNE	2.0	4.2	10
11	18.8	25.0	13.7	15.0	0			62	9.9	53.8	SSW	2.1	5.2	11
12	18.0	22.9	14.0	15.1	0			68	10.7	52.9	SW	1.1	3.9	12
13	17.9	22.1	13.5	15.4	0			68	11.1	49.1	SSE	2.0	3.9	13
14	17.0	21.6	14.7	12.8	1			59	8.4	48.1	WNW	5.5	7.4	14
15	16.3	20.8	12.7	12.4	2			58	8.1	48.2	WNW	4.3	5.2	15
16	15.1	19.4	12.1	10.9	3	0.0	0.17	52	6.7	49.2	WNW	4.2	6.9	16
17	13.8	18.0	8.8	10.8	4			60	7.5	51.9	S	3.4	4.1	17
18	15.6	19.9	11.3	13.1	2			67	9.1	48.0	SSW	5.6	3.7	18
19	14.7	18.7	12.3	11.0	3			58	7.1	48.8	WNW	4.9	7.2	19
20	14.2	19.6	9.5	11.3	4	0.1	0.83	64	7.5	50.6	WNW	2.7	3.6	20
21	14.2	19.3	9.6	11.9	4	0.5	0.17	69	8.5	54.3	SSW	3.2	3.5	21
22	15.0	19.2	9.5	12.9	3			73	9.6	53.6	SSW	2.4	3.1	22
23	17.1	22.7	11.8	13.6	1			63	8.9	50.7	SW	1.3	3.5	23
24	17.2	21.7	8.1	15.1	1			71	11.1	52.3	WSW	1.3	3.3	24
25	18.4	22.9	14.5	15.0	0			69	10.0	52.7	SW	1.8	3.8	25
26	18.2	20.6	15.0	15.2	0	0.0	0.05	69	10.9	49.6	SSW	3.1	3.1	26
27	17.8	22.4	13.4	12.3	0			46	7.3	51.9	SSW	3.1	6.1	27
28	18.3	24.4	13.5	13.0	0			49	7.5	52.3	SW	2.1	5.7	28
29	16.9	20.3	14.2	13.3	1	0.3	1.58	64	8.8	51.8	NNE	1.8	3.4	29
30	18.9	24.1	14.3	15.0	0			63	9.8	47.9	SSE	1.3	4.0	30
Sum					69	1.4	4.13				SSW		125.9	Sum
Avg.	15.8	20.6	11.3	12.6				64	8.6	750.9	(6)	2.7	4.2	Avg.

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	4.0	7.3	9	9	9.9	13.1	12.1	12.3	12.9	13.2	◍ 0-1	1
2	9.5	5.7	8	7	7.6	12.1	11.8	12.0	12.7	13.2		2
3	11.2	1.0	8	8	12.5	17.4	12.2	12.2	12.7	13.2		3
4	10.2	5.0	7	7	14.9	20.0	13.0	12.7	12.8	13.3	⌓ 1-2	4
5	8.8	6.7	6	6	15.1	20.5	14.1	13.6	13.1	13.3	⌓ 1	5
6	7.4	7.0	7	7	14.7	19.5	14.9	14.1	13.4	13.4		6
7	10.0	4.7	7	8	15.9	19.4	15.1	14.4	13.7	13.5		7
8	10.3	2.0	8	8	14.3	20.6	15.5	14.7	14.0	13.7		8
9	10.6	5.7	8	9	14.0	22.3	15.8	15.0	14.2	13.8	⊖ ⌓ 0	9
10	9.4	5.7	7	7	16.1	24.7	16.0	15.3	14.4	14.0	⌓ 0	10
11	11.3	0.3	7	9	15.8	25.2	16.8	15.8	14.7	14.2	⌓ 0	11
12	11.3	1.0	7	6	16.2	23.6	17.4	16.3	14.9	14.3	⌓ 0-1	12
13	11.3	1.0	6	7	17.0	25.4	17.8	16.7	15.3	14.5	⌓ 0	13
14	9.8	2.7	7	9	16.2	24.7	17.9	17.0	15.6	14.8		14
15	9.1	5.3	7	6	14.0	20.5	17.9	17.0	15.7	15.0		15
16	9.6	3.3	7	8	14.9	22.3	17.5	16.9	15.9	15.1	◍ 0	16
17	10.9	2.3	6	7	13.2	20.5	17.4	16.6	16.0	15.2		17
18	9.1	2.3	5	5	16.1	21.8	17.1	16.6	15.9	15.4	⌓ 1	18
19	5.8	6.7	8	8	12.4	18.5	17.0	16.6	16.0	15.5		19
20	7.1	6.3	8	8	12.9	21.1	16.7	16.4	16.0	15.5	◍ 0	20
21	10.8	4.7	9	9	14.5	20.4	16.6	16.2	15.9	15.6	◍ 1 ⌅ 1	21
22	6.1	7.3	8	8	14.2	19.8	16.9	16.5	16.0	15.6	⌓ 1	22
23	10.5	3.3	8	7	15.7	23.6	17.4	16.8	16.2	15.7	⌓ 0	23
24	7.8	5.0	7	6	16.3	22.8	18.1	17.2	16.3	15.8	⌓ 0	24
25	8.3	7.0	7	7	17.9	24.1	18.6	17.7	16.6	15.9		25
26	0.4	7.7	7	6	16.3	19.2	18.8	18.0	16.8	16.1	◍ 0	26
27	11.5	3.7	9	9	17.5	23.9	18.5	17.7	16.8	16.1		27
28	11.0	7.0	9	9	17.5	26.5	18.6	18.0	17.0	16.2		28
29	0.0	10.0	9	7	14.3	17.5	18.6	18.0	17.0	16.3	◍ 0-1	29
30	1.8	8.7	6	6	17.1	25.4	18.3	17.8	17.1	16.4		30
Sum	254.9										◍ 6, ⌅ 1, ⊖ 1, ⌓ 11,	
Avg.		4.8	7.4	7.4	14.8	21.2	16.5	15.9	15.2	14.8		

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	21.5	28.3	15.1	16.4	0			53	10.0	745.2	SSW	2.0	5.2	1
2	18.6	23.5	17.4	15.2	0	0.0	0.25	70	11.0	48.7	SSW	3.3	3.7	
3	14.3	18.9	12.9	12.2	4	2.4	3.08	74	9.4	51.9	NE	4.4	2.5	
4	13.1	20.0	8.7	10.1	5			62	6.9	56.7	ENE	4.5	3.1	
5	13.4	19.4	9.1	9.2	5			52	5.6	60.3	NE	7.6	4.6	
6	14.1	19.5	9.1	10.1	4			53	5.7	60.5	NE	7.4	4.2	
7	14.9	20.1	10.8	10.9	3			53	6.8	59.3	NE	5.5	5.5	
8	15.0	20.0	10.1	11.4	3			54	7.3	55.5	SW	2.0	4.3	
9	17.2	22.6	12.5	14.5	1			66	9.8	54.1	WSW	1.3	3.0	
10	19.8	27.4	14.3	15.0	0			54	9.1	54.9	NNE	2.3	4.7	1
11	19.0	23.6	15.4	14.5	0			59	9.7	53.3	NE	1.9	4.6	1
12	20.0	24.9	15.4	16.0	0			62	10.6	49.3	SW	1.4	4.5	1
13	20.8	27.8	17.7	16.0	0	0.0	0.80	58	9.7	46.6	SSW	2.1	5.3	1
14	19.6	24.8	14.9	15.4	0			61	10.0	46.4	WNW	3.7	5.6	1
15	19.9	25.3	15.2	15.2	0			57	9.5	50.6	WNW	2.9	5.9	1
16	19.2	23.3	15.9	16.4	0			67	11.6	53.2	SW	1.8	4.2	1
17	19.2	23.9	15.5	15.6	0			63	10.5	50.7	WSW	1.8	4.4	1
18	20.4	25.3	15.7	16.0	0			59	10.4	49.3	SW	1.6	4.9	1
19	21.9	28.2	15.5	17.3	0			58	11.1	51.0	SW	2.1	4.9	1
20	20.8	26.2	16.3	17.1	0			64	11.8	52.5	SW	1.8	5.2	2
21	22.2	29.5	15.8	17.4	0			58	11.6	51.3	WSW	1.7	4.7	2
22	24.1	29.4	15.9	17.8	0			47	10.8	51.0	ENE	6.2	6.5	2
23	22.5	27.9	17.3	18.4	0			64	13.0	52.0	SW	1.8	5.1	2
24	22.4	27.8	17.4	18.4	0			65	13.1	52.6	WSW	1.0	4.2	2
25	22.2	26.5	17.2	18.9	0			67	13.6	51.4	SW	1.1	4.1	2
26	24.3	31.4	19.2	17.6	0			43	10.0	51.8	SSW	3.0	8.8	2
27	24.4	30.0	19.2	18.5	0			51	9.7	54.0	SW	1.7	6.8	2
28	25.5	31.7	19.2	19.2	0			50	12.1	54.2	SW	1.6	6.7	2
29	26.7	33.1	21.6	19.1	0			44	11.2	52.5	WSW	1.3	7.6	2
30	25.9	31.9	20.6	19.0	0			44	11.6	49.7	S	3.4	9.7	3
31	24.8	30.3	20.6	17.2	0			46	9.5	49.2	W	3.8	8.7	3
Sum					25	2.4	4.13				NE		163.2	Su
Avg.	20.2	25.9	15.5	15.7				58	10.1	752.2	(6)	2.8	5.3	Av

Year: 1935 Month: May

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	2.7	9.3	7	7	19.0	26.8	19.1	18.3	17.2	15.4		1
2	1.3	8.0	7	6	16.1	20.5	19.5	18.5	17.3	16.6	◍⁰	2
3	1.9	7.3	6	6	12.7	15.1	18.3	17.9	17.3	16.7	◍¹ R¹	3
4	6.1	4.7	8	9	12.1	18.7	17.2	17.0	17.1	16.7		4
5	12.1	2.0	8	9	14.0	23.9	17.1	17.0	17.0	16.7		5
6	12.1	1.7	6	7	14.4	23.3	17.5	17.2	17.0	16.8		6
7	12.1	1.3	8	8	17.1	26.1	17.9	17.6	16.8	16.8		7
8	8.4	6.3	7	6	14.8	21.3	18.2	17.8	17.2	16.8	⊕⁰⁻¹	8
9	8.6	6.7	6	6	17.8	25.7	18.2	18.0	17.4	16.9	∩⁰	9
10	11.5	1.3	7	7	19.6	28.1	19.3	18.5	17.5	16.9	∩⁰	10
11	10.1	5.0	8	7	18.2	27.9	20.1	19.5	17.8	17.1		11
12	6.2	7.7	8	7	20.2	29.0	20.5	19.5	18.1	17.1		12
13	2.0	7.3	4	5	19.0	25.3	20.8	19.9	18.3	17.4	◍⁰	13
14	10.7	3.3	5	5	20.1	31.4	20.6	19.7	18.4	17.5		14
15	12.2	1.7	8	9	19.2	30.2	21.1	20.2	18.6	17.6		15
16	11.3	2.3	8	7	18.8	27.2	21.4	20.4	18.8	17.7	∩⁰	16
17	7.4	7.0	8	7	16.1	25.9	21.2	20.4	18.9	17.8		17
18	7.1	4.3	9	8	17.5	27.3	21.0	20.3	19.0	18.0		18
19	10.8	3.3	8	8	23.1	30.6	21.3	20.6	19.1	18.1		19
20	9.3	4.7	8	7	18.7	29.5	22.0	20.9	19.3	18.2		20
21	8.9	6.7	7	6	20.1	28.1	22.1	21.1	19.4	18.3		21
22	7.0	7.0	6	7	19.4	29.8	22.7	21.4	19.7	18.6	⊕¹	22
23	10.3	3.7	7	6	20.4	32.7	23.1	21.9	19.9	18.6	∩⁰	23
24	10.1	3.0	7	6	20.0	31.4	23.3	22.1	20.1	18.8		24
25	1.2	9.0	7	7	22.4	26.8	23.1	22.2	20.3	18.9	∩⁰	25
26	11.2	2.7	8	9	25.7	35.8	23.1	22.1	20.4	19.1		26
27	11.7	3.0	7	7	23.7	34.8	23.7	22.5	20.5	19.1	∩⁰	27
28	10.0	5.3	8	7	25.6	36.7	24.2	23.1	20.6	19.4		28
29	7.4	7.0	7	6	23.3	35.5	24.7	23.3	21.1	19.6		29
30	3.6	9.0	7	6	24.0	30.9	24.8	23.6	21.4	19.8		30
31	12.3	0.3	7	8	23.9	35.0	24.9	23.7	21.6	19.9		31
Sum	257.6										◍ 3, R 1, ⊕ 2,	
Avg.		4.9	7.2	7.0	19.3	28.1	21.0	20.2	18.8	17.9	∩ 6,	

Year: 1935 Month: June

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	23.9	28.8	19.2	16.0	0			39	8.0	753.0	SW	2.3	9.0	
2	23.3	28.0	19.2	17.4	0	0.0	0.07	51	11.0	49.9	SSW	2.8	7.8	
3	25.8	32.7	19.1	19.6	0			51	12.7	50.7	N	1.7	7.1	
4	24.0	30.7	19.2	19.5	0			59	13.5	52.9	SW	1.3	6.3	
5	26.2	32.0	19.9	19.5	0			48	12.1	53.8	ENE	4.4	7.0	
6	26.0	30.9	21.8	19.5	0			48	12.3	53.1	SW	3.3	8.0	
7	28.1	36.1	21.6	21.0	0			46	13.1	53.4	ENE	3.0	7.2	
8	29.4	37.6	24.2	20.9	0			39	12.4	53.5	NE	5.1	9.1	
9	26.6	30.5	23.1	19.7	0			46	12.9	53.0	NE	7.4	9.9	
10	26.2	31.9	21.4	17.5	0			36	8.8	52.0	NE	4.6	9.0	1
11	27.4	33.3	22.4	19.6	0			30	11.9	51.4	ENE	4.9	10.2	1
12	27.8	35.5	21.2	18.6	0			28	9.2	51.2	NE	4.7	9.8	1
13	29.2	36.2	23.6	18.4	0			28	8.1	51.2	NNE	6.1	10.6	1
14	28.4	34.8	24.2	18.9	0			34	9.9	51.6	ENE	8.8	10.9	1
15	25.0	29.7	22.1	16.9	0			39	9.1	51.6	NE	8.8	10.0	1
16	24.4	30.1	19.8	16.3	0			35	8.0	50.6	ENE	7.4	9.3	1
17	25.0	33.2	18.2	17.4	0			42	9.5	51.1	SW	1.6	6.6	1
18	24.6	34.5	21.6	19.4	0			50	11.7	49.9	W	2.8	7.2	1
19	24.0	30.2	20.3	19.7	0			62	14.1	51.3	WSW	3.3	5.8	1
20	24.5	29.4	19.3	19.1	0			56	12.4	50.8	SW	2.1	5.6	2
21	25.4	31.8	20.7	19.1	0			51	11.9	48.6	SW	2.6	6.3	2
22	23.2	26.9	21.2	19.8	0	0.2	0.12	66	14.7	48.3	WSW	2.1	4.9	2
23	22.6	26.9	18.2	19.6	0			72	14.7	49.5	WSW	2.6	3.9	2
24	21.0	25.9	19.3	18.0	0	5.3	1.00	73	12.9	49.0	N	2.2	2.7	2
25	22.2	26.5	17.6	18.7	0	0.0	0.22	69	13.5	49.2	SSW	2.2	3.8	2
26	25.0	31.1	19.3	19.2	0			57	12.3	50.9	NNE	7.3	3.4	2
27	25.0	28.4	21.5	16.0	0			42	8.8	53.3	NE	15.2	11.4	2
28	27.8	32.2	22.8	19.8	0			41	11.8	53.5	NE	11.4	12.4	2
29	30.1	35.8	24.5	22.3	0			46	14.6	50.7	NNE	5.4	8.2	2
30	28.0	34.3	24.9	22.1	0	0.0	0.05	58	16.1	49.8	NE	2.6	6.9	3
Sum					0	5.5	1.46				NE		230.3	S
Avg.	25.7	31.5	21.1	19.0				48	11.7	751.3	(6)	4.7	7.7	A

Year: 1935 Month: June

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
11.6	0.7	8	8	23.8	34.6	24.8	23.7	21.8	20.1		1
8.5	5.3	5	5	20.0	30.5	24.6	23.6	21.9	20.3	◍°	2
12.0	1.3	8	8	23.3	37.0	24.9	23.8	22.0	20.5		3
12.1	0.3	7	8	24.9	34.9	25.4	24.2	22.2	20.6		4
12.2	0.3	7	8	28.1	38.6	25.6	24.3	22.4	20.9		5
11.2	0.0	7	7	24.0	32.9	26.1	24.8	22.6	21.0		6
10.0	1.7	6	7	25.5	38.5	26.5	25.1	22.9	21.2		7
11.2	3.0	6	6	26.5	40.7	27.2	25.5	23.5	21.5		8
12.1	0.3	6	7	26.4	37.7	27.5	25.9	23.4	21.7		9
12.2	0.3	6	6	27.4	38.8	27.2	25.8	23.7	21.8		10
12.4	0.0	7	7	29.3	39.7	27.5	26.4	24.0	22.1		11
12.4	0.0	7	8	26.8	41.1	27.7	26.4	24.2	22.3		12
12.4	0.0	8	8	29.7	41.3	28.0	26.8	24.4	22.5		13
12.2	0.7	7	6	25.5	39.4	28.5	26.9	24.7	22.7		14
11.9	2.3	6	8	23.6	35.7	27.9	27.1	24.7	22.8		15
12.4	1.3	7	8	24.5	36.2	27.8	26.5	24.6	23.0		16
12.2	0.0	7	8	24.9	35.9	27.2	26.6	25.0	23.0		17
12.0	0.7	9	9	25.5	39.2	27.8	26.7	25.1	23.2		18
11.8	3.3	7	7	24.5	34.8	27.9	26.9	25.2	23.2		19
11.2	3.3	8	8	25.0	35.0	27.4	26.5	25.1	23.3		20
10.2	4.0	8	7	24.0	35.0	27.3	26.2	25.1	23.3		21
6.2	7.3	7	7	22.3	30.2	27.0	26.2	25.0	23.4	◍° ≺°	22
8.9	7.0	7	6	19.8	29.0	26.3	25.9	24.8	23.4		23
3.1	6.0	7	7	19.7	25.3	25.8	25.3	24.6	23.4	◍² R¹ T⁰⁻¹ ≺¹	24
8.8	4.7	9	8	19.4	26.9	24.6	24.4	24.3	23.3	◍°	25
10.2	5.3	8	9	25.4	31.0	24.9	24.4	24.1	23.3		26
12.3	0.7	5	7	24.5	33.7	25.5	24.5	23.9	23.3		27
11.2	1.3	6	7	28.2	37.0	26.2	25.2	24.0	23.0		28
12.2	3.0	8	9	28.2	39.8	27.5	26.3	24.5	23.3		29
8.9	5.7	7	7	28.1	36.0	28.4	26.9	24.8	23.3	◍° ≺°	30
											31
326.0										◍5, R1, ≺2,	
	2.3	7.0	7.4	25.0	35.6	26.7	25.6	23.9	22.3		

Year: 1935 Month: July

Date	Air temperature (°C)						Precipit.		Average of		Wind (1)	Wind (5)	Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	26.9	32.1	23.1	19.5	0			49	10.9	752.8	NE	5.7	7.0
2	26.0	31.7	21.1	18.9	0			46	11.4	53.3	NE	6.8	7.6
3	25.5	29.9	21.5	17.1	0			40	9.1	55.5	NE	9.5	9.2
4	27.1	34.6	20.3	19.1	0			38	10.6	52.0	ENE	4.8	8.7
5	29.4	36.2	22.1	20.5	0			38	11.8	50.9	ENE	3.9	8.2
6	29.4	36.0	24.5	21.6	0			45	14.0	49.4	WSW	3.0	8.4
7	28.3	32.6	24.2	20.2	0			44	12.4	48.0	WSW	2.5	7.3
8	26.7	31.2	24.1	20.3	0			51	13.4	50.8	NE	8.5	7.7
9	25.3	31.2	21.3	20.2	0			55	14.4	47.8	SW	3.9	6.1
10	24.3	30.3	19.9	17.3	0			45	10.0	49.9	NNE	5.4	6.1
11	24.3	29.0	19.2	18.3	0			48	11.3	49.5	SSW	2.9	7.2
12	25.0	32.0	21.5	19.7	0			55	13.0	49.5	NNW	3.0	6.5
13	23.8	30.4	19.4	17.9	0			53	11.3	52.9	ENE	4.6	5.5
14	23.6	29.0	17.8	17.7	0			50	10.9	53.5	SW	3.2	6.9
15	25.2	30.2	20.7	19.5	0			51	13.1	53.7	SW	2.3	5.8
16	26.5	31.5	22.0	21.1	0			53	14.6	52.5	WSW	2.6	6.8
17	27.3	32.8	23.3	19.9	0			45	12.2	50.4	NE	6.1	7.9
18	28.0	32.5	23.7	19.8	0			41	11.6	47.7	NNE	10.0	9.6
19	29.3	36.0	24.7	19.7	0			35	10.7	48.5	NE	5.3	10.0
20	28.9	32.6	23.8	20.2	0			40	11.8	49.9	WSW	2.7	8.0
21	30.1	38.5	24.9	21.5	0			38	12.4	48.2	NE	4.3	9.9
22	30.0	35.3	24.8	20.1	0			34	10.9	46.5	ENE	5.1	12.4
23	28.6	33.6	24.9	20.3	0			37	10.9	48.3	ENE	6.7	8.8
24	26.0	31.3	22.7	19.3	0			48	12.0	50.5	NE	6.6	6.8
25	26.2	32.5	22.2	17.8	0			39	9.5	51.3	NNE	3.6	6.7
26	26.6	33.0	19.6	17.9	0			34	9.4	51.1	NE	4.7	8.1
27	27.9	34.1	21.9	18.6	0			33	9.9	50.5	NE	5.1	8.6
28	29.6	36.8	23.3	20.3	0			35	11.1	50.3	ENE	2.8	8.8
29	28.9	33.8	24.2	20.6	0			41	12.7	47.9	SW	2.4	8.8
30	27.9	32.4	23.7	21.7	0			54	15.1	44.9	SW	2.5	7.9
31	27.5	35.0	23.1	23.7	0			67	18.6	47.2	SW	2.1	5.7
Sum					0	0	0				NE		243.0
Avg.	27.1	32.8	22.4	19.7				44	12.0	750.2	(6)	4.6	7.9

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
11.8	2.0	7	8	27.5	38.2	28.4	27.0	25.0	23.5		1
12.2	1.3	6	8	27.8	37.9	28.2	27.0	25.2	23.7		2
12.2	0.7	7	8	25.8	36.1	27.8	26.9	25.2	23.8		3
12.2	0.0	6	7	26.8	38.6	28.0	27.4	25.5	23.9		4
12.2	0.3	8	9	28.1	40.5	28.7	27.8	25.6	24.1		5
11.8	1.3	8	7	28.0	39.0	29.3	28.1	26.0	24.1		6
11.9	3.0	7	8	24.5	36.7	29.4	28.4	26.2	24.2		7
11.9	2.3	7	4	28.2	37.8	29.3	28.1	26.1	24.4		8
10.6	3.3	7	7	23.6	36.6	29.0	28.2	26.3	24.5	T°	9
11.6	2.7	6	6	26.6	38.7	28.5	28.1	26.3	24.6	T°	10
11.2	2.0	6	7	25.8	33.3	28.2	27.6	26.3	24.6		11
6.3	4.7	6	8	30.8	39.7	28.1	27.6	26.3	24.6		12
10.3	3.0	6	8	24.0	33.4	27.6	27.2	26.0	24.6		13
12.3	1.3	6	8	24.9	33.8	27.2	26.9	26.0	24.7		14
11.9	1.3	7	8	27.2	36.2	27.3	26.8	26.2	24.6		15
11.0	1.7	6	8	27.7	36.1	27.6	27.0	25.9	24.6		16
11.7	2.7	7	8	28.6	38.1	27.9	27.2	26.1	24.6		17
12.0	0.7	8	8	25.7	36.6	28.3	27.3	25.8	24.6		18
11.7	0.3	7	8	27.8	41.0	28.7	27.8	25.9	24.7		19
11.4	0.7	6	8	26.5	37.4	29.0	28.2	26.3	24.7		20
11.7	0.3	8	9	27.4	40.4	29.0	28.3	26.4	24.9		21
12.0	0.0	6	7	27.1	41.4	29.8	28.6	26.5	25.0		22
11.2	3.0	6	7	27.6	41.2	29.7	28.7	26.7	25.2		23
9.2	3.0	6	7	26.0	37.2	29.3	28.5	26.7	25.2		24
11.9	1.7	7	8	26.8	40.6	29.1	28.5	26.9	25.3		25
12.2	1.3	7	8	25.3	39.0	29.0	28.1	26.8	25.3		26
11.9	0.0	6	7	25.2	39.1	29.0	28.5	26.9	25.4		27
11.5	0.3	6	8	25.9	41.2	29.5	28.7	27.0	25.4		28
11.2	2.7	6	8	27.3	37.1	29.5	28.8	27.2	25.5		29
11.6	1.7	6	7	25.4	36.6	29.5	28.7	27.2	25.5		30
11.0	3.3	7	8	28.6	38.4	29.3	28.8	27.2	25.5	R 0.1	31
353.6										R 3.	
	1.7	6.6	7.6	26.8	38.0	28.7	27.9	26.2	24.7		

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	26.8	31.9	22.7	23.8	0			76	19.7	748.0	WSW	1.8	4.5
2	26.5	31.2	23.5	20.9	0			57	14.8	49.2	NE	7.1	5.6
3	25.8	31.5	21.1	19.3	0			50	11.5	50.0	NE	6.5	7.3
4	26.3	32.3	21.2	28.6	0			43	11.2	50.9	NE	6.5	7.2
5	26.6	32.5	21.7	19.2	0			44	11.3	51.9	NE	6.9	8.4
6	27.5	33.4	22.7	19.2	0			41	10.8	51.5	NE	6.3	8.9
7	27.6	32.9	23.5	20.5	0			46	13.0	50.8	NNE	5.5	8.4
8	26.1	30.4	22.9	18.8	0			47	11.3	49.4	NNE	7.4	7.9
9	25.8	30.1	22.7	18.1	0			44	10.5	50.7	NNE	8.4	8.4
10	25.8	31.0	21.6	18.2	0			45	10.4	52.3	NE	6.8	7.5
11	27.0	33.6	21.7	18.8	0			41	10.7	51.1	NE	5.2	7.7
12	26.4	31.6	22.0	19.9	0			52	11.0	49.7	WSW	1.9	7.3
13	26.9	31.3	23.2	19.9	0			50	12.7	48.6	SW	2.3	6.6
14	27.5	32.7	23.6	21.4	0			51	14.8	48.9	WSW	1.7	6.9
15	29.1	34.0	23.3	21.4	0			46	13.9	47.7	SW	2.6	7.3
16	28.2	33.8	24.0	19.2	0			40	9.8	47.4	WNW	3.8	11.2
17	26.2	31.5	22.4	20.1	0	0.0	0.05	55	13.6	49.2	E	2.8	5.9
18	25.4	31.4	21.2	19.7	0			56	13.3	51.8	ENE	3.1	5.3
19	26.0	32.2	20.3	18.9	0			45	11.4	53.4	NE	5.0	7.0
20	26.7	33.0	21.5	19.8	0			48	12.8	53.0	NE	5.4	7.2
21	26.4	32.8	22.4	21.3	0			62	15.6	50.7	WSW	2.1	5.9
22	25.6	30.9	21.3	21.6	0			71	16.4	49.5	SSW	2.0	4.1
23	26.5	32.1	22.0	21.5	0	0.0	0.05	63	15.4	51.2	ENE	2.3	4.8
24	26.4	32.8	21.2	21.1	0			62	15.0	51.9	WSW	2.3	5.1
25	27.2	35.3	21.3	19.8	0			47	11.9	51.3	NE	2.5	6.2
26	28.4	34.6	22.1	19.9	0			40	11.6	50.4	NE	5.4	8.7
27	28.9	35.0	23.8	20.0	0			42	11.5	47.9	ENE	4.6	8.8
28	27.4	32.3	22.9	21.9	0			55	15.7	47.9	WSW	1.4	6.3
29	29.0	34.4	24.0	22.9	0			53	16.9	49.4	SW	1.6	7.5
30	30.3	37.8	26.3	22.7	0			52	15.5	49.7	SSW	1.8	8.5
31	30.1	36.5	24.9	21.4	0			44	12.9	49.5	NE	5.9	8.8
Sum					0	0.0	0.10				NE		221.2
Avg.	27.1	32.8	22.6	20.3				50	13.1	750.2	(6)	4.1	7.1

Year: 1935 Month: August

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.2	1.0	8	8	26.7	36.6	29.3	28.3	27.2	25.5		1
2	11.6	2.0	6	9	26.4	36.6	29.2	28.3	27.0	25.5		2
3	11.8	0.3	6	9	24.7	36.6	28.9	28.1	26.9	25.6		3
4	12.1	0.3	6	9	25.1	38.0	28.7	28.4	26.9	25.6		4
5	11.8	0.0	7	8	27.3	37.9	28.8	28.2	27.0	25.7		5
6	11.8	0.3	7	9	25.8	37.8	28.9	28.2	26.9	25.6		6
7	11.7	1.3	7	8	26.6	38.4	29.1	28.4	27.0	25.7		7
8	11.2	2.7	7	8	24.1	35.1	29.1	28.4	27.1	25.7		8
9	11.9	1.3	6	8	23.3	35.2	28.7	28.2	27.1	25.8		9
10	11.9	2.7	7	9	23.9	35.5	28.6	28.2	27.1	25.8		10
11	11.8	1.0	7	9	25.5	37.4	28.7	28.3	27.1	25.9		11
12	11.3	1.3	8	8	25.8	34.2	28.8	28.4	27.2	25.8		12
13	11.2	1.7	7	8	23.3	34.9	28.6	28.1	27.1	25.8		13
14	11.7	0.0	6	7	25.6	35.9	28.6	28.2	27.1	25.7		14
15	12.0	0.0	7	7	27.0	37.1	28.7	28.2	27.1	25.7		15
16	12.2	0.0	8	8	25.8	35.5	28.9	28.3	27.1	25.7		16
17	7.9	5.3	8	7	22.7	29.7	28.7	28.1	27.0	25.7	◍°	17
18	11.4	4.0	8	8	22.6	31.0	28.1	27.7	26.8	25.8		18
19	12.3	1.3	7	9	24.7	34.8	27.8	27.4	26.7	25.7		19
20	12.3	1.0	7	9	25.5	34.6	28.1	27.7	26.7	25.7		20
21	11.7	0.7	7	7	26.2	34.0	28.3	27.9	26.9	25.7		21
22	11.8	2.0	7	8	24.9	34.5	28.2	27.8	26.9	25.7		22
23	11.3	3.3	7	8	26.1	33.5	28.1	27.7	26.8	25.7	◍°	23
24	12.1	2.3	7	8	25.0	33.1	28.1	27.7	26.7	25.7		24
25	11.4	0.0	7	7	27.1	36.9	28.1	27.7	26.8	25.7		25
26	12.0	0.0	6	8	27.0	36.3	28.3	27.7	26.6	25.7		26
27	11.4	0.0	6	9	26.5	37.4	28.6	28.0	26.7	25.7		27
28	11.4	0.0	6	8	25.6	32.9	28.6	28.2	27.0	25.7		28
29	10.9	1.0	7	8	26.3	35.3	28.5	28.2	27.0	25.8		29
30	11.3	0.7	7	9	31.3	35.7	29.0	28.4	27.1	25.8		30
31	11.4	0.0	6.	8	28.0	37.7	29.0	28.5	27.0	25.8		31
um	357.8										◍ 2,	
vg.		1.2	6.9	8.2	25.7	35.5	28.6	28.1	27.0	25.7		

Year: 1935 Month: September

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	28.9	34.0	25.5	21.0	0			46	13.4	750.5	NE	7.6	9.5	
2	26.2	30.8	23.9	19.3	0			49	12.1	51.9	NE	8.3	7.9	
3	25.3	29.7	21.5	18.2	0			47	11.0	51.9	NNE	6.9	7.0	
4	26.6	33.8	22.1	18.9	0			44	11.3	51.8	NE	4.6	7.6	
5	25.9	30.9	21.5	21.2	0			60	15.6	51.7	SW	1.4	5.9	
6	27.8	34.5	22.9	20.9	0			52	14.0	48.9	SSW	2.4	7.9	
7	27.0	32.9	22.3	21.7	0			61	15.8	46.7	WSW	1.8	6.9	
8	25.9	31.5	21.9	20.5	0			62	14.5	47.5	NE	4.3	4.3	
9	23.4	28.9	20.5	16.5	0			44	9.6	52.2	NE	6.3	7.6	
10	22.9	30.0	18.3	15.8	0			44	8.8	51.5	NE	2.6	6.3	10
11	22.4	30.2	17.8	18.2	0	0.0	0.30	60	12.9	50.7	NE	3.0	4.9	11
12	20.0	24.6	18.2	15.9	0			61	10.5	55.2	NE	5.6	5.7	12
13	20.8	26.3	16.2	16.6	0			61	11.4	56.7	NE	5.3	4.6	13
14	22.7	28.5	18.2	16.9	0			51	10.3	56.9	NNE	5.9	5.9	14
15	25.0	33.3	18.4	17.9	0			42	10.3	54.1	ENE	3.6	7.1	15
16	23.4	29.7	17.4	19.4	0			45	9.6	50.1	WSW	2.4	7.3	16
17	23.6	29.2	18.2	18.7	0			60	12.4	47.9	WSW	1.5	4.9	17
18	23.4	33.4	18.3	18.8	0			64	12.8	48.8	SW	1.7	5.1	18
19	24.0	29.7	18.6	20.7	0			59	15.7	47.6	SW	2.0	4.4	19
20	23.7	29.5	19.2	19.4	0			66	13.9	50.6	NE	4.1	4.6	20
21	24.7	30.0	20.5	19.5	0			60	13.2	52.0	NE	4.5	5.4	21
22	24.1	29.3	20.4	19.4	0			60	13.4	51.3	NE	5.9	5.8	22
23	24.2	30.3	18.7	20.4	0			67	15.1	50.4	NW	1.9	4.9	23
24	23.2	29.4	18.6	20.5	0	19.8	4.25	74	16.0	50.5	NE	2.6	3.2	24
25	22.5	24.8	20.4	19.4	0	0.2	0.50	72	14.7	48.8	NE	3.4	3.4	25
26	23.5	27.6	19.6	18.3	0			63	12.3	46.5	WNW	4.7	7.0	26
27	21.0	26.7	19.2	16.8	0			57	11.5	48.1	NE	4.7	4.9	27
28	17.8	24.1	13.8	13.0	0			54	8.0	55.1	NE	4.9	4.7	28
29	17.8	25.2	12.0	13.7	0			58	8.7	59.3	NE	3.9	4.2	29
30	18.5	25.2	14.0	14.4	0			59	9.2	58.4	NE	5.5	4.8	30
Sum					0	20.0	5.05				NE		173.7	Su
Avg.	23.5	29.5	19.3	18.3				58	12.3	751.4	(6)	4.1	5.8	Av

Year: 1935 Month: September

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
			Toward sea	Toward land	Surface Green	Surface Bare	In cm. depth as indicatid below (in cups) 30	60	90	120		
1	11.2	0.0	7	9	27.1	36.1	29.2	28.5	27.1	25.9		1
2	11.0	2.3	7	9	25.5	34.0	28.7	28.3	27.1	26.0		2
3	11.5	1.0	6	9	25.4	33.6	28.1	28.1	27.0	26.0		3
4	11.5	0.0	8	8	25.5	33.9	27.9	27.8	27.1	26.1		4
5	10.8	0.0	7	7	25.2	33.9	27.8	27.9	27.1	26.0		5
6	11.4	0.0	8	6	26.2	34.4	27.9	27.8	27.1	26.1		6
7	11.2	0.0	7	7	26.5	35.9	27.9	27.9	27.1	26.0		7
8	10.1	4.0	6	7	25.8	35.5	27.7	27.6	26.9	26.0		8
9	10.4	3.0	8	8	22.8	31.3	27.2	27.2	26.7	25.9		9
10	10.7	0.3	7	9	23.2	31.0	27.1	26.7	26.8	25.9		10
11	5.5	7.7	8	8	22.5	27.5	26.1	26.1	26.3	25.7	◍⁰	11
12	5.2	7.7	8	8	23.7	31.3	25.5	25.7	26.0	25.6		12
13	9.2	3.3	8	8	20.7	27.5	24.9	25.3	25.8	25.5		13
14	10.9	0.7	7	8	22.6	32.4	24.7	24.9	25.6	25.5		14
15	11.1	0.0	9	9	23.6	33.7	24.9	25.3	25.5	25.2		15
16	9.2	5.3	9	7	23.2	30.6	24.8	25.2	25.5	25.1		16
17	10.5	2.0	7	8	23.7	32.3	25.0	25.4	25.5	25.1		17
18	10.5	0.7	7	6	23.7	29.6	24.9	25.2	25.4	25.0	$\Delta\Delta^{0-1}$	18
19	10.7	0.0	7	8	24.5	31.2	24.9	25.2	25.3	24.9	$\Delta\Delta^{1-2}$	19
20	5.1	6.7	7	7	21.5	26.6	24.8	25.1	25.1	24.8	$\prec^{0}$	20
21	10.6	3.7	6	8	26.0	32.1	24.9	25.1	25.1	24.8		21
22	10.5	0.7	5	8	25.2	31.2	25.1	25.1	25.0	24.7		22
23	10.3	3.7	5	8	26.3	31.9	25.1	25.2	25.1	24.7		23
24	5.1	8.0	6	6	23.2	23.9	24.9	25.1	24.8	24.6	◍² R^{1-2} $\prec^{0}$	24
25	0.0	7.0	7	7	20.3	20.7	23.9	24.4	24.7	24.5	◍⁰ R^{0-1} Δ^{0}	25
26	9.0	3.0	8	9	23.1	26.8	23.5	23.9	24.5	23.4		26
27	3.4	6.7	6	7	20.8	23.7	23.3	23.5	24.0	24.1		27
28	9.5	2.7	8	9	19.9	25.2	22.4	23.2	23.7	23.8		28
29	9.6	3.0	8	9	21.7	25.2	21.7	22.4	23.3	23.7		29
30	10.6	0.3	6	9	20.1	25.6	21.5	22.1	23.0	23.5	Δ^{0}	30
Sum	276.3										◍ 3, R 2, ≺ 1,	
Avg.		2.8	7.1	7.9	23.7	30.3	25.5	25.7	25.6	25.1	Δ 4,	

Year: 1935

Month: October

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm) (1)	Wind (1) (5)		Total evaporation (mm) (4)(7)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet- bulb (3)	Degree days (1) (base 18°)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)		
1	19.5	25.5	14.0	14.9	0			55	9.5	754.8	WSW	1.7	4.7	1
2	19.8	25.0	15.0	17.2	0			71	12.3	52.0	SW	2.1	3.7	2
3	20.9	26.3	16.6	18.3	0			76	13.5	50.9	SSW	2.2	3.3	3
4	21.8	26.5	18.1	19.8	0			81	15.8	52.4	SSW	1.8	2.8	4
5	22.3	27.4	18.3	21.1	0	0.2	-	86	17.3	52.9	SW	1.4	2.1	5
6	23.5	30.4	18.0	20.8	0			78	16.2	52.9	WSW	1.2	3.0	6
7	24.6	30.7	19.7	20.5	0			65	14.7	53.4	SW	0.9	4.4	7
8	25.0	30.0	21.7	10.9	0			47	10.3	55.2	NE	6.1	7.0	8
9	23.6	30.7	18.5	17.7	0			49	11.0	56.6	ENE	3.0	6.4	9
10	23.5	29.6	18.7	18.4	0			56	12.3	55.3	SW	1.6	5.8	10
11	24.6	32.1	19.7	19.7	0			61	13.4	53.4	NNE	1.6	4.7	11
12	23.8	32.2	19.0	19.1	0			60	13.4	53.7	NNE	3.1	5.3	12
13	23.0	28.7	18.1	17.7	0			54	11.5	55.3	NE	5.8	6.2	13
14	22.2	27.0	19.8	17.8	0			61	12.3	57.2	NE	9.1	6.7	14
15	21.2	25.8	19.0	17.4	0			66	11.8	57.4	NE	6.5	5.0	15
16	20.6	27.0	16.9	16.2	0			62	10.7	57.0	NE	4.1	4.9	16
17	21.5	27.1	16.6	17.4	0			59	11.6	56.7	NE	5.4	5.8	17
18	21.1	26.4	17.2	16.9	0			61	11.4	55.6	NE	5.1	5.1	18
19	21.0	26.6	15.5	10.7	0			66	12.4	53.9	SW	1.0	4.1	19
20	20.1	25.4	15.2	17.3	0			72	12.6	51.4	SW	1.8	4.5	20
21	20.3	24.3	15.8	17.8	0	0.1	0.47	75	13.3	49.8	SSW	4.7	5.1	21
22	22.1	25.9	16.5	20.5	0	15.7	2.35	80	16.2	50.7	SSW	5.5	4.4	22
23	22.0	24.4	19.8	18.9	0	3.8	6.50	75	14.2	50.5	S	6.1	4.3	23
24	20.0	22.8	17.3	15.8	0	2.8	3.75	68	11.2	46.8	W	6.1	5.6	24
25	20.3	24.3	16.4	17.3	0			70	12.4	49.4	W	4.9	5.3	25
26	20.7	24.8	17.0	18.1	0			75	13.7	51.9	S	3.2	3.7	26
27	20.0	24.3	18.7	17.8	0	0.0	0.27	78	13.8	50.6	S	3.5	3.7	27
28	18.1	21.2	15.4	13.9	0			64	9.2	46.0	WNW	6.6	6.2	28
29	14.4	17.8	14.7	12.4	4	7.5	5.33	79	9.6	50.0	W	3.9	2.8	29
30	11.2	14,5	8,2	7.6	7	0.1	1.00	58	5.6	46.5	NNW	8.5	4.1	30
31	15.2	21.8	10,3	11.9	3			60	7.7	56.2	N	3.8	3.6	31
Sum					14	30.2	-				NE		144.3	Sum
Avg.	20.9	26.0	17.0	17.2	14	2		67	12.3	752.5	(6)	3.9	4.7	Avg

Year: 1935 Month: October

Date	Total sunshine (hr) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	10.8	0.0	6	8	19.8	26.1	21.4	21.8	22.9	23.3	Ω^{0-1}	1
2	10.3	0.0	7	8	20.9	26.0	21.6	22.0	22.8	23.2		2
3	10.2	1.0	6	8	21.6	26.7	21.8	22.2	22.7	23.1	Ω^{2}	3
4	9.7	1.7	6	6	22.7	26.8	22.2	22.4	22.8	23.1	Ω^{2}	4
5	9.6	1.7	6	6	23.5	27.2	22.5	22.7	22.8	23.0	● ^{0} Ω^{2}	5
6	10.0	1.0	7	8	23.7	27.8	22.7	22.8	22.8	23.0	Ω^{2}	6
7	10.0	2.7	7	7	23.8	28.4	23.0	22.9	22.9	23.0	Ω^{2}	7
8	9.9	3.7	5	8	23.0	28.8	23.4	23.0	22.9	23.0		8
9	10.1	1.7	5	9	22.9	27.2	23.2	23.2	23.0	23.0		9
10	9.8	0.3	7	5	22.1	27.2	22.8	23.0	23.0	23.0		10
11	9.0	3.7	7	7	22.5	28.1	23.0	23.2	23.1	23.0		11
12	9.0	2.7	6	8	22.7	27.1	23.2	23.1	23.0	23.0		12
13	10.0	2.3	4	7	21.3	27.1	23.0	23.0	23.0	23.0		13
14	9.9	2.3	6	7	21.9	25.3	22.9	22.9	22.9	22.9		14
15	9.6	2.7	5	8	20.0	22.9	22.6	22.7	22.9	22.8	Ω^{0}	15
16	9.7	1.0	7	8	20.9	25.5	22.1	22.3	22.7	22.8	Ω^{0}	16
17	9.7	0.7	5	8	23.5	26.0	21.7	22.0	22.5	22.7		17
18	9.4	0.7	7	8	21.2	27.1	21.6	21.7	22.3	22.6		18
19	7.8	2.0	7	8	19.6	21.4	21.4	21.8	22.5	22.6		19
20	9.2	0.7	5	7	20.1	23.6	21.2	21.5	22.2	22.4		20
21	6.7	5.7	6	6	21.0	24.0	21.1	21.5	22.1	22.2	● $^{0-1}$ Ω^{1}	21
22	5.2	8.0	6	8	22.4	21.7	21.2	21.5	21.8	22.2	● ^{1} $\mathrlap{\sim}^{2}$	22
23	0.0	10.0	6	6	19.5	18.4	21.1	21.3	21.6	22.0	● $^{0-1}$ $\mathrlap{\sim}^{0}$	23
24	8.5	2.7	8	9	18.7	17.2	20.6	20.8	21.4	22.1	● $^{0-1}$	24
25	6.2	3.0	8	9	20.5	22.1	20.0	20.4	21.1	21.9		25
26	8.0	5.7	8	9	19.9	20.7	20.2	20.4	20.9	21.8		26
27	5.5	7.7	8	8	22.2	22.2	20.6	20.6	21.0	21.6	● ^{0}	27
28	9.1	1.3	6	9	19.6	21.8	20.2	20.3	20.8	21.6	$<^{1}$ Ω^{2}	28
29	0.0	8.3	6	7	14.0	14.2	19.3	19.5	20.0	20.9	● $^{1-2}$ $\mathrlap{\sim}^{1}$ $<^{0}$	29
30	9.3	1.3	7	9	15.4	16.9	17.4	17.6	19.2	20.9	● ^{0}	30
31	9.6	2.7	6	9	16.2	17.1	16.7	16.9	18.6	20.5	Ω^{0}	31
Sum	262.0										● 8, $\mathrlap{\sim}$ 3, $<$ 1, Ω 11,	
Avg.		2.9	6.5	7.7	20.9	24.0	21.5	21.7	22.1	22.5		

Year: 1935 Month: Novembe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	15.4	22.1	10.5	12.7	3			68	8.9	758.2	ENE	2.9	2.3	
2	14.4	19.2	8.9	11.0	4			63	7.6	57.5	NNE	4.5	3.6	
3	13.2	16.2	10.9	11.7	5	1.6	1.18	79	9.2	55.1	NE	5.4	2.0	
4	12.6	16.4	9.8	9.9	5			67	7.3	54.8	ENE	6.1	3.1	
5	14.0	16.5	10.0	11.9	4	0.0	0.03	74	8.8	54.5	S	1.6	3.2	
6	16.7	19.1	14.5	15.8	1	2.7	8.00	86	12.6	53.7	SSE	4.3	2.4	
7	16.6	21.9	12.5	14.6	1	0.0	0.05	80	10.9	55.5	SW	1.9	2.0	
8	16.4	22.1	12.0	14.0	2	0.0	0.03	78	10.2	56.4	N	2.5	1.8	
9	15.6	22.6	11.9	13.6	2			78	10.0	57.9	NE	3.0	1.9	
10	15.1	20.3	10.8	13.1	3			74	9.6	59.8	NE	3.5	2.1	
11	14.8	19.7	11.3	11.7	3			65	8.1	58.8	NNW	4.5	2.9	
12	14.4	16.8	13.1	10.9	4	0.0	0.05	64	8.1	57.0	N	10.3	3.8	
13	13.3	16.6	11.2	10.0	5			64	7.0	55.9	N	11.0	4.2	
14	12.9	15.3	11.1	10.5	5			70	7.8	56.9	N	8.1	2.9	
15	13.1	16.6	10.9	10.8	5			72	8.1	57.3	NNW	9.2	3.1	
16	12.2	15.2	10.6	9.4	6			65	7.0	56.4	N	8.0	3.1	
17	11.4	16.0	8.3	9.4	7	0.0	0.03	69	7.3	55.9	N	4.3	2.3	
18	13.4	18.8	9.4	10.7	5			69	7.7	55.0	N	3.2	1.9	
19	15.1	19.7	11.6	13.0	3	4.3	3.17	77	9.6	51.8	W	3.6	2.4	
20	12.6	16.5	10.8	9.9	5	0.1	1.00	68	6.8	54.7	NNW	6.3	3.2	
21	10.9	16.2	7.2	8.7	7			72	6.9	58.6	NNE	5.3	2.0	
22	11.8	14.8	9.0	9.4	6			71	7.2	56.2	NE	3.9	1.9	
23	17.2	20.3	11.3	15.3	1	0.2	0.52	75	11.4	49.5	S	8.9	4.0	
24	16.8	20.0	14.3	13.7	1			70	9.6	52.9	W	3.1	3.3	
25	16.5	21.6	12.8	14.3	1			76	10.5	52.8	SW	1.9	2.1	
26	16.8	19.6	14.0	14.7	1			79	11.2	50.9	SSE	3.4	1.8	
27	15.5	18.4	17.2	14.2	2	18.0	4.83	85	11.1	48.3	SSE	3.9	2.5	
28	11.9	14.1	11.4	10.0	6	1.1	4.22	83	8.3	45.3	NW	6.8	1.0	
29	10.7	14.4	8.4	8.4	7			72	6.5	47.2	NW	5.7	2.5	
30	10.7	15.4	7.0	9.1	7			75	6.7	50.9	NNW	2.4	1.4	
Sum.					117	28.0	23.11				N		76.7	Sum
Avg.	14.1	18.1	11.1	11.8				73	8.7	754.5	(6)	5.0	2.6	Avg

Year: 1935 Month: November

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	8.4	2.3	8	8	15.7	17.3	16.8	17.2	18.4	20.2	Δ^{1}	1
2	6.1	6.3	8	8	14.1	14.3	16.7	17.0	18.2	20.0		2
3	1.3	8.7	5	9	12.5	13.3	16.6	16.8	18.1	19.8	$\bigcirc^{0}$	3
4	9.2	6.0	7	7	13.3	14.8	16.2	16.7	17.8	19.5		4
5	0.0	9.3	6	6	14.0	14.6	16.2	16.8	17.7	19.4	$\bigcirc^{0}$	5
6	0.1	9.0	9	7	16.0	16.0	16.7	17.1	17.9	19.3	$\bigcirc^{1}$ $\ominus^{0}$	6
7	7.3	5.3	7	8	15.6	15.6	16.8	17.1	17.9	19.2	$\bigcirc^{0}$ $\mathbb{R}^{0}$ $\ominus^{1}$ Δ^{1}	7
8	6.9	4.0	9	9	14.6	15.0	17.0	17.2	17.8	19.2	$\bigcirc^{0}$ Δ^{2}	8
9	7.8	3.7	7	9	17.9	18.8	16.9	17.1	17.7	19.0	Δ^{1-2}	9
10	5.1	8.3	8	9	15.4	15.6	16.8	17.0	17.6	18.9	Δ^{1-2}	10
11	8.4	4.7	8	8	15.1	15.3	16.6	16.9	17.6	18.8	Δ^{1-2}	11
12	4.1	6.7	8	8	13.4	13.7	16.6	16.7	17.3	18.8	$\bigcirc^{0}$	12
13	8.4	4.3	7	8	13.9	15.8	16.1	16.3	17.0	18.4		13
14	1.1	8.0	8	8	12.1	13.0	15.7	16.1	17.0	18.4		14
15	6.2	7.0	7	7	12.9	15.0	15.7	16.0	16.9	18.3		15
16	6.5	7.3	5	8	12.3	14.4	15.6	15.8	16.8	18.0		16
17	3.6	5.3	7	9	10.7	13.4	15.1	15.5	16.7	18.1	$\bigcirc^{0}$ Δ^{0}	17
18	5.4	6.0	7	8	12.7	14.9	15.1	15.5	16.7	17.9		18
19	5.2	6.0	6	9	14.1	14.8	15.5	15.8	16.8	17.9	$\bigcirc^{1}$ Δ^{0}	19
20	7.6	4.3	8	9	9.9	13.1	15.0	15.2	16.4	17.7	$\bigcirc^{0-1}$ $\leftarrow^{0}$	20
21	7.7	6.3	7	9	9.8	12.4	14.3	14.6	16.1	17.0	Δ^{0}	21
22	0.2	10.0	8	7	11.5	12.1	14.3	14.7	16.0	17.5	$\mathbb{R}^{0-1}$	22
23	4.3	5.0	4	5	16.2	16.2	15.2	15.3	16.4	17.6	$\bigcirc^{0-1}$	23
24	5.0	4.7	6	7	14.4	15.0	15.7	15.8	16.5	17.6		24
25	6.0	8.0	6	7	14.0	16.6	15.8	15.9	16.4	17.4	Δ^{1-2}	25
26	0.0	9.7	5	4	15.0	15.2	16.1	16.1	16.5	17.4	Δ^{1}	26
27	0.0	10.0	7	7	14.7	14.7	16.4	16.3	16.7	17.4	$\bigcirc^{2}$ $\leftarrow^{0}$ $\mathbb{R}^{0-1}$ Δ^{0}	27
28	0.0	8.7	8	7	11.5	10.7	15.5	15.6	16.1	17.3	$\bigcirc^{0-1}$	28
29	6.7	4.0	7	8	9.9	12.2	14.5	14.9	15.9	17.1		29
30	0.3	6.0	8	7	10.2	10.6	13.7	14.2	15.5	16.9	Δ^{1-2}	30
Sum	138.9										$\bigcirc$12, $\mathbb{R}$ 3, $\leftarrow$1, $\ominus$2, Δ 13,	
Avg.		6.5	7.0	8.0	13.4	14.5	15.9	16.1	17.0	18.4		

Year: 1935 Month: December

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4) (7)
1	12.2	15.8	8.0	10.3	6			70	7.8	750.5	SSW	1.6	1.9
2	15.4	18.1	10.8	13.3	3			72	9.6	42.2	SW	4.9	2.6
3	17.2	20.0	16.5	13.2	1			60	9.0	41.4	SW	8.4	7.6
4	15.2	18.2	11.0	12.1	3			66	8.7	49.7	S	4.6	3.7
5	15.5	18.0	15.7	11.9	2			69	8.3	50.3	S	8.2	4.4
6	13.7	16.9	8.7	11.3	4			69	8.4	50.1	S	5.9	3.5
7	14.9	16.7	13.4	11.9	3	0.5	0.58	71	8.7	49.2	S	3.9	3.2
8	16.0	20.0	11.0	14.7	2			79	11.5	49.1	SSE	5.8	3.0
9	17.8	20.0	16.9	18.6	0	0.0	0.15	74	11.1	46.5	SSE	10.6	6.9
10	13.8	18.2	12.9	11.2	4	9.0	1.58	77	8.8	44.3	SSE	4.2	3.3
11	12.3	17.6	9.5	11.1	6	1.4	1.67	83	8.8	47.7	SW	0.7	1.3
12	10.6	14.3	8.8	9.7	7	17.6	3.62	86	8.2	46.7	E	2.3	1.0
13	9.1	12.4	7.5	7.5	9	1.3	1.00	77	6.5	49.8	NW	5.0	1.6
14	10.8	13.8	7.6	10.0	7	11.4	4.50	80	7.9	49.0	E	4.9	1.4
15	12.7	16.0	8.6	10.5	5	2.6	0.42	73	8.2	49.8	NW	2.8	2.2
16	10.9	15.0	8.3	8.3	7	5.6	3.08	76	6.9	47.8	W	4.7	2.5
17	10.7	13.5	8.7	8.2	7	0.0	0.05	71	6.5	49.8	W	5.0	3.7
18	10.2	15.1	5.8	7.2	8			61	5.5	52.0	WSW	2.2	2.3
19	11.7	15.7	9.4	10.1	6	6.4	7.92	79	8.1	46.5	S	4.9	1.7
20	11.7	15.3	8.4	9.3	6			70	7.2	48.5	W	2.3	2.6
21	14.6	17.7	10.8	12.4	3			72	9.1	47.9	SSW	6.8	2.6
22	15.3	16.6	14.4	13.0	3	0.8	1.50	73	9.8	46.3	S	9.1	3.4
23	11.8	16.7	8.0	9.4	6			74	7.4	55.5	N	2.8	2.2
24	11.6	13.8	8.1	10.6	6	0.0	0.17	84	8.6	55.3	N	1.1	0.7
25	13.1	17.0	11.6	12.7	5	18.8	15.67	92	10.4	54.2	NNE	0.7	0.5
26	13.3	17.2	11.4	12.5	5			87	9.7	54.0	SSE	1.2	0.8
27	14.1	17.4	11.7	13.4	4	11.2	2.33	87	10.6	51.9	S	2.7	1.0
28	13.9	19.2	11.5	12.5	4	0.2	-	78	9.8	52.1	NW	1.3	1.4
29	12.6	17.9	9.6	10.6	5			76	8.1	57.5	NNE	2.9	1.7
30	11.5	17.3	7.9	9.3	6			74	7.3	58.1	NE	2.4	1.7
31	11.1	16.3	8.5	9.9	7			78	7.7	55.9	E	2.5	1.3
Sum					150	76.8	-				S		77.7
Avg.	13.1	16.7	10.4	11.1				75	8.5	750.0	(6)	4.1	2.5

ar: 1935 Month: December

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
		Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)					
				Green	Bare	30	60	90	120		
6.3	6.3	6	7	9.7	10.1	13.6	14.1	–	16.7		1
0.7	8.7	7	6	14.4	12.9	13.9	14.3	15.4	16.8	D^2	2
2.6	8.0	7	8	15.1	14.9	15.1	15.0	15.6	17.0		3
8.0	8.0	7	7	12.4	14.3	14.9	15.0	15.5	16.6		4
6.1	5.0	7	9	12.3	14.4	15.5	15.4	15.8	16.7		5
5.1	7.3	7	7	11.8	13.6	14.8	14.9	15.5	16.5		6
0.4	9.0	8	7	13.3	13.3	15.2	15.1	15.6	16.5	●$^{0-1}$	7
4.4	8.0	6	7	14.1	16.1	15.1	15.2	15.6	16.2	D^0	8
0.5	9.7	6	7	16.6	17.2	15.8	15.5	15.6	16.3	●^{0}	9
4.7	7.3	6	6	11.4	12.1	15.6	15.4	15.6	16.2	●^{2} ≷^{1} D^1	10
4.3	8.0	7	8	12.1	12.8	14.6	14.8	15.4	16.3	●$^{0-1}$ D^1	11
0.0	8.7	8	8	10.0	10.0	14.1	14.2	15.1	16.1	●^{1} ≷^{0} ≺^{0} D^1	12
3.9	4.7	7	9	7.8	10.2	13.2	13.6	14.8	16.2	●^{1} D^1	13
0.0	9.0	8	8	9.6	9.8	12.9	13.1	14.6	15.5	●^{2} ≷$^{1-2}$	14
4.9	6.0	8	9	10.0	10.7	12.8	13.3	14.5	15.8	●^{1} ≷^{1}	15
6.2	3.0	7	8	8.6	10.2	13.0	13.2	14.5	15.9	●^{2} ≷$^{1-2}$	16
4.4	3.3	8	9	8.3	8.6	12.3	12.8	14.4	15.9	●^{0} D^0	17
7.9	1.7	7	7	5.7	8.4	11.5	12.2	13.8	15.2	D^0	18
2.6	7.3	8	7	9.3	9.6	11.9	12.4	13.7	15.2	●$^{0-1}$	19
5.8	8.3	8	7	9.2	9.3	11.9	12.4	13.7	15.2		20
3.2	6.3	7	7	13.2	13.1	12.1	12.8	13.8	15.2		21
0.5	9.0	7	6	14.0	12.9	13.3	13.4	14.0	15.2	●$^{0-1}$	22
4.7	7.7	6	7	11.6	11.4	13.1	13.2	13.9	15.0	D^1	23
0.0	10.0	5	5	11.5	11.1	12.9	13.1	13.8	14.8	●^{0} D^1	24
0.0	6.0	6	8	11.9	13.2	13.2	13.4	13.9	14.9	●$^{0-1}$ D^2	25
0.7	7.7	5	7	11.6	13.8	13.5	13.5	14.0	14.9	D^2	26
0.8	7.7	8	7	13.4	16.5	13.7	13.7	14.1	14.9	●$^{0-1}$ D^0	27
7.4	4.0	6	9	10.8	13.9	13.9	13.7	14.1	14.9	●^{0} ≺^{0} ≡^{1} D^2	28
8.0	3.7	7	8	11.8	12.8	13.4	13.5	14.0	14.9	D^{1-2}	29
7.4	5.0	6	8	9.0	10.9	13.0	13.2	13.9	14.9	D^2	30
1.7	8.3	7	9	10.1	10.9	12.6	13.0	13.7	14.8	D^1	31
113.2										●16, ≷5, ≺1, ≡1,	
	6.9	6.9	7.5	11.3	12.2	13.6	13.8	14.6	15.7	D 17,	

YEAR : 1935

Month	Air temperature (°C)							Degree days (base 18 °C)	Average of			Sunshi
	Average			Absolute								
	24 hours	Maximum (4)	Minimum (4)	Maximum (4)	Date	Minimum (4)	Date	(1)	Wet bulb temper. (3)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	Total
JAN.	8.6	11.8	6.2	16.4	27	2.1	4	290	7.3	79	6.7	86.3
FEB.	10.4	14.9	7.1	19.8	24	2.7	1	212	8.3	71	6.9	172.0
MAR.	10.2	13.9	7.1	20.2	24	3.5	16	244	8.1	72	6.7	175.0
APR.	15.8	20.6	11.3	25.0	11	4.8	1.2	69	12.6	64	8.6	254.9
MAY	20.2	25.9	15.5	33.1	29	8.7	4	25	15.7	58	10.1	257.6
JUNE	25.7	31.5	21.1	37.6	8	17.6	25	0	19.0	48	11.7	326.0
JULY	27.1	32.8	22.4	38.5	21	17.8	14	0	19.7	44	12.0	353.6
AUG.	27.1	32.8	22.6	37.8	30	20.3	19	0	20.3	50	13.1	357.8
SEP.	23.5	29.5	19.3	34.5	6	12.0	29	0	18.3	58	12.3	276.3
OCT.	20.9	26.0	17.0	32.2	12	8.2	30	14	17.2	67	12.3	262.0
NOV.	14.1	18.1	11.0	22.6	9	7.0	30	117	11.8	73	8.7	138.9
DEC.	13.1	16.7	10.4	20.0	3,8,9	5.8	18	150	11.1	75	8.5	113.2
YEAR	18.1	22.9	14.3	38.5	July 21	2.1	Jan. 4	1121	14.1	63	9.8	2.773.6

Month	Avg.cloudiness (tenths) (3)	Avg. Visibility (10)		Average soil temperature (°C)(3)						Number of days			
		Toward sea	Toward Land	Surface		In cm depth as indicated below (in cups)				Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25.0°C (Summer days)	Maximum ≥ 30.0°C (Tropical days)
				Green	Bare	30	60	90	120				
JAN.	7.3	6.6	7.0	7.0	7.9	9.7	10.0	11.2	12.4	0	0	0	0
FEB.	4.8	7.0	7.5	9.2	11.1	10.6	10.5	11.2	12.0	0	0	0	0
MAR.	6.6	6.8	7.5	9.7	13.0	11.7	11.7	12.0	12.5	0	0	0	0
APR.	4.8	7.4	7.4	14.8	21.2	16.5	15.9	15.2	14.8	0	0	0	0
MAY	4.9	7.2	7.0	19.3	28.1	21.0	20.2	18.8	17.9	0	0	17	6
JUNE	2.3	7.0	7.4	25.0	35.6	26.7	25.6	23.9	22.3	0	0	30	21
JUNY	1.7	6.6	7.6	26.8	38.0	28.7	27.9	26.2	24.7	0	0	31	28
AUG.	1.2	6.9	8.2	25.7	35.5	28.6	28.1	27.0	25.7	0	0	31	31
SEPT.	2.8	7.1	7.9	23.7	30.3	25.5	25.7	25.6	25.1	0	0	27	13
OCT.	2.9	6.5	7.7	20.9	24.0	21.5	21.7	22.1	22.5	0	0	21	6
NOV.	6.5	7.0	8.0	13.4	14.5	15.9	16.1	17.0	18.4	0	0	0	0
DEC.	6.9	6.9	7.5	11.3	12.2	13.6	13.8	14.6	15.7	0	0	0	0
YEAR	4.4	6.9	7.6	17.2	22.6	19.2	18.9	18.7	18.7	0	0	158	105

Y E A R : 1935

	Average Pressure at 0°C (mm) (1)	Wind (1) (5) Avg. Speed (m.p.s.)	Wind (1) (5) Prevailing direction	Precipitation Total (mm) (4)	Precipitation Maximum in 24 hrs	Precipitation Date	Total evaporation (mm) (4)(7)	Number of days Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)
...	751.1	4.0	NE	85.0	18.0	15	58.4	19	0	0	5	0	21	7	2
.	50.1	3.7	S	37.8	21.9	12	74.7	9	0	0	4	0	12	12	1
..	52.6	5.1	NE	36.9	12.0	8	82.8	16	0	0	2	1	16	8	0
..	50.9	2.7	SSW	1.4	0.5	1,21	125.9	6	0	0	0	0	6	11	0
.	52.2	2.8	NE	2.4	2.4	3	163.2	3	0	0	0	0	3	6	0
IE.	51.3	4.7	NE	5.5	5.3	24	230.3	5	0	0	0	0	5	0	0
LY.	50.2	4.6	NE	0	0	0	243.0	0	0	0	0	0	0	0	0.
.	50.2	4.1	NE	0.0	0.0	1723	221.2	2	0	0	0	0	2	0	0
.	51.4	4.1	NE	20.0	19.8	24.	173.7	3	0	0	0	0	3	4	0
.	52.5	3.9	NE	30.2	15.7	22	144.3	8	0	0	0	0	8	11	0
.	54.5	5.0	N	28.0	18.0	27	76.7	12	0	0	0	0	12	13	0
.	50.0	4.1	S	76.8	18.8	25	77.7	16	0	0	0	0	16	17	0
AR	751.4	4.1	NE	324.0	21.9	Febr. 12	1.671.9	99	0	0	11	1	104	89	3

Month	Number of days: Snow cover	Clear (0.0–1.9 tenths) (3)	Partly cloudy (2.0–8.0 tenths) (3)	Cloudy 8.1–10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)	
AN.	0	0	16	15	0	5	4	0	0	0	0	1	0	0	
EB.	0	6	17	5	6	0	0	0	0	0	0	1	1	0	
AR.	0	2	19	10	5	3	2	0	0	0	0	0	0	0	
PR.	0	4	24	2	7	1	1	0	0	0	0	1	0	0	
AY	0	5	23	3	6	0	1	0	0	2	0	0	0	0	
UNE	0	17	13	0	16	0	1	2	0	0	0	0	0	0	
ULY	0	18	13	0	21	0	3	0	0	0	0	0	0	0	
AUG.	0	23	8	0	25	0	0	0	0	0	0	0	0	0	
SEP.	0	13	17	0	17	1	2	1	0	0	0	0	0	0	
OCT.	0	14	15	2	20	2	3	1	0	0	0	0	0	0	
NOV.	0	0	22	8	2	4	3	1	0	0	0	2	0	0	
DEC.	0	1	21	9	2	1	5	1	0	0	0	0	0	1	
YEAR	0	103	208	54	127	17	25	6	0	2	0	5	1	1	

Y E A R : 1935

Month	Frequency (%) of the wind direction (24 hourly obsevations) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW
JAN.	2.6	6.9	17.1	8.2	3.8	0.1	0.3	3.6	14.1	3.8	3.1	1.5	2.0	2.0	4.0	3.2
FEB.	3.1	6.5	7.7	2.3	0.9	0.3	0.1	0.9	14.4	7.0	4.2	6.4	5.1	2.7	4.3	7.1
MAR.	6.7	13.4	25.0	4.8	0.8	0.4	0.1	0.4	2.5	6.3	3.8	2.0	3.8	5.0	3.9	3.8
APR.	1.7	3.3	1.9	1.5	0.6	0.7	0.7	1.2	7.0	12.8	11.1	5.9	6.0	7.3	3.5	2.5
MAY	1.8	5.6	11.4	5.5	1.7	0.4	0.5	2.2	3.5	6.6	11.0	8.9	4.4	3.9	1.2	1.8
JUNE	4.9	10.4	23.2	10.9	1.4	0.6	0.1	0.7	1.1	5.2	7.2	4.6	2.1	2.1	2.6	2.9
JULY	6.3	11.3	20.6	15.9	3.4	1.3	0.3	0.1	0.7	3.0	6.8	5.4	1.1	0.8	0.8	2.2
AUG.	5.6	13.0	20.2	11.1	2.5	0.9	0	0.1	0.5	3.1	5.2	6.7	2.3	2.5	1.7	1.1
SEP.	5.3	12.4	24.3	10.5	2.9	0.7	0.3	0.3	1.4	2.4	5.0	3.6	1.8	1.8	1.7	2.3
OCT.	4.3	7.1	12.2	5.6	0.9	0.4	0.1	0.5	6.2	7.7	7.8	5.5	4.6	2.7	2.6	3.4
NOV.	17.9	10.5	11.9	6.6	2.4	0.4	1.4	5.3	4.2	1.7	1.8	1.0	4.6	2.5	4.9	10.7
DEC.	3.5	2.0	2.6	1.3	2.6	1.0	2.4	6.2	10.0	6.2	5.8	3.1	6.4	2.5	2.6	0.8
YEAR	5.3	8.6	14.9	7.1	2.0	0.6	0.5	1.8	5.4	5.4	6.1	4.5	3.7	3.0	2.8	3.4

REFERENCE NOTES

1) Average of 24 hourly values.
2) Day ending at 24 h.
3) Average of 8,14 and 20 h. observations.
4) Day ending at 20 h.
5) From Steffens - Hedde anemograph (mean instantaneous readings).
6) Monthly prevailing direction.
7) From Piche evaporimeter.
8) From Campbell - Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography.
10) At 14 h. observation.

Τύποις Ν. ΠΟΤΑΜΙΤΗ Σωκράτους 48 — Ἀθῆναι — Τηλέφ. 526.882